

काभ्रेपलाञ्चोक जिल्लाको
ज्याला तथा निर्माण सामग्रीहरुको
दररेट



आ.ब. ०८१ / ०८२



जिल्ला प्रशासन कार्यालय
काभ्रेपलाञ्चोक

२०८१ असार



आज मिति २०८१ साल असार ३० गते आइतवार दिउँसो १:०० बजे प्रमुख जिल्ला अधिकारी एवम जिल्ला दररेट निर्धारण समितिका अध्यक्ष श्री सुर्य प्रसाद सेडाईज्यूको अध्यक्षतामा देहाय बमोजिमका पदाधिकारीहरुको उपस्थितिमा जिल्ला दररेट निर्धारण समितिको बैठक बसी निम्न बमोजिम गर्ने निर्णय गरियो:-

उपस्थिति:

- | | | |
|--|---|--|
| १) प्र.जि.अ. श्री सुर्य प्रसाद सेडाई | जिल्ला प्रशासन कार्यालय, काभ्रेपलाञ्चोक | |
| २) जि.स.स. प्रमुख श्री दिपक कुमार गौतम | जिल्ला समन्वय समिति, काभ्रेपलाञ्चोक | |
| ३) जि.स.स. सदस्य श्री अप्सरा दुङ्गना | जिल्ला समन्वय समिति, काभ्रेपलाञ्चोक | |
| ४) जि.स.अ. श्री पिताम्बर पाण्डे | जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक | |
| ५) को.नि. श्री चतुर्भुज तिमिल्सिना | कोष तथा लेखा नियन्त्रक कार्यालय, काभ्रेपलाञ्चोक | |
| ६) सचिव श्री कृष्णलाल श्रेष्ठ | काभ्रे उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक | |
| ७) महासचिव श्री अमित लामा | निर्माण व्यवसायी संघ, काभ्रेपलाञ्चोक | |
| ८) सि.डि.ई. श्री राजु श्रेष्ठ | पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक | |

आमन्त्रित:

- | | | |
|---|--|--|
| ९) स.प्र.जि.अ श्री सुवास पौडेल | जिल्ला प्रशासन कार्यालय, काभ्रेपलाञ्चोक | |
| १०) का.प्र. श्री सन्तोष कुमार निरौला | सहरी विकास तथा भवन कार्यालय, काभ्रेपलाञ्चोक | |
| ११) डि.प्र. श्री विनय पौडेल | जलस्रोत तथा सिंचाई विकास डिभिजन, काभ्रेपलाञ्चोक | |
| १२) का.प्र. श्री बद्री बहादुर पाठक | सार्वजनिक निर्माण कार्यान्वयन इकाइ, काभ्रेपलाञ्चोक | |
| १३) ई. श्री सृष्टि ख्वालापाला | खानेपानी तथा सरसफाई डिभिजन नं.३, सिन्धुपाल्चोक | |
| १४) व.अ. श्री न्हुछे कृष्ण श्रेष्ठ | डिभिजन वन कार्यालय, काभ्रेपलाञ्चोक | |
| १५) शा.अ. श्री भरत सापकोटा | जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक | |
| १६) सदस्य श्री राजेन्द्र भुर्तेल | निर्माण व्यवसायी संघ, काभ्रेपलाञ्चोक | |
| १७) कार्यकारी सचिव श्री सुनिल कर्मचार्य | काभ्रे उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक | |
| १८) ई. श्री सकल देव प्रसाद साह | पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक | |
| १९) ई. श्री भुपेन्द्र कोइराला | पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक | |
| २०) स.ई. श्री सुनिल श्रेष्ठ | पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक | |

२१) स.ई. सुरेन्द्र देव
२२) ई. द्वितीय कुमार

सहरी विकास तथा भवन कार्यालय
खानेपानी तथा सरसफाई नं.३
सिन्धुपाल्चोक

सुर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी

निर्णयहरू:

आर्थिक वर्ष २०८१/८२ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिको निर्देशन बमोजिम पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोकबाट जिल्ला स्थित सबै सरोकारवालाहरूसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट तथा सरोकारवाला निकायहरूको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

निर्णय नं. १ कामदारको ज्याला दर, मेशीन तथा उपकरण र ढुवानी दर निर्धारण गर्ने।

निर्णय नं. २ सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

निर्णय नं. ३ ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

निर्णय नं. ४ स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

निर्णय नं. ५ (घर र जग्गा भाडा, तथा क्षतिपुर्ति मुआब्जा निर्धारण सम्बन्धी) दररेट पुस्तिकामा उल्लेख गरिएको।

निर्णय नं. ६ पेट्रोलियम पदार्थ र लुब्रिकेन्ट्स प्रोडक्ट सम्बन्धमा नेपाल आयल निगमले तोके अनुसारको दररेट कायम गर्ने निर्णय गरियो।


निर्णय नं. ७ सदरमुकाम धुलिखेल र आसपासका नगरपालिकाहरूको बजार क्षेत्र बाहेकका दुर्गम स्थानहरूमा नियमअनुसार ढुवानी थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८ स्थानीय निर्माण सामग्री उपलब्ध हुने खानी क्षेत्र आसपासका नगरपालिक तथा गाउँपालिका क्षेत्रमा निर्माण कार्य गराउनु पर्ने अवस्थामा सम्बन्धीत खानीबाट दररेट लिई खानी देखि निर्माण स्थल सम्मको दुरी (Lead) समावेश गरि दर बिश्लेषण गरि जिल्लादररेट भन्दा बढी नहुने गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९ स्थानीय निर्माण सामग्री खानी तथा खोलाबाट Collection गर्ने सकिने अवस्थामा Norms अनुसार Collection र Transportation थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. १० झोलुंगेपुलमा प्रयोग गरिने फलामे सामग्रीहरूको फेब्रिकेशन तथा ग्याल्भनाईजेशन सम्बन्धमा आवश्यक पर्ने ज्यामी, कच्चा पदार्थहरूको दररेट नेपाल सरकारका केन्द्रीय निकाय (स्थानीय पूर्वाधार विभाग आदि) ले निर्धारण गरेको दररेटलाई नै कायम गर्ने निर्णय गरियो।

निर्णय नं. ११ माथि निर्धारण भए अनुसारको दररेटमा छुट हुन गएका अन्य निर्माण सामग्रीहरूको दररेटको हकमा प्रचलित ऐन नियम अनुसार गर्ने निर्णय गरियो।



सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी

निर्णय नं. १२ यसमा उल्लेख नभएका निर्माणसँग सम्बन्धीत अन्य आवश्यक सामग्रीहरूको हकमा लागत अनुमान तयार गर्ने प्रयोजनका लागि जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाटै नेपाल सरकारको स्वामित्वमा रहेको संघ संस्था बाट दर उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको प्रचलित बजारभाउ सर्वेक्षण गरि कार्यान्वयन गराउने निर्णय गरियो।

निर्णय नं. १३ जिल्ला दररेटमा उल्लेख भएका विभिन्न निर्माण सामग्रीहरू बाहेक कार्यालयले आफ्नो कार्य प्रकृति अनुसार खास प्रयोजनको लागि विशेष प्रकारको निर्माण सामग्री प्रयोग गरि निर्माण कार्य गर्नु परेमा सम्बन्धीत निकायसँग नै यस्तो बिषयमा प्राविधिक विशेषज्ञता हुने हुँदा उल्लेखित विशेष प्रकारको निर्माण कार्यको नर्मस तथा स्ट्याण्डर्स, दर र सो कामसँग सम्बन्धीत विशेष जनशक्तिको ज्याला दर समेत सम्बन्धीत निकाय बाट नै तयार गरि निर्णय कार्यान्वयन गर्ने गराउने।


निर्णय नं. १४ निर्माण कार्य गरिने आयोजनाहरूमा श्रमिक/मजदुरहरूको व्यवसायजन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नुको साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बिमा लगायतका अन्य सुरक्षाका प्रावधान समेत सम्बन्धीत ज्यालादर प्रयोग गर्ने निकायले अनिवार्य रूपमा कार्यान्वयन गर्ने निर्णय गरियो।




सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी

ज्याला तथा हुवानि
दर रेट

काभ्रेपलाञ्चोक



निर्णय नं.: १ सार्वजनिक खरिद (पछिल्लो संशोधन) नियमावली २०७६ को नियम १४८ बमोजिम काभ्रेपलाञ्चोक जिल्लाको आ.व. ०८१/८२ को लागि निम्न अनुसारका कामदारहरुको लागि निम्न अनुसारको ज्याला दर र मेशीन तथा उपकरण र ढुवानी सम्बन्धि निम्नअनुसारको भाडादर निर्धारण गर्ने निर्णय गरियो । (पाना नं १ देखी ३ सम्म)

सि.नं.	विवरण	इकाई	०७९/०८० को दर (रु)	०८०/०८१ को दर (रु)	०८१/०८२ को दर (रु)	कैफियत
१	ज्यामी (कुली)	प्रति दिन प्रति जवान	८००.००	८४०.००	८५६.००	
२	उच्च पहाडी क्षेत्रमा कामगर्ने ज्यामी	प्रति दिन प्रति जवान	८००.००	८४०.००	८५६.००	
३	भरिया (४०के.जि.प्रति/४कोष सम्मको बोकिलाने)	प्रति दिन प्रति जवान	८००.००	८४०.००	८५६.००	
४	ज्यामी र भरिया को नाइके	प्रति दिन प्रति जवान	८००.००	८४०.००	८५६.००	
५	दक्ष कामदार :(सिकर्मी,डकर्मी, बज्रकर्मी,नकर्मी,चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स)	प्रति दिन प्रति जवान	१०९०.००	११४४.००	११६६.००	
६	अर्धदक्षकामदार: (सिकर्मी, डकर्मी, बज्रकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स, हल्का सवारी चालक)	प्रति दिन प्रति जवान	९१०.००	९५५.००	९७४.००	
७	हेभिइक्वीमेन्ट अपरेटर	प्रति दिन प्रति जवान	९७०.००	१०१८.००	१०३८.००	
८	सर्वेहेल्पर,हेल्पर,लाइनमेन,क्याम्पहेल्पर,टेपमेन, चेनमेन,क्लीनर	प्रति दिन प्रति जवान	७९०.००	८२९.००	८४५.००	
९	पाले, पियन, चौकिदार	प्रति दिन प्रति जवान	७९०.००	८२९.००	८४५.००	
१०	सडक सुपरभाइजर	प्रति दिन प्रति जवान	८५०.००	८९२.००	९०९.००	
११	लेन म्यान (लेन्थ वर्कर)	प्रति दिन प्रति जवान	६६५.००	६९८.००	७११.००	
१२	सुपरभाइजर, सहजकर्ता, उत्प्रेरक आदि (ज्यालादारीमा)					
	नाइट वाचमेन	प्रति दिन प्रति जवान	७९०.००	८२९.००	८२९.००	
	सर्भेयर (ओभरसियर सरह) प्राविधिक	प्रति दिन प्रति जवान	१२२०.००	१२८१.००	१२८१.००	
	सर्भे हेल्पर	प्रति दिन प्रति जवान	७९०.००	८२९.००	८२९.००	
	चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस	प्रति दिन प्रति जवान	९४५.००	९९२.००	९९२.००	
	स्वीपर, मेहत्तर	प्रति दिन प्रति जवान	६३०.००	६६१.००	६६१.००	
	साधारण मेशिन अप्रेटर, वायर बाइण्डर	प्रति दिन प्रति जवान	९६०.००	१००८.००	१००८.००	
	वेल्डर सहायक	प्रति दिन प्रति जवान	८२०.००	८६१.००	८६१.००	
	आर्किटेक्ट /इन्जिनियर	प्रति दिन प्रति जवान	१४२०.००	१४९१.००	१४९१.००	
	सव इन्जिनियर, ड्राफ्ट मेन, अमिन, नासु (प्राविधिक)	प्रति दिन प्रति जवान	११८०.००	१२३९.००	१२३९.००	
	अ. सव इन्जिनियर, ड्राफ्टमेन, अमिन, खरिदार (प्राविधिक)	प्रति दिन प्रति जवान	१००५.००	१०५५.००	१०५५.००	
	पिच स्प्रेयर	प्रति दिन प्रति जवान	६७५.००	७०८.००	७०८.००	
	पिच व्यायलर	प्रति दिन प्रति जवान	६७५.००	७०८.००	७०८.००	
१३	नर्सरी नाईके	प्रति दिन प्रति जवान	७३५.००	७७१.००	७७१.००	


[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सि.नं.	विवरण	इकाई	०७९/०८० को दर (रु)	०८०/०८१ को दर (रु)	०८१/०८२ को दर (रु)	कैफियत
	<u>दुवानी भाडा सम्बन्धमा</u>					
क)	गाडी द्वारा गराइने दुवानी भाडा					
	अ) नफुटने समान (सजिलो)					
	पक्क सडक	प्रति टन /प्रति किलोमिटर	३२.३०	३३.००	३३.००	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	३९.२५	४१.००	४१.००	
	कच्चि सडक	प्रति टन /प्रति किलोमिटर	६७.४०	७४.००	७४.००	
	आ) फुटने समान (असजिलो र आयतन ठुलो भएका हलुका सामग्री)				०.००	
	पक्क सडक	प्रति टन /प्रति किलोमिटर	३६.४०	३८.००	३८.००	
	ग्राभेल सडक	प्रति टन /प्रति किलोमिटर	४३.५५	४५.००	४५.००	
	कच्चि सडक	प्रति टन /प्रति किलोमिटर	७१.५५	७८.००	७८.००	
	आ) हयुमपाइप,एच.डि.पि.पाइप तथा लडा				०.००	
	पक्क सडक	प्रति टन /प्रति किलोमिटर	७७.३०	८१.००	८१.००	
	ग्राभेल सडक	प्रति टन /प्रति किलोमिटर	११५.१०	१२०.००	१२०.००	
	कच्चि सडक	प्रति टन /प्रति किलोमिटर	१८९.५०	२०८.००	२०८.००	
	इ) इन्धन ,लुब्रिकेटस बाहेक सामग्री दुवानीमा वा दैनिक प्रयोग गर्नु परेमा (८ घण्टाको)				०.००	
	ठुलो ट्रक , ट्रिपर	प्रति दिन ८ घण्टाको	१०९६४.००	१०६७२.००	१०६७२.००	
	मिनी ट्रक , ठूलो ट्रयाक्टर	प्रति दिन ८ घण्टाको	६३५२.५०	६६७०.००	६६७०.००	
	ग्राभेल, पक्की बाटो कच्ची बाटो	प्रति दिन ८ घण्टाको	६३५२.५०	६९५०.००	६९५०.००	
	ट्रयाक्स / टाटा मोबाइल तथा मिनि टाटा द्वारा दुवानी	प्रति दिन ८ घण्टाको	५०८२.००	५३३६.००	५३३६.००	
ख)	मानिस द्वारा दुवानी भाडा				०.००	
	सजिलो समान	प्रति के.जि. / प्रति कोष	४.९०	५.००	५.००	
	असजिलो समान	प्रति के.जि. / प्रति कोष	५.८०	६.००	६.००	
ग)	तौल कम र आयतन बढी हुने औषधि र उपचार सामग्री दुवानी गराउदा				०.००	
	पक्क सडक	प्रति टन /प्रति किलोमिटर	६२.३५	६५.००	६५.००	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	६४.९५	६८.००	६८.००	
	कच्चि सडक	प्रति टन /प्रति किलोमिटर	७२.७५	८०.००	८०.००	
	अस्पतालको फिज, डिफ्रिज दुवानी गराउदा	प्रति किलो/ प्रति कोष	६.४०	६.७०	६.७०	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सि.नं.	विवरण	इकाई	०७९/०८० को दर (रु)	०८०/०८१ को दर (रु)	०८१/०८२ को दर (रु)	कैफियत
घ)	ज्यामी द्वारा लोड अनलोड दुवै गर्ने कार्य	प्रति क्विन्टल	२५.४५	२७.००	२७.००	

नोट : - असजिलो सामान भन्नाले पशुपंक्षी, बोटबिरुवा, तार तारजाली, शिशा, पाइप, बिजुलीको पोल आदीलाई जनाउने छ।

सुरेश प्रसाद सेडाई

प्रमुख जिल्ला अधिकारी

Civil Works

काभ्रेपलाञ्चोक

आ.ब. ०८१/०८२



निर्णय नं.: २ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्र भित्र आ.व. ०८१/८२ को लागि सिभिल निर्माण कार्यसम्बन्धी निम्न अनुसारका निर्माण सामग्रीहरूको निम्नानुसारको दररेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरियो (पाना नं १ देखी ६१ सम्म)

सिभिल कार्यहरू (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
1	विभिन्न किसिमको ईटा				
	क) मेशिनबाट उत्पादित ईटा	हजार	19,000.00	19,000.00	19,000.00
	ख) चिमनी भट्टाको १ नं.ईटा	"	15,000.00	15,000.00	15,000.00
	ग) तेलिया ईटा				
	घ)तराई को १ नं.ईटा	हजार	16,000.00	16,000.00	16,000.00
	(ङ) सीमेण्ट को ईटा				
	BK108N	"	15,450.00	15,450.00	15,450.00
	BK118As	"	16,274.00	16,274.00	16,274.00
	(च) ईटा Concrete Block				
	Size 16x6x8	गोटा	37.00	37.00	37.00
	Size 16x4x8	गोटा	32.00	32.00	32.00
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50.00	50.00	50.00
	(छ) असल ईटा (२३०*११०*६० mm)	गाटा		12.40	12.40
	(ज) EPS Block				
	size (18" * 9" * 4.5")	गोटा		123.90	123.90
	size (18" * 9" * 6")	गोटा		159.30	159.30
	size (18" * 9" * 8")	गोटा		199.10	199.10
	size (18" * 9" * 9")	गोटा		230.10	230.10
	CSEB (Non fired Machine made 9"*4.5" Size Brick	गोटा			14.00
	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2*8*4"	गोटा			137.00
	Size 2*8*6"	गोटा			205.00
	Size 2*8*8"	गोटा			276.00
2	छाना छाउने टायलहरू				
	क) मेशिनबाट उत्पादित टायल	गोटा	18.00	18.00	18.00
	ख) चिमनी भट्टाको टायल	"	16.00	16.00	16.00
	ग) मेशिनबाट उत्पादित धुरी	"	32.00	32.00	32.00
	घ) चिमनी भट्टाको धुरी	"	26.00	26.00	26.00
2.1	भुईमा/ कौसीमा छाप्ने टायल:				
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10.00	10.00	10.00
	ख) चिमनी भट्टाको क्ले टायल	"	9.00	9.00	9.00
3	ढुंगाको काम (Rubble Stone)				
	(क) ढुंगा खोलाको	घ.मी.	1,950.00	2,050.00	2,050.00
	(ख) ढुंगा खानीको	"	2,150.00	2,250.00	2,250.00
4	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				


(Handwritten signatures and marks)


(Handwritten signature)
सुब्रह्मण्य रेग्मा
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(क) खोलाको ग्रभेल (Local)	घ.मी.	1,750.00	1,850.00	1,850.00
	(ख) स्थानीय खानी, को ग्रभेल (Local)	घ.मी.	800.00	850.00	850.00
	(ग) Granular Sub-base material (River Bed)	"	1,800.00	1,900.00	1,900.00
	(ग) Base-course को लागि मिक्स सोलिड (WBM) गर्ने कार्य	घ.मी.	2,350.00	2,450.00	2,450.00
	(घ) ढुगांको धुलो (Stone dust)	घ.मी.	950.00	1,000.00	1,000.00
5	कसरबाट उत्पादित रोडा				
	(क) ६-१० मी. मी. साइजका	घ.मी.	3,150.00	3,150.00	3,150.00
	(ख) १०-२० मी. मी. साइजका	घ.मी.	3,150.00	3,150.00	3,150.00
	(ग) २०-४० मी. मी. साइजको	घ.मी.	3,150.00	3,150.00	3,150.00
	(घ) ६ मि.मि. down	घ.मी.	3,150.00	3,150.00	3,150.00
6	विभिन्न साइजका खोला तथा खानी को Screening गरेको Gravel				
	क) ४०- ८० मी.मी	घ.मी	2,350.00	2,350.00	2,350.00
	ख) २०- ४० मी.मी	"	2,350.00	2,350.00	2,350.00
	ग) १०- २० मी.मी	"	2,350.00	2,350.00	2,350.00
	घ) ५- १० मी.मी	"	2,350.00	2,350.00	2,350.00
	ड) ०- ७५ मी.मी Capping Layer	"	2,350.00	2,350.00	2,350.00
	च) सब बेसको लागि 60 mm down कसर रन ग्रभेल	घ.मी	2,050.00	2,150.00	2,150.00
	हातले फुटालेको ढुङ्गाको गिट्टी	घ.मी.	2,800.00	2,800.00	2,800.00
7	फिल्टर सामग्री				
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.मी.			
8	छापने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.मी	950.00	1,000.00	1,000.00
	ख) १ 1/2" सम्म बाक्ला " "	"	1,100.00	1,150.00	1,150.00
	ग) २" सम्म बाक्लो ढुङ्गा " "	"	1,300.00	1,360.00	1,360.00
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	1,400.00	1,470.00	1,470.00
	ड) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा " "	"	1,750.00	1,830.00	1,830.00
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"			
9	विभिन्न प्रकारको बालुवा				
	क) खोलाको नचालेको खसो बालुवा Washing Non Washing	घ.मी	2,800.00	2,900.00	2,900.00
	ख) खानीको नचालेको बालुवा	"	2,100.00	2,200.00	2,200.00
	ग) खानीको चालेको र पखालेको बालुवा	"	2,100.00	2,200.00	2,200.00
		"	2,700.00	2,800.00	2,800.00




 सुर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	घ) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा				
10	सडक कालो पत्रे गर्ने कामको लागी	"	2,350.00	2,350.00	2,350.00
	i) VG-10 ग्रेडको विटुमीन	के.जी	115.00	115.00	107.00
	ii) VG-30 ग्रेडको विटुमीन	के.जी	116.00	118.00	110.00
	iii) सडक कालोपत्रे गर्दा विटुमीन नउफ्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	360.00	510.00	510.00
	iv) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"			
	v) Packed bitumen emulsion को काम	"			
	छिटो जम्ने (RS60%)	"	95.00	102.00	102.00
	मध्यम जम्ने (MS 65%)	"	100.00	108.00	108.00
	ढीलो जम्ने (SS60%)	"	97.00	104.00	104.00
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	34.00	34.00	34.00
	ड) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	i) B.S. Grade	"	194.00	194.00	194.00
	ii) Most Grade	"	215.00	215.00	215.00
	iii) Glass beads	"	176.00	176.00	176.00
	vi) CRMB-DIGO 55 Bitumen	"	87.00	87.00	87.00
	Rubber Seal- 5mm Thick 150mm wide (for Expansion Joint)	र. मी.			
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु (NS Standard)				
	क) हेटौँडा सिमेन्ट (OPC)	ब्याग	800.00	800.00	
	ख) उदयपुर सिमेन्ट (OPC)	"	825.00	825.00	
	नेपाल बाट उत्पादित विभिन्न (OPC) सिमेन्टहरु	"	700.00	700.00	
	५३ ग्रेड				620.00
	४३ ग्रेड				610.00
	(ग) नेपाल बाट उत्पादीत अन्य सिमेन्टहरु (PPC)	"	600.00	600.00	520.00
	घ) सेतो सिमेन्ट (४० के.जी.)	"	1,100.00	1,100.00	1,100.00
12	फलामको डण्डीहरु (Reinforcement Steel) :				
	(क) विभिन्न साइजका TMT Bar Fe-500 (NS)				
	a) 4.75, 7 mm dia	के.जी	99.00	103.00	97.00
	b) 8 mm dia	"	99.00	103.00	97.00
	c) 10,12,16,20 mm dia	"	97.00	101.00	95.00
	d) 25,28,32 mm dia	"	97.00	103.00	97.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(ख) विभिन्न साइजको TOR Steel Fe-415 (NS)				
	a) 8mm dia TOR steel	के.जी	100.00	101.00	95.00
	b) 10-20mm TOR steel	"	97.00	99.00	94.00
	c) 25-32mm TOR steel	"	100.00	101.00	95.00
	(ग) विभिन्न साइजको Torcaree				
	a) 4.75, 7 mm dia	के.जी	106.00	108.00	102.00
	(घ) Binding Wire (डण्डी बाँध्नेतार)	के.जी	112.00	123.00	123.00
13	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate (Structural Steel)				
	i) Iron Square Pipe	के.जी	100.00	104.00	104.00
	ii) विभिन्न साइजको MS Angle	"	102.00	106.00	106.00
	iii) विभिन्न साइजको Black Pipe	"	100.00	104.00	104.00
	iv) विभिन्न साइजको Channel	"	104.00	108.00	108.00
	v) विभिन्न साइजको I-Beam	"	106.00	110.00	110.00
	vi) विभिन्न साइजको MS plate	"	100.00	104.00	104.00
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	"	102.00	106.00	106.00
	viii) विभिन्न मोटाइको Black sheet	"	102.00	106.00	106.00
14	G.I. Wire				
	i) a 8 gauge light class	के.जी	117.00	118.00	118.00
	b) 8 gauge medium class	"	123.00	125.00	125.00
	c) 8 gauge heavy duty	"	129.00	131.00	131.00
	d) 8 gauge Commercial	"	117.00	118.00	118.00
	ii) a) 10 gauge light class	"	117.00	118.00	118.00
	b) 10 gauge medium class	"	123.00	125.00	125.00
	c) 10 gauge heavy duty	"	129.00	131.00	131.00
	d) 10 gauge Commercial	"	117.00	119.00	119.00
	iii) a) 12 gauge light class	"	118.00	120.00	120.00
	b) 12 gauge medium class	"	124.00	126.00	126.00
	c) 12 gauge heavy duty	"	129.00	131.00	131.00
	d) 12 gauge Commercial	"	118.00	120.00	120.00
15	Barbed Wire (काँढेतार)				
	a) Barbed Wire, Medium duty	के.जी	117.00	120.00	120.00
	b) U-hook for barbed wire fencing	गोटा	1.00	1.05	1.05
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	बर्ग मी.	866.00	866.00	866.00
	1.5"x1.5" 12 guage	"	810.00	810.00	810.00
	2"x2" 10 guage	"	642.00	642.00	642.00

सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	3"x3" 10 guage				
	4"x4" 10 guage	"	526.00	526.00	526.00
16	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet) (क) सेतो सादा जस्तापाता (G P Sheet)	"	419.00	419.00	419.00
1	a) 30 गेज Light (0.2 mm)	बण्डल			
2	b) 30 गेज Medium (0.22 mm)	"	5,685.00	5,685.00	5,685.00
3	c) 30 गेज Heavy (0.24 mm)	"	6,230.00	6,230.00	6,230.00
4	a) 28 गेज Light (0.26 mm)	"	6,650.00	6,650.00	6,650.00
5	b) 28 गेज Medium (0.28 mm)	"	7,005.00	7,005.00	7,005.00
6	c) 28 गेज Heavy (0.31 mm)	"	7,465.00	7,465.00	7,465.00
7	a) 26 गेज Light (0.35 mm)	"	8,160.00	8,160.00	8,160.00
8	b) 26 गेज Medium (0.38 mm)	"	9,040.00	9,040.00	9,040.00
9	c) 26 गेज Heavy (0.41 mm)	"	9,490.00	9,490.00	9,490.00
10	a) 24 गेज Light (0.45 mm)	"	10,395.00	10,395.00	10,395.00
11	b) 24 गेज Medium (0.50 mm)	"	11,280.00	11,280.00	11,280.00
12	c) 24 गेज Heavy (0.52 mm)	"	12,405.00	12,405.00	12,405.00
13	Heavy 0.75 mm	"	12,840.00	12,840.00	12,840.00
	(ख) रंगिन कोरुगेटेड जस्तापाता	"	18,435.00	18,435.00	18,435.00
14	a) 30 गेज Light (0.2 mm)	बण्डल			
15	b) 30 गेज Medium (0.22 mm)	"	7,190.00	7,190.00	7,190.00
16	c) 30 गेज Heavy (0.24 mm)	"	7,660.00	7,660.00	7,660.00
17	a) 28 गेज Light (0.26 mm)	"	8,105.00	8,105.00	8,105.00
18	b) 28 गेज Medium (0.28 mm)	"	8,540.00	8,540.00	8,540.00
19	c) 28 गेज Heavy (0.31 mm)	"	9,035.00	9,035.00	9,035.00
20	a) 26 गेज Light (0.35 mm)	"	9,715.00	9,715.00	9,715.00
21	b) 26 गेज Medium (0.38 mm)	"	10,735.00	10,735.00	10,735.00
22	c) 26 गेज Heavy (0.41 mm)	"	11,260.00	11,260.00	11,260.00
23	a) 24 गेज Light (0.45 mm)	बण्डल	12,200.00	12,200.00	12,200.00
24	b) 24 गेज Medium (0.50 mm)	"	13,090.00	13,090.00	13,090.00
25	c) 24 गेज Heavy (0.52 mm)	"	14,225.00	14,225.00	14,225.00
26	d) 0.75 mm	"	14,710.00	14,710.00	14,710.00
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CGI Sheet)	"	20,645.00	20,645.00	20,645.00
1	a) 30 गेज Light (0.2 mm)	बण्डल			
2	b) 30 गेज Medium (0.22 mm)	"	5,685.00	5,685.00	5,685.00
3	c) 30 गेज Heavy (0.24 mm)	"	6,160.00	6,160.00	6,160.00
4	a) 28 गेज Light (0.26 mm)	"	6,585.00	6,585.00	6,585.00
5	b) 28 गेज Medium (0.28 mm)	"	6,925.00	6,925.00	6,925.00
		"	7,385.00	7,385.00	7,385.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
6	c) 28 गेज Heavy (0.31 mm)				
7	a) 26 गेज Light (0.35 mm)	"	8,075.00	8,075.00	8,075.00
8	b) 26 गेज Medium (0.38 mm)	"	8,970.00	8,970.00	8,970.00
9	c) 26 गेज Heavy (0.41 mm)	"	9,420.00	9,420.00	9,420.00
10	a) 24 गेज Light (0.45 mm)	"	10,315.00	10,315.00	10,315.00
11	b) 24 गेज Medium (0.50 mm)	"	11,200.00	11,200.00	11,200.00
12	c) 24 गेज Heavy (0.52 mm)	"	12,325.00	12,325.00	12,325.00
13	d) 0.75 mm	"	12,760.00	12,760.00	12,760.00
	घ) जस्ता पाता का धुरा (Ridge Cover) Specified thickness are thickness of base metal. (length=8' & width=1'-4")	"	16,910.00	16,910.00	16,910.00
	सादा जस्ता पाता				
1	a) 30 गेज Light (0.2 mm)	वण्डल	1,940.00	1,940.00	1,940.00
2	b) 30 गेज Medium (0.22 mm)	"	2,115.00	2,115.00	2,115.00
3	c) 30 गेज Heavy (0.24 mm)	"	2,255.00	2,255.00	2,255.00
4	a) 28 गेज Light (0.26mm)	"	2,360.00	2,360.00	2,360.00
5	b) 28 गेज Medium (0.28 mm)	"	2,525.00	2,525.00	2,525.00
6	c) 28 गेज Heavy (0.31mm)	"	2,740.00	2,740.00	2,740.00
7	a) 26 गेज Light (0.35 mm)	"	3,040.00	3,040.00	3,040.00
8	b) 26 गेज Medium (0.38 mm)	"	3,190.00	3,190.00	3,190.00
9	c) 26 गेज Heavy (0.41mm)	"	3,490.00	3,490.00	3,490.00
	४ फिट * ८ फिट को जि.आई. प्लेन सिट				
1	आ) ०.२८ मि.मि मोटाईका	पिस	1,140.00	1,140.00	1,140.00
2	आ) ०.३० मि.मि मोटाईका	"	1,210.00	1,210.00	1,210.00
3	आ) ०.३५ मि.मि मोटाईका	"	1,370.00	1,370.00	1,370.00
4	आ) ०.३७ मि.मि मोटाईका	"	1,440.00	1,440.00	1,440.00
5	आ) ०.४० मि.मि मोटाईका	"	1,550.00	1,550.00	1,550.00
6	आ) ०.४५ मि.मि मोटाईका	"	1,725.00	1,725.00	1,725.00
7	आ) ०.४८ मि.मि मोटाईका	"	1,820.00	1,820.00	1,820.00
8	आ) ०.५० मि.मि मोटाईका (12.05 Kg.)	"	1,885.00	1,885.00	1,885.00
9	आ) ०.५५ मि.मि मोटाईका	पिस	2,080.00	2,080.00	2,080.00
10	इ) ०.६२ मि.मि मोटाईका	"	2,310.00	2,310.00	2,310.00
11	इ) ०.७५ मि.मि मोटाईका	"	2,580.00	2,580.00	2,580.00
12	उ) ०.८० मि.मि मोटाईका	"	2,770.00	2,770.00	2,770.00
13	उ) ०.९० मि.मि मोटाईका	"	2,945.00	2,945.00	2,945.00
14	ऊ) १.१० मि.मि मोटाईका	"	3,260.00	3,260.00	3,260.00
15	ऊ) १.१० मि.मि मोटाईका	"	3,935.00	3,935.00	3,935.00
	४ फिट * ८ फिट को रङ्गिन प्लेन सिट				
1	०.९० मि.मि मोटाईका	पिस	3,450.00	3,450.00	3,450.00
2	०.८० मि.मि मोटाईका	"	3,125.00	3,125.00	3,125.00
3	०.७५ मि.मि मोटाईका	"	2,980.00	2,980.00	2,980.00
4	०.७० मि.मि मोटाईका	"	2,840.00	2,840.00	2,840.00
5	०.६२ मि.मि मोटाईका	"	2,550.00	2,550.00	2,550.00
6	०.५५ मि.मि मोटाईका	"	2,300.00	2,300.00	2,300.00

(Handwritten signatures and initials)

(Handwritten signature)
सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
7	०.५० मि.मि मोटाईका				
8	०.४८ मि.मि मोटाईका	"	2,120.00	2,120.00	2,120.00
9	०.४५ मि.मि मोटाईका	"	2,015.00	2,015.00	2,015.00
10	०.४०मि.मि मोटाईका	"	1,945.00	1,945.00	1,945.00
11	०.३७ मि.मि मोटाईका	"	1,780.00	1,780.00	1,780.00
12	०.३५ मि.मि मोटाईका	"	1,645.00	1,645.00	1,645.00
13	०.३० मि.मि मोटाईका	"	1,580.00	1,580.00	1,580.00
14	०.२८ मि.मि मोटाईका	"	1,400.00	1,400.00	1,400.00
	GI EXPANDED METAL MESH				
		"	1,335.00	1,335.00	1,335.00
1	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.			
2	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	175.00	175.00	175.00
3	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	245.00	245.00	245.00
4	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	150.00	150.00	150.00
5	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	205.00	205.00	205.00
6	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	135.00	135.00	135.00
	UPVC Roofing Sheet (3mm thick)				
		"	610.00	610.00	610.00
	PMMA coating & Mesh (Regular)	व.मि.	1,506.00	1,506.00	1,506.00
	Stone coated (18 inch* 4 feet)	व.मि.	1,200.00	1,200.00	1,200.00
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1,925.00	1,925.00	1,925.00
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	1,925.00	1,925.00	1,925.00
	UPVC Clip	गोटा	26.00	26.00	26.00
	self tapping screw 3"	गोटा	30.00	30.00	30.00
	self tapping screw 2.2"	गोटा	20.00	20.00	20.00
	self tapping screw 2"	गोटा	11.00	11.00	11.00
	self tapping screw 1.5"	गोटा	8.50	8.50	8.50
	Eco-UPVC Roofing Sheet (Ultra Modern Technology)				
	Corrugated sheets(2mm)	व.फि.	66.37	66.37	66.37
	Corrugated ridge (2mm) (3'*1.4')	गोटा	745.13	745.13	745.13
	Corrugated ridge side(2mm)(3'*1.4')	गोटा	447.79	447.79	447.79
	Spanish tile without fiber mesh(3mm)	व.फि.	101.77	101.77	101.77
	Spanish tile with fiber mesh(3mm)	व.फि.	110.62	110.62	110.62
	Spanish ridge(3mm)(3'*1.4')	गोटा	1,343.36	1,343.36	1,343.36
	Spanish ridge side(3mm)	गोटा	745.13	745.13	745.13
	Spanish tile tripod(3mm)	गोटा	996.46	996.46	996.46
	Clip Set	गोटा	8.85	8.85	8.85
17	Aluminium Sheet				
	(क) २६ गेज				
	(ख) ३० गेज	व.फि.	33.00	33.00	33.00
18	विभिन्न प्रकारको जालीहरु (Netting)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	137.00	137.00	137.00
	(ख) वालुवा चाल्ने जाली	"	143.00	143.00	143.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(ग) कुखुरे जाली (Chicken wire mesh)	"			
	(घ) ब्रास कसिङ्ग जाली	"	87.00	87.00	87.00
	(ङ) स्टील जाली	"	224.00	224.00	224.00
	च) मसिनो खालको steel Mosquito proof जाली	"	181.00	181.00	181.00
19	फलामबाट निर्मित सामानहरु		311.00	311.00	311.00
	a) M.S. Grill बनाई जडान गर्ने	के.जी	166.00	174.00	174.00
	b) कोल्याप्सीबल गेट बनाई जडान गर्ने	व.मी.	6,257.00	6,569.00	6,569.00
	c) १६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.मी	4,454.00	4,676.00	4,676.00
	d) फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	5,605.00	5,885.00	5,885.00
	e) फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	6,372.00	6,690.00	6,690.00
	f) १६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (१० x १०x १ mm) को फ्रेम समेत)	व.मी	8,290.00	8,704.00	8,704.00
	g) ३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्याङ्ग (Spiral Staircase-Heavy) तयार गरी जडान समेत (भन्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3,613.00	3,793.00	3,793.00
	h) Black Pipe Tubular Truss Fabrication, fitting & fixing work All Complete.	के.जी.	225.00	236.00	236.00
	i) फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी	53.00	55.00	55.00
20	विभिन्न किसिमका काठहरु				
	काठ				
	(१) ३' देखि ८' सम्मको तयारी सालकाठ	घ.मी.	187,000.00	187,000.00	187,000.00
	(२) ८' देखि १२' सम्मको सालकाठ	घ.मी.	200,000.00	200,000.00	200,000.00
	(३) १२' देखि माथिको सालकाठ	घ.मी.	217,000.00	217,000.00	217,000.00
	(ख) स्थानीय सालकाठ	घ.मी.	91,000.00	91,000.00	91,000.00
	(ग) साज काठ	"	90,000.00	90,000.00	90,000.00
	(ङ) सल्लाको काठ तथा स्थानीय कुकाठ	"	25,000.00	25,000.00	25,000.00
	(च) स्थानीय सिसौ काठ	"	85,000.00	85,000.00	85,000.00
	(छ) काठ दाउरा	के.जी	20.00	20.00	20.00
21	२३.१ विभिन्न मोटाईको प्लाइउडहरु				
	Commercial				
	(क) ३ मी.मी	व.मी	254.00	254.00	254.00
	३.५ मी.मी	"	291.00	291.00	291.00
	(ख) ४ मी.मी	"	302.00	302.00	302.00
	(ग) ६ मी.मी	"	480.00	480.00	480.00
	(घ) ८ मी.मी	"	534.00	534.00	534.00
	(ङ) १२ मी.मी	"	815.00	815.00	815.00
	(च) १९ मी.मी B/B	"	1,187.00	1,187.00	1,187.00
	(छ) १८ मी.मी Ply	"	1,225.00	1,225.00	1,225.00
	Water Proof	"			



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(क) ४ मी.मी				
	(क) ६ मी.मी	व.मी	556.00	556.00	556.00
	(ख) ८ मी.मी	व.मी	771.00	771.00	771.00
	(ख) ९ मी.मी	"	836.00	836.00	836.00
	(ग) १२ मी.मी	"	917.00	917.00	917.00
	(घ) १९ मी.मी	"	1,057.00	1,057.00	1,057.00
	(च) १९ मी.मी B/B	"	1,813.00	1,813.00	1,813.00
	23.2 Natural Teak Plywood	"	1,467.00	1,467.00	1,467.00
	One side lamination				
	(क) ३ मी .मी	व.मी.	673.00	673.00	673.00
	(ख) ४ मी. मी (Regular)	"	882.00	882.00	882.00
	(ख) ४ मी. मी (Crown)	"	766.00	766.00	766.00
	(ख) ४ मी. मी (Beri)	"	510.00	510.00	510.00
	(ख) ४ मी. मी (Whitest Line)	"	581.00	581.00	581.00
	(ख) ४ मी. मी (Beach)	"	464.00	464.00	464.00
	(ख) ४ मी. मी (Recon 18 No)	"	545.00	545.00	545.00
	(ग) ६ मी.मी.	"	429.00	429.00	429.00
22	Prelaminated Particle Board				
	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी .मी	व.मी.	429.00	429.00	429.00
	(ख) १२ मी. मी.	"	476.00	476.00	476.00
	(ग) १८ मी.मी.	"	615.00	615.00	615.00
	(घ) २५ मी.मी	"	823.00	823.00	823.00
	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी .मी	व.मी.	859.00	859.00	859.00
	(ख) १२ मी. मी.	"	964.00	964.00	964.00
	(ग) १८ मी.मी.	"	1,137.00	1,137.00	1,137.00
	(घ) २५ मी.मी	"	1,474.00	1,474.00	1,474.00
	Both side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी .मी	व.मी.	964.00	964.00	964.00
	(ख) १२ मी. मी.	"	1,103.00	1,103.00	1,103.00
	(ग) १८ मी.मी.	"	1,276.00	1,276.00	1,276.00
	(घ) २५ मी.मी	"	1,613.00	1,613.00	1,613.00
	Plain Particle Board (Interiors Grade)				
	(क) ९ मी .मी	व.मी.	313.00	313.00	313.00
	(ख) १२ मी. मी.	"	359.00	359.00	359.00
	(ग) १८ मी.मी.	"	533.00	533.00	533.00
	(घ) २५ मी.मी	"	684.00	684.00	684.00
	One side lamination Melaminated faced (Interiors Grade)				

[Handwritten signatures and marks]



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(क) ३ मी .मी	व.मी.	464.00	464.00	464.00
	(ख) ६ मी .मी	"	661.00	661.00	661.00
	(ग) ९ मी .मी	"	754.00	754.00	754.00
	(घ) १२ मी .मी	"	859.00	859.00	859.00
	(ङ) १८ मी.मी.	"	998.00	998.00	998.00
	(च) २५ मी.मी	"	1,242.00	1,242.00	1,242.00
	Both side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी .मी	व.मी.	533.00	533.00	533.00
	(ख) ६ मी .मी	"	720.00	720.00	720.00
	(ग) ९ मी .मी	"	859.00	859.00	859.00
	One side lamination Melamined faced (Interiors Grade)MDF				
	(क) ३ मी .मी	व.मी.	533.00	533.00	533.00
	(ख) ४ मी .मी	"	615.00	615.00	615.00
	(ग) ६ मी .मी	"	754.00	754.00	754.00
	(घ) ९ मी .मी	"	986.00	986.00	986.00
	Both side lamination Melamined faced (Interiors Grade)MDF				
	(क) ३ मी .मी	व.मी.	615.00	615.00	615.00
	(ख) ४ मी .मी	"	684.00	684.00	684.00
	(ग) ६ मी .मी	"	847.00	847.00	847.00
	(घ) ९ मी .मी	"	1,055.00	1,055.00	1,055.00
	Other Hard Board/Sunmica & Formaica)				
	(क) सनमाईका (4' x 8')	पाता	524.00	524.00	524.00
	(ख) फोरमाईका	व.मी	871.00	871.00	871.00
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	510.00	510.00	510.00
23.0	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	197.00	197.00	197.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	268.00	268.00	268.00
	If Oneseid water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	226.00	226.00	226.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	303.00	303.00	303.00
	Wooden Listy				
	1/2" wide	र.फि.	15.00	15.00	15.00
	3/4" wide	र.फि.	19.00	19.00	19.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Wooden Listy 3/4" wide decorative	र.फि.			
	1.5" wide	र.फि.	31.00	31.00	31.00
	Decorative	र.फि.	43.00	43.00	43.00
24	Glass सीसा				
	Plain सादा (सेतो)				
	(क) ३ मी.मी.	व.मी.	610.00	610.00	610.00
	(ख) ४ मी.मी.	व.मी.	675.00	675.00	675.00
	(ग) ५ मी.मी. "	व.मी.	1,040.00	1,040.00	1,040.00
	(घ) ६ मी.मी. "	व.मी.	1,205.00	1,205.00	1,205.00
	Printed Glass (बुट्टेदार सिसा)				
	(क) ३ मी.मी.	व.मी.	550.00	550.00	550.00
	(ख) ४ मी.मी. " "	व.मी.	645.00	645.00	645.00
	Poly Fibre Glass				
	(क) ०६ मी.मी.	व.मी.	1,680.00	1,680.00	1,680.00
	Black Color Glass				
	(क) ३ मी.मी.	व.मी.	1,040.00	1,040.00	1,040.00
	(ख) ४ मी.मी.	व.मी.	1,125.00	1,125.00	1,125.00
	(ग) ५ मी.मी.	"	1,280.00	1,280.00	1,280.00
	(घ) ६ मी.मी.	"	1,760.00	1,760.00	1,760.00
	(ङ) ८ मी.मी.	"	2,570.00	2,570.00	2,570.00
	(च) १० मी.मी.	"	3,685.00	3,685.00	3,685.00
	(छ) १२ मी.मी.	"	4,160.00	4,160.00	4,160.00
	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	व.मी.	1,250.00	1,250.00	1,250.00
	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) विभिन्न मोटाईको	व.मि.	5,985.00	5,985.00	5,985.00
	विभिन्न रंगको Reflector Glass(शिशु)				
	५ मी.मी मोटो	व.मी.	1,915.00	1,915.00	1,915.00
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।				
25	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो (P.F.G Sheet)	व.मी.	1,255.00	1,255.00	1,255.00
	०.८ मी. मी. मोटो कोरुगेटेड	व.मी.	1,400.00	1,400.00	1,400.00
	(ख) १.२ मी.मी. मोटो प्लेन	"	1,400.00	1,400.00	1,400.00
	१.२ मी.मी. मोटो कोरुगेटेड	"	1,600.00	1,600.00	1,600.00
	(ग) २ मी.मी. मोटो प्लेन	"	2,370.00	2,370.00	2,370.00
	२ मी.मी. मोटो कोरुगेटेड	"	2,800.00	2,800.00	2,800.00
	(घ) ३ मी. मी. मोटो प्लेन	"	3,210.00	3,210.00	3,210.00
	३ मी.मी. मोटो कोरुगेटेड	"	4,195.00	4,195.00	4,195.00

Handwritten signatures and initials at the bottom of the page.

सूर्य प्रसाद रेग्मा
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(ड) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	70.00	70.00	70.00
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7.00	7.00	7.00
26	भ्याल ढोकामा लाग्ने Fixture हरु				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	(क) ३" साइज	गोटा	17.00	17.00	17.00
	(ख) ४" साइज	"	30.00	30.00	30.00
	(ग) ५" साइज	"	45.00	45.00	45.00
	(घ) ६" साइज	"	57.00	57.00	57.00
	Locking Set (L-drop)				
	300 mm	गोटा	265.00	265.00	265.00
	225 mm		230.00	230.00	230.00
	150 mm		197.00	197.00	197.00
	Aluminum बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	21.00	21.00	21.00
	(ख) ४" लामो	"	42.00	42.00	42.00
	(ग) ६" लामो	"	68.00	68.00	68.00
	(घ) ८" लामो	"	81.00	81.00	81.00
	(ड) १०" लामो	"	95.00	95.00	95.00
	(च) १२" लामो	"	108.00	108.00	108.00
	Handle (हतकल)				
	Ordinary	गोटा	33.00	33.00	33.00
	Special	"	48.00	48.00	48.00
	Brass बाट बनेका				
	Hinge (कब्जा)				
	2" x 1/2"	गोटा	65.00	65.00	65.00
	2 1/2" x 3/4"	"	75.00	75.00	75.00
	3" x 3/4"	"	90.00	90.00	90.00
	2" x 3/4"	"	75.00	75.00	75.00
	2 1/2" x 3/4"	"	80.00	80.00	80.00
	3" x 3/4"	"	90.00	90.00	90.00
	3" x 1"	"	190.00	190.00	190.00
	4" x 1"	"	285.00	285.00	285.00
	5" x 1"	"	380.00	380.00	380.00
	6" x 1"	"	465.00	465.00	465.00
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	145.00	145.00	145.00
	(ख) ४" लामो	"	190.00	190.00	190.00




सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(ग) ६" लामो	"	286.00	286.00	286.00
	(घ) ८" लामो	"	382.00	382.00	382.00
	(ङ) १०" लामो	"	480.00	480.00	480.00
	(च) १२" लामो	"	575.00	575.00	575.00
	Handle (हतकल)				
	6"	गोटा	155.00	155.00	155.00
	8"	"	465.00	465.00	465.00
	10"	"	960.00	960.00	960.00
	12"	"			
	Brsss 5"		145.00	145.00	145.00
	Brsss 6"		225.00	225.00	225.00
	Locking Set (L-drop)				
	(क) ८" लामो	गोटा	960.00	960.00	960.00
	(ख) १०" लामो	"	1,580.00	1,580.00	1,580.00
	(ग) १२" लामो	"	1,755.00	1,755.00	1,755.00
	Special Fittings				
	एल ड्रप :-				
	८" लामो	गोटा	1,075.00	1,075.00	1,075.00
	१०" लामो	"	1,210.00	1,210.00	1,210.00
	१२" लामो	"	1,260.00	1,260.00	1,260.00
	ह्याण्डल :-				
	८" लामो	"	1,260.00	1,260.00	1,260.00
	टावर बोल्ट :-				
	६" लामो	"	230.00	230.00	230.00
	८" लामो	"	300.00	300.00	300.00
	१०" लामो	"	380.00	380.00	380.00
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप :-				
	८" लामो	गोटा	900.00	900.00	900.00
	१०" लामो	"	1,140.00	1,140.00	1,140.00
	१२" लामो	"	1,260.00	1,260.00	1,260.00
	ह्याण्डल :-				
	६" लामो	"	255.00	255.00	255.00
	८" लामो	"	385.00	385.00	385.00
	Mortice Lock				
	Ordinary	गोटा	630.00	630.00	630.00
	Chinese	"	420.00	420.00	420.00
	Indian Godrej Company	"	2,580.00	2,580.00	2,580.00
	Brass	"	1,140.00	1,140.00	1,140.00
	Door Spring (Door Closer)				
	Ordinary	गोटा	180.00	180.00	180.00

13 of 61

सूर्य प्रसाद सेडाई
जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	hydraulic	"	1,890.00	1,890.00	1,890.00
	Other Door/Windows fixtures				
	Window I-hook	गोटा	19.00	19.00	19.00
	Gate Hook				
	4"	गोटा	32.00	32.00	32.00
	5"	"	35.00	35.00	35.00
	6"	"	43.00	43.00	43.00
	Brass	"	76.00	76.00	76.00
	Door stopper				
	Diamond	गोटा			
	Butterfly	"	150.00	150.00	150.00
	Bell catch 2" size	"	200.00	200.00	200.00
	C.P. handle	"	430.00	430.00	430.00
	Power coated handle	"	410.00	410.00	410.00
	Brass coated handle	"	885.00	885.00	885.00
	Door stopper, single brass stopper	सेट	100.00	100.00	100.00
	Door stopper double brass stopper	"	180.00	180.00	180.00
27	बिभिन्न सामग्रीहरु				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	150.00	150.00	150.00
	Nails (different sizes)	के.जी.	135.00	135.00	135.00
	Nut and Bolts	गोटा	36.00	36.00	36.00
	Nut and Bolts (different sizes)	के.जी.	201.00	201.00	201.00
	Sandpaper (खागसी)	गोटा	8.00	8.00	8.00
	विभिन्न साइजको जे-हुक, यु-हुक	केजी	166.00	166.00	166.00
	२" साइज रुफिङ्ग नेल्स	गोटा	9.00	9.00	9.00
	३" साइज रुफिङ्ग नेल्स	"	12.00	12.00	12.00
	Screw Brass	"			
	20mm	"	3.00	3.00	3.00
	25mm	"	4.00	4.00	4.00
	35mm	"	5.00	5.00	5.00
	50mm	"	15.00	15.00	15.00
	75mm	"	18.00	18.00	18.00
	Screw Steel	"			
	20mm	"	1.00	1.00	1.00
	25mm	"	2.00	2.00	2.00
	35mm	"	2.00	2.00	2.00
	50mm	"	9.00	9.00	9.00
	75mm	"	10.00	10.00	10.00
	विटुमीन वासर	गोटा	3.00	3.00	3.00
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	107.00	107.00	107.00
	५०० गेज प्लाष्टिक सिट	व.फि.	36.00	36.00	36.00

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2,843.00	2,843.00	2,843.00
	Plasticfelt (२०मी. × १मी.)	"	2,666.00	2,666.00	2,666.00
	बाँस तराईको २० फिट भन्दा बढी	प्रति थान	200.00	200.00	200.00
	बाँस स्थानीय २० फिट भन्दा बढी (तारु, मालू आदि)	प्रति थान	250.00	250.00	250.00
	मैन पालिस	के.जि.	206.00	206.00	206.00
	अकजालिक एसिड	"	118.00	118.00	118.00
	जुट वा पोलिथिनको खाली बोरा	गोटा	18.00	18.00	18.00
	माटो	घ.मि.	268.00	268.00	268.00
	माटो(सबग्रेडमा राख्ने माटो)-In Capping layer Granular soil	घ.मि.	464.00	464.00	464.00
	भुस	के.जि.	5.00	5.00	5.00
	गोबर	के.जि.	5.00	5.00	5.00
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93.00	93.00	93.00
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00	98.00
	Tarpoline sheet	व फि	9.00	9.00	9.00
	Water	लिट्र	0.35	0.35	0.35
	स्टेनलेस स्टील पाइप(234/kg)				
	३/४" व्यास भएको २.६५ मी.मी.	मी.	291.00	291.00	291.00
	१" व्यास भएको २.६५ मी.मी.	मी.	366.00	366.00	366.00
	१ १/४" व्यास भएको २.६५ मी.मी.	मी.	466.00	466.00	466.00
	१ १/२" व्यास भएको २.६५ मी.मी.	मी.	565.00	565.00	565.00
	२" व्यास भएको २.६५ मी.मी.	मी.	758.00	758.00	758.00
	स्टील रेलिड. तथा बार लगाउने (2" Pipe)	र. फी.	1,739.00	1,739.00	1,739.00
	स्टेनलेस स्टील पाइप(257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	292.00	292.00	292.00
	१" व्यास भएको १६ गेज मोटाई	मी.	367.00	367.00	367.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मी.	466.00	466.00	466.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मी.	565.00	565.00	565.00
	२" व्यास भएको १६ गेज मोटाई	मी.	764.00	764.00	764.00
	स्टील रेलिड (SteelRailing) को बार लगाउने कार्य (२ इन्च पाइपका vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र. फी.	1,739.00	1,739.00	1,739.00
28	Marble Chips				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	187.00	187.00	187.00
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	187.00	187.00	187.00
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	200.00	200.00	200.00
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	170.00	170.00	170.00
29	Godabari Marble in different sizes				
	पालिस गरेको । (मिरर पोलिस्टड)				



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	(क) १०×१० से.मि.	व.मी.			
	(ख) (१०×१५) से.मि.	"			
	(ग) (१०×२०) से.मि.	"			
	(घ) (१०×३०) से.मि.	"			
	(ङ) (१५×१५) से.मि.	"			
	(च) (१५×२०) से.मि.	"			
	(छ) (१५×३०) से.मि.	"			
	(ज) (२०×२०) से.मि.	"			
	(झ) (२०×३०) से.मि.	"			
	(ञ) (३०×३०) से.मि.	"			
	ट) (३०×६०) से.मि	"			
	ठ) (६०×६०) से.मि	"			
	ड) (६०×९०) से.मि	"			
	पालिस नगरेको । (क्लासिक मार्बल)				
	(क) १०×१० से.मि.	व.मी.			
	(ख) (१०×१५) से.मि.	"			
	(ग) (१०×२०) से.मि.	"			
	(घ) (१०×३०) से.मि.	"			
	(ङ) (१५×१५) से.मि.	"			
	(च) (१५×२०) से.मि.	"			
	(छ) (१५×३०) से.मि.	"			
	(ज) (२०×२०) से.मि.	"			
	(झ) (२०×३०) से.मि.	"			
	(ञ) (३०×३०) से.मि.	"			
	ट) (३०×६०) से.मि	"			
	ठ) (६०×६०) से.मि	"			
	ड) (६०×९०) से.मि	"			
	Marble Rajasthan				
	१६ मी.मी बाक्लो राजस्थानी	व.मी.	1,940.00	1,940.00	1,940.00
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	175.00	175.00	175.00
	१६ मी.मी बाक्लो राजस्थानी wonder marble	व.मी.			
	१६ मी.मी बाक्लो ग्रेनाइट	व.मी.	3,580.00	3,580.00	3,580.00
	१९ मी.मी बाक्लो ग्रेनाइट	व.मी.	4,000.00	4,000.00	4,000.00
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	325.00	325.00	325.00
30	Tiles				
	Terrazo Mosaic Tiles	व.मी.			
	Porcelain Glazed Tiles				
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	व.मी.	540.00	540.00	540.00
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	व.मी.	600.00	600.00	600.00
	Cotto Tiles	व.फि.	132.00	132.00	132.00

[Handwritten signatures and initials]

[Handwritten signature]

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Border Tile (२ " x ८ ")	र.फि.	45.00	45.00	45.00
	Spanish Ceramic Wall Tile (31*45cm)	व.मी.			
	Spanish Ceramic Border Tile (31*45cm)	व.मी.			
	Spanish Ceramic Floor Tile (31*45cm)	व.मी.			
	Indian Ceramic Wall Tile (31*45cm)	व.मी.	2,032.00	2,032.00	2,032.00
	Indian Ceramic Border Tile	व.मी.	2,032.00	2,032.00	2,032.00
	Indian Ceramic Floor Tile (31*45cm)	व.मी.	1,700.00	1,700.00	1,700.00
	LG Floors Tiles				
	L.G. Deluxe Tiles (300x300x2mm)	गोटा	77.00	77.00	77.00
	L.G. Deco Tiles (450x450x3mm)	"	315.00	315.00	315.00
	L.G. Deco Wood (100x920x3mm)	"	117.00	117.00	117.00
	Fittings for Tiles	व.फि	15.00	15.00	15.00
	Fittings for Tiles on stairs	व.फि	17.00	17.00	17.00
	Dendrite for tiles	लि.	390.00	390.00	390.00
31	रंगरोगनका सामानहरु				
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	20.00	19.60	19.60
	(ख) विभिन्न प्रकारको रंगिन चुन	"	37.00	36.30	36.30
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	41.00	40.20	40.20
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	77.00	75.50	75.50
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	546.00	535.10	535.10
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	526.00	515.50	515.50
	छ) उड प्राइमर (Wood Primer)	लिटर	391.00	383.20	383.20
	(ज) कोरुगेटेड रुफ Paint	"	495.00	485.10	485.10
	(झ) तयारी अल्मुनियम पेन्ट	"	568.00	556.60	556.60
	(ञ) तयारी वार्नेस	"	458.00	448.80	448.80
	(ट) तयारी वार्नेर सेन्थेटिक	"	354.00	346.90	346.90
	(ठ) भारतीय थिनर	"	239.00	234.20	234.20
	ड) उड एण्ड ग्लास पुटिन	के.जी	344.00	337.10	337.10
	ढ) मेटल पुटिन	"	161.00	157.80	157.80
	ण) चुना पेन्ट गर्न राख्ने गम	"	211.00	206.80	206.80
	त) नेपाली थिनर	लिटर	227.00	222.50	222.50
	(थ) सिमेन्ट प्राइमर सेतो	"	279.00	273.40	273.40
	(द) तारपिन तेल	"	223.00	218.50	218.50
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	272.00	266.60	266.60
	न) उड प्रिजरभेटिभ पेन्ट	"	237.00	232.30	232.30
	(प) Black japan Paint	"	297.00	291.10	291.10
	(फ) राम तिलक	के.जि.	58.00	56.80	56.80
	(ब) रातो माटो (गेरु रंग)	के.जि.	142.00	139.20	139.20
	(भ) चप्रा पालिस	के.जि.	953.00	933.90	933.90
	(म) तयारी वासेवल डिस्टेम्पर	लि.	232.00	227.40	227.40

[Handwritten signatures and initials]

[Handwritten signature]

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (Interior)	लि.	547.00	536.10	536.10
	र) तयारी प्लास्टिक्स इमल्सन पेन्ट (Exterior)	लि.		-	-
	ल) तयारी वेदर कोट पेन्ट (Exterior)		656.00	642.90	642.90
	(र) Road Marking Paint	"	602.00	590.00	590.00
	(ल) लिनसिड आयल (linsed Oil)	"	204.00	199.90	199.90
	(व) स्थानीय स्प्रिट	लि.	123.00	120.50	120.50
	(स) मोविकल/फेविकल	के.जि.	272.00	266.60	266.60
	(ष) Tata Red Oxide Paint	"	272.00	266.60	266.60
	(ह) गट्टा चुन (ईण्डियन)	"	23.00	22.50	22.50
	(क्ष) Wall putty Asian , Berger & other company.	के.जि.	72.00	70.60	70.60
	(त्र) Plaster of Parish (POP)	के.जि.	24.00	23.50	23.50
	ज्ञ) नाइलन डोरी	के.जि.	265.00	259.70	259.70
32	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue	।			-
	a) POP Molding 1" to 1½"	र.मि			-
	b) Up to 5" wide	र.मि			-
	c) Up to 8" wide	र.मि			-
	d) Above 8" wide	र.मि			-
33	सामानहरु				-
	i) फल्स सिलिङ्ग गर्ने	व.मी.	248.00	243.00	243.00
	ii) Water resistant false ceiling	"	343.00	336.10	336.10
	iii) Wall partation	"	1,280.00	1,254.40	1,254.40
	iv) Wall paneling	"	850.00	833.00	833.00
	v) 12.5mm thick Gypsum Board False ceiling including all necessary material	"	753.00	737.90	737.90
34	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				
	i) Heritage granular	व.फि	100.00	98.00	98.00
	ii) Heritage flakes	व.फि	124.00	121.50	121.50
	iii) Heritage granite finish	"	108.00	105.80	105.80
	iv) Heritage roller coat,	"	110.00	107.80	107.80
	v) Heritage Top coat (plastic lamination)	"	29.00	28.40	28.40
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	1,306.00	1,279.90	1,279.90
	2mm Epoxy Floor coating with Ultrafresh - OPD (4layer & 5 component	व.मी.	2,082.00	2,040.40	2,040.40

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि. नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3,688.00	3,614.20	3,614.20
	Epoxy Paint for Operation theater	"	11,509.00	11,278.80	11,278.80
	Cement flexy board False ceiling work				
	Celling work 6mm thick	व.मी.			
	Floring board 25mm*8ft*4ft	गोटा			
	Wooden Plank 8*150*3000mm	"			
	Skirting 8*50*300mm	"			
	Texture board 6mm*8ft*4ft	"			
	Solid infill wall 3"	व.मी.			
	Laminated safety glass6.38mm	"			
	Structure glazing with lamonated saftey glass	"			
	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1,236.00	1,211.30	1,211.30
	Fittings for wall paper	व.फि	7.00	6.90	6.90
	White glue for wall paper	लि.	108.00	105.80	105.80
35	Interlocking Cement Concrete Block				
	a) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि	व.फि			
	b) 70 mm inter locking cement conc. Block M- 30 grade	"			
	c) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि	"			
	d) 70 mm inter locking cement conc. Block M- 30 grade	"			
	25 mm thick C.C. Tile (Grey color)				
	Burfi Checker	Sqft	60.00	60.00	60.00
	Round Checker	"	60.00	60.00	60.00
	Boby Checker	"	60.00	60.00	60.00
	25 mm thick C.C. Tile (Red color)				
	Burfi Checker	Sqft	62.00	62.00	62.00
	Round Checker	"	62.00	62.00	62.00
	Boby Checker	"	62.00	62.00	62.00
	50 mm thick CC Block (Grey color)				
	Cosmix	Sqft	70.00	70.00	70.00
	Hexagon	"	70.00	70.00	70.00
	Threehex	"	70.00	70.00	70.00
	Royal tone Interlock	"	70.00	70.00	70.00
	I-Interlock	"	70.00	70.00	70.00

[Handwritten signatures and initials]

[Handwritten signature]

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Plus Interlock	„	70.00	70.00	70.00
	50 mm thick CC Block (Red color)				
	Cosmix	Sqft	70.00	70.00	70.00
	Hexagon	„	70.00	70.00	70.00
	Threehex	„	70.00	70.00	70.00
	Royal tone Interlock	„	70.00	70.00	70.00
	I-Interlock	„	70.00	70.00	70.00
	Plus Interlock	„	70.00	70.00	70.00
	60 mm thick CC Block (Grey color)				
	Cosmix	Sqft	72.00	72.00	72.00
	Hexagon	„	72.00	72.00	72.00
	Threehex	„	72.00	72.00	72.00
	Royal tone Interlock	„	72.00	72.00	72.00
	I-Interlock	„	72.00	72.00	72.00
	Plus Interlock	„	72.00	72.00	72.00
	60 mm thick CC Block (Red color)				
	Cosmix	Sqft	73.00	73.00	73.00
	Hexagon	„	73.00	73.00	73.00
	Threehex	„	73.00	73.00	73.00
	Royal tone Interlock	„	73.00	73.00	73.00
	I-Interlock	„	73.00	73.00	73.00
	Plus Interlock	„	73.00	73.00	73.00
	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	Nos	10.00	10.00	10.00
	Hexagon (22*22 cm) non colour	„	23.00	23.00	23.00
	Hexagon (22*22 cm) colour	„	25.00	25.00	25.00
	Squire paver (30*30*4.5cm)non colour	„	32.00	32.00	32.00
	Squire paver (30*30*4.5cm)colour	„	34.00	34.00	34.00
	inter block(24*13*6cm)	„	14.00	14.00	14.00
	Isave paver (20*16*6cm)	„	16.00	16.00	16.00
36	कुँदिएको काठको काम तयारी				
	i) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	860.00	860.00	860.00
	ii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	940.00	940.00	940.00
	iii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	780.00	780.00	780.00
	iv) भन्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3,440.00	3,440.00	3,440.00
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	„	10,950.00	10,950.00	10,950.00

20.01.81

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	"	12,500.00	12,500.00	12,500.00
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2,350.00	2,350.00	2,350.00
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5,480.00	5,480.00	5,480.00
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	780.00	780.00	780.00
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1,100.00	1,100.00	1,100.00
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहित	व.फि.	2,350.00	2,350.00	2,350.00
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	1,480.00	1,480.00	1,480.00
	xii) ३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	550.00	550.00	550.00
	xiii) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	940.00	940.00	940.00
	xiv) ४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	780.00	780.00	780.00
37	परम्परागत निर्माण सामग्रीहरु :-				
	१) दचि अपा ठूलो ८"X२-३/८"X५"	गोटा	29.00	29.00	29.00
	२) दचि अपा सानो ८३/८"X२-१/८"X४-१/४"	"	22.00	22.00	22.00
	३) दचिअपा ठूलोको कुँ	"	35.00	35.00	35.00
	४) दचिअपा सानोको कुँ अपा	"	29.00	29.00	29.00
	५) माँ अपा ठूलो ८-७/८"X२-१/४"X५-३/४"	"			
	६) माँ अपा ठूलो 241x60x158 mm	"	35.00	35.00	35.00
	७) मा अपा सानो ८-३/८"X२"X५"	"	21.00	21.00	21.00
	८) धुरी चाङ्ग ठूलो ९-३/८"X१-१/२"X३/४	"	31.00	31.00	31.00
	९) धुरी 230x295x25 mm	"			
	१०) धुरी चाँङ्ग सानो	"	25.00	25.00	25.00
	११) फिगटी नयाँ ८-३/४"X४"	गोटा	15.00	15.00	15.00
	१२) फिगटी पुरानो	गोटा	10.00	10.00	10.00
	१३) ढुकु	गोटा	53.00	53.00	53.00
	१६) गोंगचा				
	क)साना	"	150.00	150.00	150.00
	ख)ठूलो	"	303.00	303.00	303.00
	१७) पेटीकोलागि ढुङ्गा				
	क) १८"X१०"X५"	"			
	ख) १८"X१०"X४"	"	769.00	769.00	769.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	१८) नागोल ईटा	गोटा	26.00	26.00	26.00
	१९) ल्होह अपा १५"×९"×३"	"			
	२०) फःल्होह अपा ठुलो 375x225x100mm	"	227.00	227.00	227.00
	२१) फःल्होह अपा सानो 254x229x102mm	"	190.00	190.00	190.00
	२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	20.00	20.00	20.00
	२३) तीनकुनै तेलिया ईटा (६"×६"×१"	"	14.00	14.00	14.00
	२४) चारकुनै तेलिया ईटा (८"×८"	"	26.00	26.00	26.00
	२५) तेलिया ईटा (६"×६"	"	20.00	20.00	20.00
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	38.00	38.00	38.00
	२७) बुट्टेदारी कर्निश इटा कुना	"	58.00	58.00	58.00
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	227.00	227.00	227.00
	२९) भयाल माथिको कर्निश ईटा बुट्टेदारी	"	47.00	47.00	47.00
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	"	76.00	76.00	76.00
	३४) भौ प्वा	गोटा	303.00	303.00	303.00
	३५) तामा पाता. (नेपाली)	केजि	1,452.00	1,452.00	1,452.00
	तामा पाता (Indian)		1,646.00	1,646.00	1,646.00
	३६) पित्तल पाता	केजि	114.00	114.00	114.00
	३७) पारो	ग्राम	227.00	227.00	227.00
	३८) सूर्कि इटा कुटि धुलो बनाएको ।	टन	1,815.00	1,815.00	1,815.00
	३९) Wind bell हवा घण्टी ४"	गोटा	621.00	621.00	621.00
	४०) Snake body brick traditional	गोटा	35.00	35.00	35.00
	४१) Snake neck brick ,,	गोटा	99.00	99.00	99.00
	४२) Snake head brick ,,	गोटा	194.00	194.00	194.00
	४३) Yellow mud (clay) for roofing/B/W	घ.मी.			
	४४) Lime for traditional work	केजि			
	४५) श्री गणेश	गोटा	1,507.00	1,507.00	1,507.00
	४६) कुमार	गोटा	1,507.00	1,507.00	1,507.00
	४७) दुङ्गे धारा	गोटा	1,507.00	1,507.00	1,507.00
	४८) पंच बद	गोटा			
	४९) नागबेली बुट्टा	गोटा	35.00	35.00	35.00
	५०) नागबुली बुट्टा कुना	गोटा	50.00	50.00	50.00
	५१) स्वा बुट्टा	गोटा	35.00	35.00	35.00
	५२) चीर बुट्टा	गोटा	35.00	35.00	35.00
	५३) कार्नेस फयो	गोटा	29.00	29.00	29.00
	५४) कार्नेस गजुर पली	गोटा	47.00	47.00	47.00
	५५) ठूलो कलश	गोटा	227.00	227.00	227.00
	५६) चालेको सूर्कि	टन	17,303.00	17,303.00	17,303.00
	५७) तेलिया मेशीन प्रेश ६ लाइन	गोटा			
58	लोकल अपा (साइज 320x65x100)	गोटा			

[Handwritten signatures and initials]

[Handwritten signatures and initials]

सूर्य प्रसाद सेठ्याई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
59	मा अपा (साइज 200x50x130)	"	21.00	21.00	21.00
60	दक्षि अपा (साइज 200x55x100)	"	25.00	25.00	25.00
61	त्वा अपा (साइज 110x55x180)	"	25.00	25.00	25.00
62	गोल अपा (साइज 120x55x80)	"	25.00	25.00	25.00
63	गणेश अपा (साइज 200x250x35)	"	455.00	455.00	455.00
64	कुमार अपा (साइज 200x250x35)	"	455.00	455.00	455.00
65	तारा अपा (साइज 200x250x55)	"	455.00	455.00	455.00
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	455.00	455.00	455.00
67	कलस अपा (साइज 100x140x40)	"	76.00	76.00	76.00
68	नागोल अपा (साइज 140x52x120)	"	27.00	27.00	27.00
69	कसिमो अपा (साइज 230x55x100)	"	39.00	39.00	39.00
70	सकली अपा (साइज 140x55x115)	"	35.00	35.00	35.00
71	पानबुट्टा अपा (साइज 140x55x115)	"	35.00	35.00	35.00
72	सानो फ बुट्टा अपा (साइज 180x55x30)	"	39.00	39.00	39.00
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	39.00	39.00	39.00
74	नयाँ फ बुट्टा अपा (साइज 230x55x110)	"	39.00	39.00	39.00
75	साना ग बुट्टा अपा (साइज 140x50x110)	"	35.00	35.00	35.00
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	39.00	39.00	39.00
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	39.00	39.00	39.00
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	39.00	39.00	39.00
79	तिनकुने पलि अपा (साइज 200x550x90)	"	39.00	39.00	39.00
80	साना स्वाँ अपा (साइज 140x50x110)	"	35.00	35.00	35.00
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	39.00	39.00	39.00
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	189.00	189.00	189.00
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	99.00	99.00	99.00
84	नाग जीउ (साइज 140x60x70)	"	35.00	35.00	35.00
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	751.00	751.00	751.00
86	खाल नागोल (साइज 130x55x120)	"	27.00	27.00	27.00
87	खाल फयो (साइज 130x55x135)	"	27.00	27.00	27.00
88	लहरा बुट्टा (साइज 125x45x140)	"	35.00	35.00	35.00
89	नग बेली (साइज 140x55x120)	"	35.00	35.00	35.00
90	मिखाफुसी (साइज 140x55x120)	"	47.00	47.00	47.00
91	पलियो दायाँ/बायाँ (साइज 130x55x120)	"	35.00	35.00	35.00
92	नयाँ पलिफो (साइज 185x52x80)	"	39.00	39.00	39.00
93	सिधा पलिफो (साइज 190x55x90)	"	39.00	39.00	39.00
94	२" सिंह (साइज 95x50x10)	"	47.00	47.00	47.00
95	२"गरुड (साइज 95x50x100)	"	47.00	47.00	47.00
96	धलिखा (साइज 95x50x100)	"	47.00	47.00	47.00
97	श्रीयन्त्र (साइज 70x700x80)	"	61.00	61.00	61.00
98	त्वा फयो (साइज 140x55x120)	"	27.00	27.00	27.00

[Handwritten signatures and marks]



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
99	तारा बुट्टा पुरानो (साइज 180x55x80)	„	32.00	32.00	32.00
100	तारा बुट्टा नयां (साइज 230x70x90)	„	38.00	38.00	38.00
101	स्वांफो तारां (साइज 220x55x90)	„	38.00	38.00	38.00
102	सिक्री बुट्टा (साइज 220x55x80)	„	38.00	38.00	38.00
103	न्हाय बुट्टा सानो (साइज 140x65x130)	„	38.00	38.00	38.00
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	„	38.00	38.00	38.00
105	न्गोल नगोल (साइज 2000x55x90)	„	26.00	26.00	26.00
106	ठी बुट्टा (साइज 210x55x75)	„	38.00	38.00	38.00
107	सानो/ठूलो (साइज	„	38.00	38.00	38.00
108	चुना प्रति के.जि.	के.जि.	19.00	19.00	19.00
38	UPVC Profile Door and Window/ Wall partition				
	Supplying and installation of UPVC Profile Sliding Window frame 80x50 mm white colour, sliding window sash 55x36 mm with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks drainage cover etc. as per specification of Korean Standard.				
	i) Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7,215.00	7,431.00	7,431.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	„	6,664.00	6,863.00	6,863.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	7,493.00	7,717.00	7,717.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	7,493.00	7,717.00	7,717.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	8,214.00	8,460.00	8,460.00
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	„	8,328.00	8,577.00	8,577.00
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	8,884.00	9,150.00	9,150.00
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	„	8,884.00	9,150.00	9,150.00
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	„	8,606.00	8,864.00	8,864.00
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	„	9,991.00	10,290.00	10,290.00
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8,626.00	8,884.00	8,884.00

[Handwritten signatures and initials]

[Handwritten signatures and initials]

सूर्य प्रसाद से
प्रमुख जिल्ला अ



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
11	UPVC 60x64mm white colour casement window with 5mm glass pannel	„	9,796.00	10,089.00	10,089.00
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	„	10,353.00	10,663.00	10,663.00
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	„	10,717.00	11,038.00	11,038.00
13	UPVC60x60mm white colour swing door with 5mm glass pannel	„	6,727.00	6,928.00	6,928.00
	g) Vertical sliding	„			
	ii) Double glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9,435.00	9,718.00	9,718.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	„	8,935.00	9,203.00	9,203.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	9,718.00	10,009.00	10,009.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	9,718.00	10,009.00	10,009.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	„	10,439.00	10,752.00	10,752.00
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	„	10,547.00	10,863.00	10,863.00
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	„	11,103.00	11,436.00	11,436.00
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	„	10,825.00	11,149.00	11,149.00
9	Supply & fixing of 80*50 mm white colour casement window	„	9,611.00	9,899.00	9,899.00
	g) Vertical sliding	„	9,300.00	9,579.00	9,579.00
	Supplying and installation of UPVC Partition frame 60x60 mm with 5 mm thick clear glass or with 9 mm thick both side laminated particle board all complete with all accessorie as per specification of Korean Standard.				
	i) Single glazing				
	Full glass partition	Sqm			
	Full partition with half glass and laminated particle board	„			
	Full ht. partition with top and bottom laminated particle board and centre with glass	„			
	Full ht. partition with top and bottom laminated particle board	„			

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Supplying and installation of UPVC Profile Sliding Window frame 50x80 mm, sash 58*36mm, sliding door frame 52*88, sash 80*42, casement window fame 60*60mm: sash 60*78mm, casement door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: gaskets, brush seal, moon locks, Push locks, drainage cover etc.				
39	Alternative Profile Company को UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु (Certified by ISO 9001-2000, ISO 14001:2004, ISO 527-2:1993, ISO 178:2001, iec 60695-2-11:2001, ASTM D4226-00, 91/338/EEC)				
	UPVC Casement Window 60*60 mm White Colour With 5mm Glass	Sqm			
	UPVC Double Glazing Casement Window 60*60 mm Frame White Colour With 5mm Glass	..			
	UPVC Sliding Window With 50*80 mm White Colour And 5mm Glass With Aluminium Sliding Track	..			
	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With UPVC Panel Luever Fixed	..			
	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With Adjustable Glass Panel Luever	..			
	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever	..			
	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever	..			
	UPVC Door 100mm*60mm White Colour With Top Glass 5mm And Bottom UPVC Panel	..			
	UPVC Door 100mm*60mm White Colour With Top Glass 5mm Glass And Bottom 9mm Nepal Board	..			
	UPVC Door 100mm*60mm White Colour With Top And Bottom UPVC Panel	..			
	UPVC 60*60 mm Partition With Half Board 9mm And Other Half 5mm Glass	..			
	UPVC 100mm*60mm Swing Door With Top 5mm Glass And Bottom UPVC Panel	..			
39	Aerocon/Rapicon prefab Panel for Partition wall				
	Supply and erection of aerocon/rapicon prefab panel in partition wall.				
	75 mm thick	Sqft			
	50 mm thick	Sqft			



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	40 mm thick	Sqft			
	Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete.				
	40 mm thick	Sqft			
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft			
40	Prefab Panel for wall Partition Everest solid wall pannel (ESWP) or equivalent				
	Supply and erection of prefab panel wall partition				
	75 mm thick	Sqft			
	50 mm thick	Sqft			
	Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete.				
	40 mm thick	Sqft	172.00	177.00	177.00
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft			
41	Slope, flat roof, sunken slab र basement मा पानी चुहेको स्थानमा Perma Construction Co - बाट उत्पादित निर्माण सामग्रीहरु				
	Mention rates are including supplying of necessary chemicals, labour and applying as per manufacturer specifications or as per consultant's direction.				
	Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	व.फि			
	Water proofing treatment by Perma Guard coating (Elastomeric Polymer Coating) all complete. (roof top, sunken slab, basement, terrace)	व.फि			
	Water proofing treatment by using perma Shield / AR coating (Semi Flexible Polymer Coating System) all Complete (roof top, sunk slab, basement)	व.फि	45.00	45.00	45.00

[Handwritten signatures]

[Handwritten signature]


[Handwritten signature]

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (watertank basement)	व.फि	55.00	55.00	55.00
	Providing and applying SBR Mortar on the RCC slab minor crack with making "V" shaped groove cutting and polymer coating of 1 ft wide area from groove all complete.	र.फि	225.00	225.00	225.00
	Major crack treatment on Rcc slab by Perma Polyseal	र.फि	455.00	455.00	455.00
	Providing and applying Perma treat or Perma clear seal (colorless solvent silicon based liquid) for water repellent on bricks, tiles from fungus and algae growth (exposed surface).	व.फि	25.00	25.00	25.00
	Wall Putty Providing & applying 1.5mmthickness of perma plaster putty on plaster , Rcc, Brick or Block all complete work.	व.फि	22.00	22.00	22.00
	Expansion Joint Works. - Providing and chipping and plaster with mixing Perma Bond SBR modified mortar up to 40 mm wide on levelling all complete. Providing and laying thermacol in the hole, Providing masking tape on thermacol applying sealant primer, 40mm x 25 mm Polyseal filling on joints with fixing 8" wide 18 gauge Aluminum sheets fixing from top and bottom all complete.	र.फि	1,650.00	1,650.00	1,650.00
	Epoxy coating				-
	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical and hospitals floor)	व.फि	355.00	355.00	355.00
	Functional and High builds epoxy coating on floor 400 micron(for pharmaceutical and hospitals floor)	व.फि	170.00	170.00	170.00
	Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	व.फि	140.00	140.00	140.00
	Providing and applying Dustban/Permise chemicals for Anti Termite Treatment all complete.	व.फि	43.00	43.00	43.00
	Providing and applying of Perma Wall Guard Coating (for colorful flexi exterior waterproof coating) all complete	व.फि	45.00	45.00	45.00
42	Waterproofing treatment				
	G.s.Anti termite & water proofing				
1.0	Super Plasticizers and Plasticizers				



सुर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
1.1	Providing & Mixing COREPLAST P1 for M20 G. plasticizers (dosages 100ml - 250ml per bag of cement) for high strength of concrete, as per specification and instruction of Site in-charge all complete	KG	165.00	165.00	165.00
1.2	Porviding & Mixing COREPLAST SP2 for M25-30 G superplasticizers (dosages 250ml - 750ml per bag of cement) as per specificatio and instruction of site in-charge all complete	KG	125.00	125.00	125.00
1.3	Providing & Mixing COREPLAST SP2(SRE) for M20-30 superplasticizers, slump retainer with retarding effect for pumple concrete (Dosages 200-500 ml) per bag of cement , as per specification and instruction of site engineer	KG	122.00	122.00	122.00
42.0	Bonding Agent for Old & New Concrete				
42.1	Providing and applying COREBOND EP bonding chemical for old to new concrete, as per specification and instruction of site -incharge	kg	530.00	530.00	530.00
42.2	Providing and applying CORECOAT WP polymer bonding chemicals for old to new concrete, as per specification and instruction of ste-incharge	Ltr	555.00	555.00	555.00
43.0	Waterproofing Coating on				
	Acrylic Polymer Waterproofing Coating				
43.1	Providing & applying 2 coat acrylic polymer coating CORECOAT WP with 10 yr warrenty, as per specification and instruction of site incharge	Sqm	380.00	380.00	380.00
	Crystallization Waterproofing Coating		380.00	380.00	380.00
43.2	Providing & Applying 1 coat horizontal and 2 coat vertical crystalline waterproofing coating CORECOAT CWP with 10 yr warrenty, as per specification and instruction of site-incharge	Sqm	425.00	425.00	425.00
	Bituminous Waterproofing Coating				
43.3	Providing and applying Bitumen Modified Waterproofing coating CORECOAT FLEXBIT with 10 yr warrenty, as per specification and instruction of site engineer	Sqm	480.00	480.00	480.00
	PRESSURE INJECTION GROUTING on basement share wall		480.00	480.00	480.00
43.4	Providing and applying Injection Pressure Grout on wall basement with COREGROUT IG , as per specification and instruction of site engineer	Sqm	360.00	360.00	360.00
44.0	Water Repellent silicone paint Coating				


 सुरेश प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
4.1	Providing and applying water repellent silicone paint CORECOAT SN on brick, tile and marble cladding, as per specification and instruction of site engineer		145.00	145.00	145.00
45.0	Expansion & Contraction Movement Joint Treatment				
	For ceiling and Vertical (Aluminium Plate)				
45.1	Providing, fixing and installation movement joint in structural	Rm	2,800.00	2,800.00	2,800.00
	movement , expansion and contraction joint in vertical & ceiling				
	with 18 gauge aluminium sheet folded to the required shape	Rm	3,000.00	3,000.00	3,000.00
	, fixing with 3M screws at 300 c/c and site filled by latex putty.				
	all complete work , as per specification of site engineer.	Rm	3,500.00	3,500.00	3,500.00
	Expansion & Contraction Movement Joint Treatment				
	For Top floor & Ground floor (Stainless Steel Plate)				
45.2	Providing, fixing and installation movement joint in structural	Rm	5,500.00	5,500.00	5,500.00
	movement , expansion and contraction joint in Top floor and Ground floor				
	with 18 gauge stainless steel folded to the required shape	Rm	5,800.00	5,800.00	5,800.00
	, fixing with 3M screws at 300 c/c making mortar level in floor finish				
	and filling with thermocoal or filling materials seal with 80/100 Grade	Rm	6,200.00	6,200.00	6,200.00
	bitumean mixing with sand and side corner filled by polysulphide sealent				
	all complete work , as per specification of site engineer.				
46.0	Epoxy Coating on Hospital				
46.1	Epoxy Coating on Wall				
	Providing and Applying primer coat solvent free low viscosity epoxy resin primer (FLORSEAL-WBP or COREPRIME 150 OR specification	Sqm	380.00	380.00	380.00
	before applying Epoxy Coating or approval of site engineer				
46.2	Providing and applying WALGARD-WB or CORECOAT- FC 150	Sqm	380.00	380.00	380.00
	wall epoxy coating or as per specification or approval of site engineer				
46.3	Epoxy Coating on Floor				
	Providing and applying FLORGARD SL or CORECOAT- FC 150	Sqm			

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Epoxy Coating on Floor or as per specification or approval of site engineer	व.फि	560.00	560.00	560.00
	Providing and applying Water Proofing Membrane with mixing of bonding agent (Perma Bond SBR) fresh grey cement and fine sand paste for basement floor and wall , rooftop waterproofing as per specifications all complete	व.फि	135.00	135.00	135.00
47	Water proofing & add Concrete mixture (BASF)				
	Poly propylene polymer compound waterproofing membrane (PPCWM) series 115,400 grades (400 grams/ Sqm..)for basement . Shear wall, tunnels, top roof, terrace gradening.	व.फि			
	BASF Waterproofing protection tretment with application of polyurethane floor epoxy coating system(Two coats) of Mastertop TC-467-C over the mosaic / Marble finishing	व.फि			
	BASF (Inland coating) Waterproofing protection tretment with 100% Synthetic Rubber coating system of RC 2000/2200 thermally stable and resists cracking and peeling due to weather extremes and ultra violent exposer : for concrete / metallic roof surfaces and other bituminous surfaces etc.	व.फि	140.00	140.00	140.00
	BASF Waterproofing protection tretment and sealing of building expansion joint /construction joint with hiugh performance flexible tape Masterflex-3000: for all types of wide expansion joint specially for irregular building expansion/ construction joint (with all materials)	र.मि.	5,200.00	5,200.00	5,200.00
	Epoxy bounding agentConcressive - 1414: Two component epoxy bonding agent old to new concrete	के.जी.	1,400.00	1,400.00	1,400.00
	BASF Concrete Admixtures				
	A) Rheobuild sp -1 :High range water reducing superplsticsizer for concrete	के.जी.	120.00	120.00	120.00
	B) Rheobuild sp -li : High range water reducing & retarding superplasticizer for ready mix concrete	के.जी.	120.00	120.00	120.00





सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	C) Rheobuild sp -1100 High performance , range water reducing superplastisizer:	के.जी.	150.00	150.00	150.00
	D) Glnium - sky 584:New Generation , Polycarboxylic Eather (PCE) based superplastisiser for High grade ready mix concrete using total A performance control	के.जी.	400.00	400.00	400.00
	E) Glnium - stream- 2: Viscosity modifying agent for producing self compacting , pumpable concrete	के.जी.	235.00	235.00	235.00
48	Concrete Admixtures				
1	Rheobuild SP-1: High range water reducing superplastisizer for concrete :	के.जी.	115.00	115.00	115.00
2	Pozzolith 300R: High range water reducing & retarding superplastisizer for ready mix concrete :	के.जी.	115.00	115.00	115.00
3	Rheobuild 1100: High performance ,range water reducing superplastisizer	के.जी.	160.00	160.00	160.00
4	Rheobuild 1100i: Retarding & high range water reducing superplastisizer for High performance concrete:	के.जी.	155.00	155.00	155.00
5	GLNIUM –SKY 584: New Generation , Polycarboxylic Ether(PCE) based Superplastisiser for High Grade ready mix concrete using Total Performance control.	के.जी.	400.00	400.00	400.00
6	GLNIUM –STREAM-2: Viscosity modifying agent for producing self compacting, pumpable concrete.	के.जी.	230.00	230.00	230.00
7	Rheoplus-77R :New Generation , Polycarboxylic Ether(PCE) based Economical version Superplastisiser for High Grade ready mix concrete using	के.जी.	325.00	325.00	325.00
8	GLNIUM –ACE-30: New Generation , Polycarboxylic Ether(PCE) based Superplastisiser for High EARLY STRENGTH concrete (M20on at 24 Hr. of casting)	के.जी.	500.00	500.00	500.00
9	GLENIUM –141 SURETEC : New Generation , Polycarboxylic Ether(PCE) based Superplastisiser for LONG HAUL , long slum retention (about 2-3 hr)	के.जी.	400.00	400.00	400.00
10	Silica Cement Admixtures	के.जी.	300.00	300.00	300.00

(Handwritten signatures)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
49	पानी चुहेको स्थानमा water proofing गर्न OPAL - बाट उत्पादित निर्माण सामग्रीहरु				
	OPAL - KREET				
	It is a single component white liquid acrylic polymer admixture for water proofing, cementitious coating in slurry form as well as cement mortar form. It is to be mixed with cement/mortar for excellent water proof coating.	sq.ft	40.00	40.00	40.00
	OPAL - GUARD				
	It is as polymer modified cementitious coating acrylic water proofing system for a varied number of applications in water proofing and corrosion control. This is two pack systems, which when applied after mixing, gives a flexible coating. Very effective heavy duty water proof coating.	sq.ft	41.00	41.00	41.00
	OPAL - BOND REPAIR				
	It is a polymer, based on styrene-butadiene rubber, specially formulated for use with cement formulations. Highly recommended for structural rehabilitation, concrete repair etc.	sq.ft	45.00	45.00	45.00
	OPAL - SEAL				
	An excellent admixture for water proofing sunken portions in buildings such as bath rooms, terraces etc.	sq.ft	38.00	38.00	38.00
	OPAL - FEX				
	A very effective water proof polymer based coating for heavy duty jobs. Two coats are recommended with a fiber mesh layer in between, to enhance strength and bond.	sq.ft.	38.00	38.00	38.00
	WAPCOT				
	A silicone based water repellent. It is to be sprayed on dry walls to check seepage, fungus growth, salt-peter actions etc. Remains effective over the years.	sq.ft	15.00	15.00	15.00
	OPAL - GROUT				
	An excellent grouting material for injection grouting under pressure through nozzles using a 30 psi pump. Very effective in concrete /masonry works.	sq.ft	38.00	38.00	38.00
	OPAL - PROOF:				
	It is a concrete/mortar admixture in liquid form that acts as a highly efficient plasticizer and water proofing compound. It conforms to IS:2645:1975	ltr.	315.00	315.00	315.00
	OPAL - XCEL				
	It is an organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C494. Excellent in winter or cold climate.	ltr	260.00	260.00	260.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	OPAL – PLASTMASTER				
	It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture.	ltr	390.00	390.00	390.00
	OPAL – SP101				
	It is a super plasticizer for concrete. It is a high range water reducing admixture for concrete. It is based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	ltr	260.00	260.00	260.00
	OPAL – RETARDPLAST				
	It is modified sulphonated naphthalene formaldehyde plasticize-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	Sq.ft.	260.00	260.00	260.00
	OPAL – CEMCURE				
	It is water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water in not possible, or in hot climate.	ltr	9.00	9.00	9.00
	OPAL – AE PLAST				
	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	ltr	410.00	410.00	410.00
	OPAL – TILEBOND LIQUID				
	A unique single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	ltr	390.00	390.00	390.00
	OPAL – TILE MASTER				
	Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	ltr	390.00	390.00	390.00
	OPAL – CONCOAT				
	Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	Sq.ft.	28.00	28.00	28.00
	OPAL JOINT SET				
	POLY - SULPHIDE SEALANT				

सुर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिका



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	It is a two pack poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non – sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983	kg	1,540.00	1,540.00	1,540.00
	OPAL JOINT SET PRIMER				
	It is a recommended for surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timer and	ltr	1,380.00	1,380.00	1,380.00
	OPAL RMP				
	ROAD MARKING PAINTS				
	Road marking paints are versatile for marking on the metalled and concrete surface of roads, air stripe etc. They are two type water based and sprit based white and golden yellow colour.	ltr	399.00	399.00	399.00
50	Water proofing (chemicals & Treatment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based]	Kg.	150.00	150.00	150.00
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based]	Kg.	225.00	225.00	225.00
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based]	Kg.	450.00	450.00	450.00
1.5	Integral Waterproofing Additive for Concrete & Plaster	Kg.	275.00	275.00	275.00
1.6	Integral Crystalline Waterproofing Powder Admixture	Kg.	850.00	850.00	850.00
1.7	Integral Crystalline Waterproofing Liquid Admixture	Kg.	850.00	850.00	850.00
1.8	Integral Waterproofing Powder Admixture	Kg.	1,250.00	1,250.00	1,250.00
1.9	Integral Waterproofing Powder Admixture for Mortars	Kg.	150.00	150.00	150.00
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	250.00	250.00	250.00
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	350.00	350.00	350.00
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	300.00	300.00	300.00
1.13	Retarding Superplasticizer for Concrete [Napthalene Based]	Kg.	225.00	225.00	225.00
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based]	Kg.	450.00	450.00	450.00
51	CONCRETE ADMIXTURES (Mineral)				
	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete	Kg.	370.90	370.90	370.90
	Processed FA Based Mineral Additives	Kg.	93.50	93.50	93.50
52	Aluminium Door & Windows				



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
52.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	561.00	577.00	577.00
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	„	602.00	620.00	620.00
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	„	587.00	604.00	604.00
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	„	630.00	648.00	648.00
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	व.फि	724.00	745.00	745.00
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	व.फि	453.00	466.00	466.00
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	„	453.00	466.00	466.00
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	व.फि	561.00	577.00	577.00
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	„	502.00	517.00	517.00
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	„	687.00	707.00	707.00
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	„	687.00	707.00	707.00
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	„	401.00	413.00	413.00

पूर्व प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	533.00	548.00	548.00
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	533.00	548.00	548.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	533.00	548.00	548.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	504.00	519.00	519.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	553.00	569.00	569.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	609.00	627.00	627.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	व.फि	609.00	627.00	627.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टिलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	व.फि	553.00	569.00	569.00
	102 series windows				-
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	644.00	663.00	663.00
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	735.00	757.00	757.00
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	541.00	557.00	557.00
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	173.00	178.00	178.00
	90 series windows				-

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरू (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	606.00	624.00	624.00
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	639.00	658.00	658.00
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	509.00	524.00	524.00
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	173.00	178.00	178.00
	78 series windows	व.फि			-
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	व.फि	532.00	547.00	547.00
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	व.फि	567.00	584.00	584.00
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	476.00	490.00	490.00
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	157.00	161.00	161.00
	Casement window and doors				-
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	623.00	641.00	641.00
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	676.00	696.00	696.00
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	860.00	885.00	885.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Partation work				
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	407.00	419.00	419.00
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	432.00	444.00	444.00
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	465.00	478.00	478.00
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	580.00	597.00	597.00
	Structure glazing				
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	ब.फि	648.00	667.00	667.00
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	ब.फि	752.00	774.00	774.00
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	915.00	942.00	942.00
	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing AL strong, PRIME BOND,ALUTUF OR INDO BOND				
	3 mm , .20 mm black core	ब.फि	412.00	424.00	424.00
	3 mm , .25 mm black core	"	423.00	435.00	435.00
	3 mm , .30 mm black core	"	438.00	451.00	451.00
	4 mm , .25 mm black core	"	448.00	461.00	461.00
	4 mm , .30 mm black core	"	438.00	451.00	451.00
	4 mm , .50 mm black core	"	463.00	476.00	476.00
	4 mm , .25 mm Vergin core	"	474.00	488.00	488.00
	4 mm , .30 mm vergin core	"	438.00	451.00	451.00
	4 mm , .50 mm vergin core	"	474.00	488.00	488.00

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
53	Aluminium Composite Panel Sheet supplying & and fitting all complete work				-
	Aluminium Composite Panel Sheet supplying & and fitting all complete work				-
	ALTRONG Brand				-
	3mm .20 Black core	व.फि	518.00	533.00	533.00
	3mm .25 Black core	"	531.00	546.00	546.00
	3mm .30 Black core	"	550.00	566.00	566.00
	4mm .25 Black core	"	563.00	579.00	579.00
	4mm .30Black core	"	550.00	566.00	566.00
	4mm .50 Black core	"	583.00	600.00	600.00
	4mm .25 Vergin core	"	596.00	613.00	613.00
	4mm .30Vergin core	"	550.00	566.00	566.00
	4mm .50 Vergin core	"	596.00	613.00	613.00
53.1	Aluminium Door & Window				-
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	598.00	615.00	615.00
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	643.00	662.00	662.00
	Aluminum sliding windows without ventilator from section (101×45×1.20) mm and 5 mm glass.	व.फि	674.00	694.00	694.00
	Aluminum sliding windows with ventilator from section (101×45×1.20) mm and 5 mm glass.	व.फि	696.00	716.00	716.00
	Aluminum sliding Door Section (101×45×1.20) mm with Sash 40x45x1.1 mm and 5 mm glass.	व.फि	696.00	716.00	716.00
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.20)mm with sash (38×34×1.20)mm & 5 mm glass.	व.फि	589.00	606.00	606.00
	Aluminium casement Door Section size (101×45×1.20)mm, (40×45×1.20)mm & 5 mm glass.	व.फि	535.00	551.00	551.00
	Aluminium swing Door Section size (101×45×1.20)mm, 5 mm glass.	व.फि	749.00	771.00	771.00

(Handwritten signatures and initials)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	Aluminium fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.20)mm	व.फि	706.00	727.00	727.00
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	628.00	646.00	646.00
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	673.00	693.00	693.00
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	774.00	797.00	797.00
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	598.00	615.00	615.00
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	733.00	754.00	754.00
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	733.00	754.00	754.00
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	568.00	585.00	585.00
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	568.00	585.00	585.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	568.00	585.00	585.00
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	539.00	555.00	555.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	व.फि	591.00	608.00	608.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	651.00	670.00	670.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	651.00	670.00	670.00
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	591.00	608.00	608.00

(Handwritten signatures and initials)

(Handwritten signatures and initials)

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधि



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
A	EPS Sandwich panel work (metal sheet based) including fitting				
1	Providing and fitting EPS Sandwich Panel, FR 3 rated. Exterior & interior Skin of 0.3 -0.4mm PPGI with flame retardant EPS core insulation,Base Metal 1105mm and effective width 1,000mm, length 2m- 13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)	sqft			
A	Ivory color/white color Flat partition and exterior wall				
	Thickness				
i	50 mm	sqft			328
ii	75 mm	sqft			380
iii	100 mm	sqft			429
iv	125 mm	sqft			470
v	150 mm	sqft			530
B	Gray Color RP wall panel				
	Thickness				
i	50 mm	sqft			364
ii	75 mm	sqft			412
iii	100 mm	sqft			499
iv	125 mm	sqft			513
v	150 mm	sqft			562
C	Wooden Color Siding Wall Panel				
	Thickness				
i	75 mm	sqft			458
ii	100 mm	sqft			508
iii	125 mm	sqft			565
iv	150 mm	sqft			596
D	Blue, Orange & Maroon Roof Panel				
	Thickness				
i	50 mm	sqft			381
ii	75 mm	sqft			430
iii	100 mm	sqft			520
iv	125 mm	sqft			528
v	150 mm	sqft			578
E	Zinc panel (combat and black color)				
	Thickness				
i	50 mm	sqft			470
ii	75 mm	sqft			504

सुधी प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
iii	100 mm	sqft			594
iv	125 mm	sqft			613
v	150 mm	sqft			644
B	Sandwich PUF panel work(metal sheet based) including fitting	sqft			
	Providing and Fitting PUF sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4~0.5mm PPGI with PUF core insulation of density 45-50 kg/m ³ , Base Metal width 1105mm 1 and effective width 1,000mm, length 2m~ 13m of approved color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
A	Ivory Color/ white color flat puf wall Thickness				
i	40 mm	sqft			376
ii	50 mm	sqft			398
iii	75 mm	sqft			459
iv	100 mm	sqft			522
B	Puff Panel Roof(Orange/Blue/Black/Green)				
i	30 mm	sqft			360
ii	40 mm	sqft			379
iii	50 mm	sqft			409
iv	75 mm	sqft			477
v	100 mm	sqft			546
C	Steel Door				
	Providing and fitting 30 minute fire-resistance steel door with all complete set of frames 106 1 mm EGI Steel, leaf 0.8-0.5 mm EGI Steel, core insulation Honey comb, 50 mm thickness of steel door	sqft			1003
D	Panel Door				
	Providing and fitting steel Panel door all complete 1 set of frames 0.4 mm Aluminum, leaf Nonburn EPS Panel framed by 0.4 mm Aluminum	sqft			661
E	UPVC Window				



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
1	Providing and fitting 115 mm thick multi-chamber frame thick UPVC window all complete set along with frame having wall thickness of 2.0 mm -3.0 mm and 1.5 (+0.2)mm thick galvanized mild steel section.Fitting materials and accessories for window, sliding windows with stainless insect screen.	sqft			812
F	Cold Room Door				
1	Providing and fitting 75 mm thick	sqft			2970
54	Pressure Grouting				
	i) Providing material & applying pressure grouting on Rcc roof slab.	व.फि	40.00	40.00	40.00
	ii) Do but on basement	व.फि.	45.00	45.00	45.00
	iii) Providing material and applying pressure grouting on Rcc slab, basement and water	„	50.00	50.00	50.00
	iii) Do but sealing Rcc slab crack	व.फि	52.00	52.00	52.00
	iv) Do but Rcc column	Point	330.00	330.00	330.00
55	Eradication of peepal & other plants				
	a) Stem up to 1" thickness	गोटा	375.00	375.00	375.00
	b) Stem up to 1"-2" thickness	„	680.00	680.00	680.00
	c) Stem up to 2"-3" thickness	„	1,300.00	1,300.00	1,300.00
	d) Stem up to 3"-4" thickness	„	2,480.00	2,480.00	2,480.00
56	Miscellaneous Item				
	Water proof of terrace & roof garden				
	Supplying and laying of 2 pack polymer modified cementious water proofing coatings (Acrocote) all complete.	व.मी.	735.00	735.00	735.00
	Pabbles cladding work	व.मी.	460.00	460.00	460.00
57	Carbon/glass Fiber lamination, wrapping fo retrofitting and strengthening				
	Composite Flexural & Shear strenghtening of RCC/wood structures with Carbon Fiber Laminatioin& carbon fiber /glass fiber wrapping with MBrace Composite FRP Strengthening System for ceismic reterofitting& other structural				
1	Laminates (50/1.4mm)including ,Surface preparation works with tools and equipments ,surface priming with Mbrace Primer , surface leveling with three components epoxy repaire putty Concrressive-2200i and laminate adhesive all complete works on the RCC beam ,slab& other structure for seismic retrofitting /structural strengthening works as per drawing and Material data sheet.	Rm	12,000.00	12,000.00	12,000.00

Handwritten signatures and initials in the bottom left corner.

Handwritten signature and initials in the bottom center.

Handwritten signature and initials in the bottom right.

Handwritten signature and initials in the bottom right corner.



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
2	(MBrace CF-240(430gsm) 300mm width including 0.45m lapping for each strip ,surface preparation works with tools and equipments , surface priming, surface leveling with three components epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening) works as per drawing and application /material data sheet .	Sqm	18,100.00	18,100.00	18,100.00
3	Providing and application of MBrace Glass Fiber (MBraceG Sheet EU-750 width 500mm 750GSM including 0.15m lapping for each strip andSurface preparation works with tools and equipments , surface priming with Mbrace Primer , surface leveling with three omponents epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening works as per drawing and application /material data sheet	Sqm	15,500.00	15,500.00	15,500.00
58	Ready made Door				
	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft			
	Readymade door shutter Recon, Special (1 side teak)	Sqft			
	If Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft			
	Readymade door shutter Recon, Special (1 side teak)	Sqft			
58	Machine Made and Mechanically Selvedged Double Twist Hexagonal Wire Mesh Products				
	A) MBG/10x12/3.0/3.9/2.4/ZN				
	1.5x1x0.5/0	गोटा	1,594.00	1,642.00	
	2x1x0.5/1	„	2,168.00	2,233.00	
	3x1x0.5/2	„	3,094.00	3,187.00	
	4x1x0.5/3	„	3,904.00	4,021.00	
	1.5x1x1/0	गोटा	2,316.00	2,385.00	
	2x1x1/1	„	3,077.00	3,169.00	
	3x1x1/2	„	4,368.00	4,499.00	
	4x1x1/3	„	5,625.00	5,794.00	
	B) MBG/10x12/2.7/3.4/2.2/ZN				
	1.5x1x0.5/0	गोटा	1,364.00	1,405.00	
	2x1x0.5/1	„	1,878.00	1,934.00	
	3x1x0.5/2	„	2,661.00	2,741.00	
	4x1x0.5/3	„	3,357.00	3,458.00	
	1.5x1x1/0	„	1,983.00	2,042.00	
	2x1x1/1	„	2,661.00	2,741.00	
	3x1x1/2	„	3,756.00	3,869.00	

[Handwritten signatures]



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	4x1x1/3	"	4,730.00	4,872.00	
	C)MBG/10x12/2.7/3.4/2.2/ZN+PVC(1mm thick)				
	1.5x1x0.5/0	गोटा	2,011.00	2,071.00	
	2x1x0.5/1	"	2,743.00	2,825.00	
	3x1x0.5/2	"	4,023.00	4,144.00	
	4x1x0.5/3	"	5,303.00	5,462.00	
	1.5x1x1/0	"	2,926.00	3,014.00	
	2x1x1/1	"	4,023.00	4,144.00	
	3x1x1/2	"	5,851.00	6,027.00	
	4x1x1/3	"	7,680.00	7,910.00	
	D) MJG/10x12/3.0/3.9/2.4/ZN				
	3x1.5x0.5/2	गोटा	4,546.00	4,682.00	
	4x1.5x0.5/3	"	5,756.00	5,929.00	
	5x1.5x0.5/4	"	7,135.00	7,349.00	
	6x1.5x0.5/5	"	8,531.00	8,787.00	
	3x1.5x1/2	"	6,402.00	6,594.00	
	4x1.5x1/3	"	8,071.00	8,313.00	
	5x1.5x1/4	"	9,977.00	10,276.00	
	6x1.5x1/5	"	11,868.00	12,224.00	
	3x2x0.5/2	"	5,756.00	5,929.00	
	4x2x0.5/3	"	7,270.00	7,488.00	
	5x2x0.5/4	"	9,024.00	9,295.00	
	6x2x0.5/5	"	10,778.00	11,101.00	
	3x2x1/2	"	7,918.00	8,156.00	
	4x2x1/3	"	9,960.00	10,259.00	
	5x2x1/4	"	12,311.00	12,680.00	
	6x2x1/5	"	14,643.00	15,082.00	
	E) MJG/10x12/2.7/3.4/2.2/ZN				
	3x1.5x0.5/2	गोटा	3,792.00	3,906.00	
	4x1.5x0.5/3	"	4,782.00	4,925.00	
	5x1.5x0.5/4	"	5,929.00	6,107.00	
	6x1.5x0.5/5	"	7,077.00	7,289.00	
	3x1.5x1/2	"	5,321.00	5,481.00	
	4x1.5x1/3	"	6,695.00	6,896.00	
	5x1.5x1/4	"	8,278.00	8,526.00	
	6x1.5x1/5	"	9,860.00	10,156.00	
	3x2x0.5/2	"	4,782.00	4,925.00	
	4x2x0.5/3	"	6,051.00	6,233.00	
	5x2x0.5/4	"	7,495.00	7,720.00	
	6x2x0.5/5	"	8,938.00	9,206.00	

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	3x2x1/2	”	6,573.00	6,770.00	
	4x2x1/3	”	8,278.00	8,526.00	
	5x2x1/4	”	10,225.00	10,532.00	
	6x2x1/5	”	12,172.00	12,537.00	
	F) MJG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)				
	3x1.5x0.5/2	गोटा	5,486.00	5,651.00	
	4x1.5x0.5/3	”	7,223.00	7,440.00	
	5x1.5x0.5/4	”	8,960.00	9,229.00	
	6x1.5x0.5/5	”	10,697.00	11,018.00	
	3x1.5x1/2	”	7,680.00	7,910.00	
	4x1.5x1/3	”	10,057.00	10,359.00	
	5x1.5x1/4	”	12,434.00	12,807.00	
	6x1.5x1/5	”	14,811.00	15,255.00	
	3x2x0.5/2	”	6,948.00	7,156.00	
	4x2x0.5/3	”	9,143.00	9,417.00	
	5x2x0.5/4	”	11,337.00	11,677.00	
	6x2x0.5/5	”	13,531.00	13,937.00	
	3x2x1/2	”	9,508.00	9,793.00	
	4x2x1/3	”	12,434.00	12,807.00	
	5x2x1/4	”	15,359.00	15,820.00	
	6x2x1/5	”	18,285.00	18,834.00	
	G) Sack Gabions/Cylindrical Gabions				
	1.5x0.74dia (SG/10x12/3.0/3.9/2.4/ZN)	गोटा	1,973.00	2,032.00	
	1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN)	”	1,663.00	1,713.00	
	1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick))	”	2,107.00	2,170.00	
	H) Wire Mesh Nettings				
	WMN/10x12/3.0/3.9/2.4/ZN	व.मी.	275.00	283.00	
	WMN/10x12/2.7/3.4/2.2/ZN	”	240.00	247.00	
	WMN/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)	”	345.00	355.00	
	I) MTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)				
	3x2x0.5	गोटा	4,206.00	4,332.00	
	3x2x0.5	”	5,486.00	5,651.00	
	J) MGTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)				
	3x2x0.63	गोटा	9,540.00	9,826.00	
	3x2x0.61	”	8,418.00	8,671.00	
	3x2x0.76	”	9,496.00	9,781.00	
	3x2x0.80	”	9,496.00	9,781.00	
	3x2x0.60	”	8,141.00	8,385.00	



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	3x2x0.83	„	9,496.00	9,781.00	
	3x2x0.91	„	10,155.00	10,460.00	
	K) MRM/6x8/2.2/2.7/2.2/ZN				
	3x2x0.17	गोटा	3,665.20	3,775.00	
	4x2x0.17	„	4,748.70	4,891.00	
	5x2x0.17	„	5,811.30	5,986.00	
	6x2x0.17	„	6,912.40	7,120.00	
	3x2x0.23	„	3,988.60	4,108.00	
	4x2x0.23	„	5,166.70	5,322.00	
	5x2x0.23	„	10,781.10	11,105.00	
	6x2x0.23	„	7,503.10	7,728.00	
	3x2x0.30	„	4,330.70	4,461.00	
	4x2x0.30	„	5,583.60	5,751.00	
	5x2x0.30	„	6,894.80	7,102.00	
	6x2x0.23	„	8,165.30	8,410.00	
	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन बाक्स mesh type-10x12 , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मी.			275.00
	Note:				
	MBG = Maccaferi Box Gabion				
	MJG = Maccaferi Jumbo Gabion				
	MRM = Maccaferi Reno Mettress				
	WMN = Wire Mesh Netting				
	MTS=Maccaferi Terramesh System				
	MGTS=Maccaferi Gremm Terramesh System				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
59	Equipment Hired Rate Based on DoR (shall be as below until DoR rate is not updated)				
	a) Asphalt Plant* (Upto 10 ton)	Per hr.	400.00		
	b) Asphalt Plant* (Bram millar upto 10 ton/hr)	„	500.00		
	b) Asphalt Plant* (40 ton/ hour)				
	c) Asphalt Paver	„	1,400.00		
	d) Asphalt, Mixer (Bel mix)	„	1,000.00		
	e) Broom Road, Towed	„	260.00		
	f) Boring Rig	„	1,200.00		
	g) Air compressor 150 to 275 CPM	„	250.00		
	h) Crane Mobile 5 to 10 ton	„	3,100.00		
	i) Crane Mobile (10+ to 15 ton)	„	3,500.00		
	j) Crusher Stone (50 to 100HP)	„			
	k) Cutter Concrete	„	250.00		
				As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate

सुय प्रसाद सेडाई

जिल्ला प्रशासन कार्यालय



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	l) Dozer Wheel (150+ to 230 HP) HonomagD66c D66d	"			
	l) Dozer Wheel (150+ to 225 HP)	"			
	m) Dozer, Track (120 to 180 HP)	"			
	n) Dozer, Track (180+ to 240 H)	"			
	o) Bitumin Distributer (4 to 6 KL)	"	1,300.00		
	p) Rock Drill (Engine)	"			
	q) Rock Drill (Pneumatic)	"	130.00		
	r) Mini Dumper (Upto 1CUM)	"			
	s) Mini Dumper (1 CUM+)	"			
	t) Excavator, Wheel (Upto 110 HP)	"			
	u) Excavator, Track (Upto 110 HP)	"			
	v) Fork Lift Truck (Upto 2.5 ton)	"			
	w) Generaor* (Upto 10 KVA)	"			
	x) Generator* (10+ to 30 KVA)	"			
	y) Generator* (30 to 50 KVA)	"			
	z) Generator* (420 KVA)	"			
	aa) Grador motor (80 to 145 HP)	"			
	bb) Hopper Gritter	"			
	cc) Chips spreader tail gate mounted	"			
	dd) Bitumin heater (Upto 2 KL)	"	180.00		
	ee) Loader, Wheel (1 to 1.75 CUM)-JCB	"	1,000.00		
	ff) Loader, Wheel (!.75+ to 2.5 Cum)	"			
	gg) Back Hoe Loader (Upto 85 HP)	"			
	hh) Mixer Concrete	"			
	ii) Maintainer (Upto 75 HP)	"			
	jj) Water Pump (Upto 6" DIA)	Per hr.			
	kk) Pile Driver* (up to 10 ton)	Per hr.			
	ll) Roller 3, Wheel (Upto 12 ton)	Per hr.	500.00		
	mm) Roller, Pneumatic (Upto 20 ton)	Per hr.	1,200.00		
	nn) Roller, Vib Pedestrian (Upto 0.5 ton)	"	400.00		
	oo) Roller, Vib Sheep Foot (Upto 10 ton)	"	700.00		
	pp) Roller, Vib, Self Prop (Upto 3 ton)	"	550.00		
	qq) Roller, Vib, Self Prop (3 ton+)	"			
	rr) Roller, Vib, towed (Upto 7 ton)	"			
	ss) Spreader chips, Self propeeled	"	1,500.00		
	tt) Sprayer, Emulsion (Upto 1 KL)	"	260.00		
	uu) Truck, Flat Bed/ Crane (Upto 7 ton)	"	800.00		
	vv) Truck, Flat Bed (Upto 150HP)	"	450.00		
	ww) Truck, Tipper (Upto 150 HP)	"	450.00		
	xx) Truck Tipper (From 150 HP+)	"	1,100.00		
	yy) Mini Truck	"	300.00		
	zz) Trailer, Tractor (10+ to 25 ton)	"	2,200.00		
	aaa) Trailer, Tractor (25 ton+)	"	2,700.00		
	bbb) Water Tanker (Upto 8 KL)	"	550.00		
	ccc) Trailer	"	140.00		
				As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate

सूर्य प्रसाद सेडाई

प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	ddd) Tractor (Upto 85 HP)	„	300.00	As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate
	Tractor with triler	„	440.00		
	eee) Vibrator (Engine)	„	120.00		
	fff) Compactor, Hand Towed (Upto 200 Kg)	„	80.00		
	ggg) Compactor, Hand Towed (350 to 450 Kg)	„	130.00		
	hhh) Welding, Arc (10 to 30 KVA)	„	1,150.00		
60	Road furniture/goods/other materials from DoR				
	i) Retro-reflective traffic sign	Sqm	21,231.00	21,867.00	21,867.00
	ii) Painted traffic sign	„	6,242.00	6,429.00	6,429.00
	iii) Normal cats eye	no.	1,085.00	1,117.00	1,117.00
	iv) Solar power road stud	„	4,320.00	4,449.00	4,449.00
	v) Traffic signal (Circular or Arrow)	„			
	vi) Traffic signal control unit	„			
	vii) Thermoplastic road paint	Kg.	248.00	248.00	248.00
	viii) Glass bead	Kg.	239.00	239.00	239.00
	ix) Traffic Jacket	no.	3,000.00	3,000.00	3,000.00
	x) Traffic cone	no.	1,500.00	1,500.00	1,500.00
	xi) Planting Board	Sqm	500.00	500.00	500.00
	xii) Traffic reflective signage (Price without stand pipe)	Sqm	16,415.00	16,907.00	16,907.00
	xiii) Super bond XS (Anti-strpping agent)	Kg.	600.00	600.00	600.00
	xiv) Special addittive CZ-500	Kg.	710.00	710.00	710.00
	xv) Safety Helmate (special)	no.	300.00	300.00	300.00
	xvi) Safety Helmate (General)	no.	150.00	150.00	150.00
	xvii) Gumboot	pair	1,050.00	1,050.00	1,050.00
	xviii) Reflector Jacket	no.	500.00	500.00	500.00
	Geosynthetics				
A)	Geo-textile (Needle Punched Nonwoven)				
1	MacTex: MXC N20.2 (120g/sqm)	Sqm	71.00	71.00	71.00
2	MacTex: MXC N30.2 (150g/sqm)	Sqm	78.00	78.00	78.00
3	MacTex: MXC N40.2 (200g/sqm)	Sqm	115.00	115.00	115.00
4	Geobags (MacBags) 1m x 0.7m (300g/sqm)	Sqm	250.00	250.00	250.00
B)	Geomembrane: High Density Polythlene Geo-membrane				
1	Machine SDH-100 (Thickness: 1mm)	Sqm	633.00	633.00	633.00
2	Machine SDH-200 (Thickness: 2mm)	Sqm	1,265.00	1,265.00	1,265.00
C)	Drainage Composite				
1	MACDRAIN W110M Specification: Thickness (at 2kPa): 10mm One side non woven geotextile and otherside polymeric geomembrane	Sqm	1,487.00	1,487.00	1,487.00
2	MACDRAIN W1061 Specification: Thickness (at 2kPa): 7mm both sides non woven geotextile	Sqm	1,185.00	1,185.00	1,185.00
D)	Erosion Control Blanket: BioMat				
	BIOMAC CC 045 (450g/sqm)	Sqm	266.00	266.00	266.00
	BIOMAC CC 060 (600g/sqm)	Sqm	305.00	305.00	305.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
E)	Geo Mat				
	MACMAT 12.1 (280g/sqm) Polymer: Polypropylene; Thickness: 12mm	Sqm	629.00	629.00	629.00
	MacMat R1 6822 GN (Steel Reinforced Geo Mat)	Sqm	1,996.00	1,996.00	1,996.00
	MacMat R1 6822 GO (Steel Reinforced Geo Mat)	Sqm	2,347.00	2,347.00	2,347.00
F)	Geogrid: Strip Bonded GeoGrids With High Tenacity Polyester Core				
	Paralink 100 (UTS: 100 kN/m)	Sqm	414.00	414.00	414.00
	Paralink 200 (UTS: 200 kN/m)	Sqm	517.00	517.00	517.00
	Paralink 300 (UTS: 300 kN/m)	Sqm	705.00	705.00	705.00
	Paralink 400 (UTS: 400 kN/m)	Sqm	882.00	882.00	882.00
	Paralink 500 (UTS: 500 kN/m)	Sqm	1,078.00	1,078.00	1,078.00
	Paralink 600 (UTS: 600 kN/m)	Sqm	1,303.00	1,303.00	1,303.00
	Paralink 700 (UTS: 700 kN/m)	Sqm	1,719.00	1,719.00	1,719.00
	Paralink 800 (UTS: 800 kN/m)	Sqm	2,082.00	2,082.00	2,082.00
	Paralink 900 (UTS: 900 kN/m)	Sqm	2,544.00	2,544.00	2,544.00
	Paralink 1000 (UTS: 1000 kN/m)	Sqm	2,845.00	2,845.00	2,845.00
	Paralink 1200 (UTS: 1200 kN/m)	Sqm	3,572.00	3,572.00	3,572.00
61	Concrete Pillar (Size 4''*4'') Readymade				
	Length 7'	गोटा	1,200.00	1,200.00	1,200.00
	Length 5'	गोटा	600.00	600.00	600.00
	Length 3'	गोटा	300.00	300.00	300.00
62	Security System				
	Steel Security Gate supply				
	Metal detector (black Scorpion Company)	गोटा	16,995.00	16,995.00	16,995.00
	Access Controller (Taiwanese)	गोटा	28,840.00	28,840.00	28,840.00
	Access Controller (Chainese)	गोटा	13,905.00	13,905.00	13,905.00
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8,683.00	8,683.00	8,683.00
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9,930.00	9,930.00	9,930.00
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10,419.00	10,419.00	10,419.00
	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34,333.00	34,333.00	34,333.00
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR moton detector-3, Remote Controller -2) (अफिस तथा ब्यापारिक सुरक्षा प्रविधि)	गोटा			
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20,600.00	20,600.00	20,600.00
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12,875.00	12,875.00	12,875.00

प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	v) Finger print access system with software	गोटा	36,050.00	36,050.00	36,050.00
	vi) Security from Panic Alarm	गोटा	36,050.00	36,050.00	36,050.00
	vii) GPS (Global Positioning System) Device with software	गोटा	25,749.00	25,749.00	25,749.00
63	Bridge Materials				
	i))Elastometric bearing Pad				
	Fix Type	no.	20,554.00	20,554.00	20,554.00
	Free Type	no.	48,489.00	48,489.00	48,489.00
	v)Expansion Joint Works				
	Single strip seal	m	9,328.00	9,328.00	9,328.00
	Slab seal(320*50)	m	19,277.00	19,277.00	19,277.00
	Rubber seal (5mm thick, 150mm wide)	m	310.00	310.00	310.00
	v) Φ 26 mm thimble	Pc	361.00	361.00	361.00
	vi) Φ 32 mm thimble	Pc	618.00	618.00	618.00
	vii) Φ 36 mm thimble	Pc	1,326.00	1,326.00	1,326.00
	viii) Φ 40 mm thimble	Pc	1,545.00	1,545.00	1,545.00
	ix) Φ 13 mm Bulldog grip	Pc	72.00	72.00	72.00
	x) Φ 26 mm Bulldog grip	Pc	361.00	361.00	361.00
	xi) Φ 32 mm Bulldog grip	Pc	541.00	541.00	541.00
	xii) Φ 36 mm Bulldog grip	Pc	670.00	670.00	670.00
	xiii) Φ 40 mm Bulldog grip	Pc	670.00	670.00	670.00
	xiv) Steel wire rope (Right hand ordinary lay, vWSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	412.00	412.00	412.00
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6,695.00	6,695.00	6,695.00
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258.00	258.00	258.00
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361.00	361.00	361.00
	High tensile friction grip nut bolts	kg	335.00	335.00	335.00
	Galvanization				
	Zinc Above 98.5% purity	kg	309.00	309.00	309.00
	Premix of Zinc amonium chloride	kg	595.00	595.00	595.00
	Hydraucloric acid	Lit	41.00	41.00	41.00
64	वन क्षेत्रको कार्यक्रम सम्बन्धी				
क	नर्सरी सम्बन्धी				
१	२०० गेजको विरुवा उमाने कालो चार प्वाल भएको विभिन्न साइजको पोलिथिन थैला	के.जि.		385.00	385.00
२	ब्याड छोप्रे प्लाष्टिक	के.जि.		280.00	290.00

(Handwritten signatures and initials)

(Handwritten signature)

सूर्य प्रसाद सेठ्याई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
३	स्यापोलियन प्लाष्टिक	के.जि.			1,000.00
४	नर्सरी नाइके ज्याला प्रति महिना	ब्यक्ति		15,000.00	15,000.00
ख	वन बिउ/प्रांपाग्यूल खरिद सम्बन्धी				
१	शिरिष	के.जि.	1,100.00	1,100.00	1,100.00
२	खयर	के.जि.	1,750.00	1,750.00	1,750.00
३	उत्तिस	के.जि.	1,650.00	1,650.00	1,650.00
४	मसला	के.जि.	3,550.00	3,550.00	3,550.00
५	टिक	के.जि.	1,000.00	1,000.00	1,000.00
६	गोब्रेसल्ला	के.जि.	4,100.00	4,100.00	4,100.00
७	चाँप	के.जि.	550.00	550.00	550.00
८	चिलाउने	के.जि.	3,500.00	3,500.00	3,500.00
९	पैयू	के.जि.	920.00	920.00	920.00
१०	खोटेसल्ला	के.जि.	4,600.00	4,600.00	4,600.00
११	लाँकुरी	के.जि.	2,700.00	2,700.00	2,700.00
१२	पाटेसल्ला	के.जि.	4,350.00	4,350.00	4,350.00
१३	सिसौ	के.जि.	800.00	800.00	800.00
१४	कदम	के.जि.	5,500.00	5,500.00	5,500.00
१५	सिमल	के.जि.	3,300.00	3,300.00	3,300.00
१६	तेजपात	के.जि.	1,600.00	1,600.00	1,600.00
१७	सतिसाल	के.जि.	1,950.00	1,950.00	1,950.00
१८	विजयसाल	के.जि.	3,000.00	3,000.00	3,000.00
१९	अन्य वन प्रजाति रुख	के.जि.			1,000.00
२०	देवदार	के.जि.			12,000.00
२१	मयूरपखी धुपी	के.जि.	5,000.00	5,000.00	5,000.00
२२	धुपीसल्ला	के.जि.	4,500.00	4,500.00	4,500.00
२३	विरेन्द्रफूल	के.जि.	5,500.00	5,500.00	5,500.00
२४	कागियो	के.जि.	5,500.00	5,500.00	5,500.00
२५	कल्की	के.जि.	5,500.00	5,500.00	5,500.00
२६	अशोक	के.जि.	2,750.00	2,750.00	2,750.00
२७	गोल्डमोहर	के.जि.	900.00	900.00	900.00
२८	सुगन्धकोकिला	के.जि.	2,200.00	2,200.00	2,200.00
२९	अश्वगन्ध	के.जि.	4,950.00	4,950.00	4,950.00
३०	रुद्राक्ष	के.जि.	500.00	500.00	500.00
३१	श्रीखण्ड	के.जि.	7,000.00	7,000.00	7,000.00
३२	कपुर	के.जि.	4,900.00	4,900.00	4,900.00
३३	रक्तचन्दन	के.जि.	7,000.00	7,000.00	7,000.00
३४	सजिवन	के.जि.	1,100.00	1,100.00	1,100.00
३५	लप्सी	के.जि.	545.00	545.00	545.00
३६	हाडेओखर	के.जि.	775.00	775.00	775.00
३७	दाँतेओखर	के.जि.	1,300.00	1,300.00	1,300.00
३८	वाँस/निगालो	के.जि.	6,300.00	6,300.00	6,300.00

(Handwritten signatures and initials)

(Handwritten signature)
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
३९	कुरिलो	के.जि.	6,400.00	6,400.00	6,400.00
४०	चिराईतो	के.जि.	15,015.00	15,015.00	15,015.00
४१	हर्रो/वरो	के.जि.	950.00	950.00	950.00
४२	रिद्धा	के.जि.	550.00	550.00	550.00
४३	राजवृक्ष	के.जि.	825.00	825.00	825.00
४४	निम	के.जि.	700.00	700.00	700.00
४५	अन्य जडिबुटी तथा गैह्रकाष्ठ	के.जि.	5,500.00	5,500.00	5,500.00
४६	अमला	के.जि.	6,000.00	6,000.00	6,000.00
४७	टिम्मुर	के.जि.	7,100.00	7,100.00	7,100.00
४८	जैतून	के.जि.	17,200.00	17,200.00	17,200.00
४९	बोधिचित्त	के.जि.	135.00	135.00	135.00
५०	जामुन	के.जि.		500.00	500.00
५१	लौठसल्ला	के.जि.			10,000.00
५२	लौठसल्ला कटिंग	के.जि.			5.00
५३	टिम्मुर कटिंग	के.जि.			5.00
५४	किम्बु कटिंग	के.जि.			2.00
५५	गुर्जो कटिंग	के.जि.			3.00
५६	जडिबुटी अन्य प्रजाति कटिंग	के.जि.			2.00
५७	जडिबुटी बाहेक अन्य वन प्रजाति कटिंग	के.जि.			2.00
५८	धैचा	के.जि.	375.00	375.00	375.00
५९	स्टाइलो	के.जि.	1,155.00	1,155.00	1,155.00
६०	मलासेस्	के.जि.	865.00	865.00	865.00
६१	जैघाँस	के.जि.	115.00	115.00	115.00
६२	अन्य भूईघाँस	के.जि.	875.00	875.00	875.00
६३	कागती	के.जि.			12,000.00
६४	जुनार	के.जि.			12,000.00
६५	सुन्तला	के.जि.			13,000.00
६६	अम्बा	के.जि.			20,000.00
६७	वडहर	के.जि.	330.00	330.00	330.00
६८	बोहोरी	के.जि.	3,250.00	3,250.00	3,250.00
६९	कोईरालो	के.जि.	1,000.00	1,000.00	1,000.00
७०	टाँकी	के.जि.	1,000.00	1,000.00	1,000.00
७१	राईखन्यू	के.जि.	8,650.00	8,650.00	8,650.00
७२	निमारो	के.जि.	5,500.00	5,500.00	5,500.00
७३	दुधिलो	के.जि.	8,200.00	8,200.00	8,200.00
७४	ईपिल ईपिल	के.जि.	550.00	550.00	550.00
७५	भटमास	के.जि.	1,550.00	1,550.00	1,550.00
७६	अन्य डालेघाँस	के.जि.	2,230.00	2,230.00	2,230.00
७७	चिउरी	के.जि.	450.00	450.00	450.00

Handwritten signatures and initials in the bottom left corner.

Handwritten signature in the bottom center.

Handwritten signature in the bottom center.

Handwritten signature in the bottom center.

Handwritten signature and stamp in the bottom right corner. The stamp reads 'सूर्य प्रसाद सेडाई जिल्ला अधिकारी' (Surya Prasad Sedai, District Officer).



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
ग	बिरुवा खरिद सम्बन्धी				
ग.अ.	वन जन्य				
१	काष्ठजन्य बिरुवाहरु कम्तिमा ३ बर्ष (कम्तिमा ३ फिट अग्लो)	प्रति विरुवा			70.00
२	काष्ठजन्य बिरुवाहरु कम्तिमा २ बर्ष (कम्तिमा २ फिट अग्लो)	प्रति विरुवा			50.00
३	काष्ठजन्य बिरुवाहरु कम्तिमा १ बर्ष (कम्तिमा १ फिट अग्लो)	प्रति विरुवा			40.00
४	काष्ठजन्य अन्य बिरुवाहरु ४ बर्ष वा सो भन्दा बढी (कम्तिमा ३ फिट अग्लो)	प्रति विरुवा			100.00
५	कदम, सिमल	प्रति विरुवा	20.00	22.00	25.00
६	चापूँ, निम, आदि	प्रति विरुवा	30.00	30.00	30.00
७	जिन्को वाइलोवा थैलामा ३ वर्षे	प्रति विरुवा	1,600.00	1,600.00	1,000.00
८	पौलोनिया थैलामा	प्रति विरुवा	150.00	150.00	50.00
९	सतिसाल/विजय साल	प्रति विरुवा	20.00	22.00	50.00
१०	देवदार (पोलिब्याग) १-२ बर्ष	प्रति विरुवा			275.00
११	अन्य वनजन्य विरुवा (उत्तिस, चिलाउने, बकाइनो, सल्ला, सिसौ, मसला, खयर आदि)	प्रति विरुवा	20.00	22.00	30.00
ग.आ.	सौन्दर्य मुलक				
१	सिजनल फूल ८ इन्च पोली थैलो	प्रति विरुवा	30.00	30.00	30.00
२	गुलाब फुल ८ इन्च पोली थैलो	प्रति विरुवा	200.00	200.00	200.00
३	पारिजात	प्रति विरुवा	30.00	30.00	30.00
४	जिन्को बाईलोबा (फसिल्स रुख)		600.00	600.00	600.00
५	जाम्बिया सो प्लान्ट	गोटा		4,500.00	4,500.00
६	रेक्सोना	गोटा		5,000.00	5,000.00
७	रेबिज पाल्म	गोटा		3,500.00	3,500.00
८	एरिका पाल्म	गोटा		5,000.00	5,000.00
९	टुपिडेन्टस्	गोटा		3,000.00	3,000.00
१०	सिल्भरयूका	गोटा		2,500.00	2,500.00
११	जनाडो	गोटा		3,500.00	3,500.00
१२	फिलोडन	गोटा		2,500.00	2,500.00
१३	ड्रेसिना	गोटा		2,500.00	2,500.00
१४	सिपोटिया	गोटा		3,500.00	3,500.00
१५	रेड ड्रेसिना	गोटा		2,500.00	2,500.00
१६	गोल्डक्रिस धुपी	गोटा		800.00	800.00
१७	क्यामेलिया	गोटा		800.00	800.00
१८	साइकस	गोटा		7,000.00	7,000.00
१९	क्रिसमस ट्री	गोटा		4,000.00	4,000.00
२०	रुद्राक्ष कम्तिमा २ फिट अग्लो ।	गोटा		125.00	130.00
२१	कपुर कम्तिमा २ फिट अग्लो ।	गोटा		115.00	115.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
२२	वीरेन्द्रफुल कम्तिमा २ फिट अग्लो ।	गोटा		75.00	75.00
२३	कल्कफुल कम्तिमा २ फिट अग्लो ।	गोटा		50.00	50.00
२४	गोल्डमोहर कम्तिमा २ फिट अग्लो ।	गोटा		50.00	50.00
२५	धुपी कम्तिमा २ फिट अग्लो ।	गोटा		200.00	250.00
२६	क्रिसमस ट्री कम्तिमा २ फिट अग्लो ।	गोटा		350.00	350.00
२७	रुद्राक्ष कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		250.00	250.00
२८	कपुर कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		230.00	230.00
२९	वीरेन्द्रफुल कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		150.00	150.00
३०	कल्कफुल कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		100.00	100.00
३१	गोल्डमोहर कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		100.00	100.00
३२	धुपी कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा		400.00	400.00
३३	रुद्राक्ष कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा		1,000.00	1,000.00
३४	कपुर कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा		700.00	700.00
३५	वीरेन्द्रफुल कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा		500.00	500.00
३६	कल्कफुल कम्तिमा ८ फिट अग्लो थैलामा।	गोटा		400.00	400.00
३७	गोल्डमोहर कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा		400.00	400.00
३८	धुपी कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा		900.00	900.00
३९	अन्य सौन्दर्यपरक विरुवा कम्तिमा २ फिट अग्लो थैलामा ।	गोटा			200.00
४०	अन्य सौन्दर्यपरक विरुवा कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा			300.00
४१	अन्य सौन्दर्यपरक विरुवा कम्तिमा ८ फिट वा सो भन्दा बढी अग्लो थैलामा ।	गोटा			550.00
ग.इ.	गौडकाष्ठ वन पैदावार जन्य				
१	बासँ गानो (राइजोम)	प्रति विरुवा	450.00	450.00	450.00
२	बासँ कटिङ्ग विरुवा (नाङ्गो)	प्रति विरुवा	275.00	275.00	275.00
३	नेपाली बाँसको विजु विरुवा (२ वर्ष भन्दा बढी उमेरको र १.५ फि. वा सो भन्दा बढी अग्लो)	प्रति विरुवा	100.00	106.00	106.00
४	चाईनिज मोसो बाँसको विजु विरुवा (२ वर्ष भन्दा बढी उमेरको)	गोटा			350.00
५	चाईनिज मोसो बाँसको गानो/fOhfjd	गोटा			450.00
६	चाईनिज मोसो बाँसको जरा कटिङ्ग विरुवा (२ वर्ष भन्दा बढी उमेरको र १.५ फि. वा सो भन्दा बढी अग्लो))	गोटा			550.00
७	निगालो राइजोम (नाङ्गो)	प्रति विरुवा	60.00	60.00	60.00
८	निगालो विजु थैलामा (१.५ फिट भन्दा अग्लो)	प्रति विरुवा			40.00
९	अलैची गानो (२ सुट)	प्रति विरुवा	20.00	20.00	20.00

Handwritten signatures and initials at the bottom left of the page.



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
१०	अलैंची विरुवा (१ सुट)	प्रति विरुवा	25.00	25.00	25.00
११	अम्रिसो राइजोम (३ सुट)	प्रति विरुवा	15.00	15.00	15.00
१२	नेपियर कटिङ्ग (नाङ्गो)	प्रति विरुवा	8.00	8.00	8.00
१३	कुरिलो (तरकारी खाने)	प्रति विरुवा	20.00	20.00	20.00
१४	वन कुरिलो जरा प्रयोग हुने थैला रहित	प्रति विरुवा	15.00	15.00	15.00
१५	कुरिलो जरा प्रयोग हुने थैला सहित	प्रति विरुवा	25.00	25.00	25.00
१६	चिराइतो, अश्वगन्धा थैला रहित	प्रति विरुवा	15.00	15.00	10.00
१७	चिराइतो थैला सहित	प्रति विरुवा	25.00	25.00	20.00
१८	लप्सी ग्राफटिङ्ग	प्रति विरुवा	70.00	70.00	70.00
१९	लप्सी विरुवा थैलामा (१ वर्षे)	प्रति विरुवा	20.00	22.00	30.00
२०	ओखर दाते, थैलामा विउबाट				50.00
२१	ओखर हाडे, थैलामा	प्रति विरुवा	45.00	45.00	45.00
२२	बेल विरुवा दुइ वर्षे	प्रति विरुवा	60.00	60.00	60.00
२३	अमला दुइ वर्षे थैलामा विउबाट	प्रति विरुवा	50.00	50.00	50.00
२४	अमला दुइ वर्षे थैलामा हाइब्रिड	प्रति विरुवा	125.00	125.00	125.00
२५	लोक्ता, अर्गेली कटिङ्ग	प्रति विरुवा	20.00	20.00	20.00
२६	लोक्ता, अर्गेली विउबाट	प्रति विरुवा			35.00
२७	सुगन्धवाल, जटामसी विउबाट (नाङ्गो)	प्रति विरुवा	10.00	10.00	10.00
२८	बेत	प्रति विरुवा	25.00	25.00	30.00
२९	रुदाक्ष २ वर्षे	प्रति विरुवा	275.00	275.00	225.00
३०	रुदाक्ष ३ वर्षे ४ फीट अग्लो	प्रति विरुवा	600.00	600.00	400.00
३१	चन्दन रातो (रक्तचन्दन)	प्रति विरुवा	250.00	250.00	250.00
३२	चन्दन सेतो (श्रीखण्ड)	प्रति विरुवा	150.00	150.00	150.00
३३	सुगन्ध कोकिला	प्रति विरुवा	50.00	50.00	50.00
३४	तेजपात	प्रति विरुवा	50.00	50.00	50.00
३५	जैतुन विरुवा (विउबाट) थैलामा	प्रति विरुवा	60.00	60.00	60.00
३६	जैतुन विरुवा (ग्राफटिङ्ग) थैलामा २ फिट भन्दा अग्लो	प्रति विरुवा			400.00
३७	टिमुर् (वीउ, कटिङ्ग) थैलामा	प्रति विरुवा	80.00	80.00	80.00
३८	अन्य जडिबुटी तथा गैह्रकाष्ठ विरुवा (हर्रो, बर्रो, मलातो, रिद्धा, मजिठो, ठूलो ओखती आदि)	प्रति विरुवा	25.00	25.00	25.00
३९	बोधिचित्त १ वर्षे (वीउबाट)	प्रति विरुवा	250.00	250.00	200.00
४०	बोधिचित्त २ वर्षे (वीउबाट)	प्रति विरुवा	500.00	500.00	350.00
४१	बोधिचित्त ३ वा सो भन्दा बढी वर्ष (वीउबाट)	प्रति विरुवा	700.00	700.00	500.00
४२	लौठ सल्ला २ वा सो भन्दा बढी वर्ष (वीउबाट)	प्रति विरुवा	100.00	100.00	100.00
४३	लौठ सल्ला २ वा सो भन्दा बढी वर्ष (कटिङ्ग)	प्रति विरुवा	135.00	135.00	135.00
४४	सतुवा विरुवा (वीउबाट)	प्रति विरुवा	65.00	65.00	50.00
४५	सतुवा विरुवा (राइजोम) (कम्तीमा १.५ से.मी. व्यास र ४ से.मी लम्वाई)	प्रति विरुवा	65.00	65.00	80.00
४६	किम्बु कटिङ्ग विरुवा नाङ्गो	प्रति विरुवा			10.00
४७	किम्बु कटिङ्ग विरुवा थैला	प्रति विरुवा			15.00
४८	विष	प्रति विरुवा	20.00	20.00	50.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
४९	अलैची राइजोम	गोटा	12.00	12.00	13.00
५०	अलैची बिजु विरुवा	गोटा	14.00	14.00	14.00
ग.ई.	भूइघाँस जन्य				
१	हेज ८ इन्च सम्म पोली थैलो	प्रति विरुवा	60.00	60.00	60.00
२	कार्पेट दुवो	प्रति विरुवा	50.00	50.00	50.00
३	कार्पेट दुवो छाप्ने ज्याला	प्रति विरुवा	30.00	30.00	30.00
४	मलाटोघाँस	स्लिप	2.50	2.50	2.50
ग.उ.	फलफुल जन्य				
१	ड्रागनफ्रुट (१ फिट सम्म अग्लो)	गोटा		200.00	200.00
२	सुन्तला लोकल १ वर्षे	प्रति विरुवा	50.00	50.00	50.00
३	सुन्तला कटिंग, लेयरिंग विरुवा (२ वर्ष भन्दा बढी उमेरको)	प्रति विरुवा	160.00	160.00	160.00
४	अंगुर	गोटा		100.00	100.00
५	अम्बा लोकल	प्रति विरुवा	40.00	40.00	40.00
६	अम्बा कलमी विकास १ के.जी	प्रति विरुवा	200.00	200.00	200.00
७	आरु, आरुबखडा	प्रति विरुवा	50.00	50.00	50.00
८	ओखर दाँते (२ फिट वा सो भन्दा बढी अग्लो)	गोटा		230.00	240.00
९	ओखर हाडे (२ फिट सम्म अग्लो)	गोटा		65.00	65.00
१०	आपँ अम्रपाली, माल्दाह, दशहरी २ वर्षे ग्राफ्टिंग	प्रति विरुवा	110.00	110.00	130.00
११	आपँ लोकल	प्रति विरुवा	65.00	65.00	65.00
१२	अनार १ वर्षे लोकल	प्रति विरुवा	45.00	45.00	50.00
१३	अनार बिजु (२ फिट सम्म अग्लो)	गोटा	70.00	70.00	70.00
१४	अनार कलमी २ वर्षे	प्रति विरुवा	165.00	165.00	150.00
१५	अन्य फलफुल विरुवा	गोटा		50.00	60.00
१६	अगरउड (३ फिट भन्दा अग्लो)	गोटा		300.00	350.00
१७	मेकाडामिया (२ वर्ष भन्दा बढी उमेरको १.५ फिट वा सो भन्दा अग्लो)	गोटा		150.00	150.00
१८	मेकाडामिया (२ फिट वा सो भन्दा अग्लो)	गोटा		170.00	180.00
१९	मुन्तला	प्रति विरुवा	60.00	60.00	60.00
२०	मकाडामिया	प्रति विरुवा	200.00	200.00	200.00
२१	नासपती, हलुवावेद स्थानीय वीउ/कलमी	प्रति विरुवा	50.00	50.00	50.00
२२	नासपती, हलुवावेद स्थानीय ग्राफ्टेड	प्रति विरुवा			75.00
२३	जैतुन २ फिट देखि ४ फिट सम्म अग्लो	गोटा		300.00	300.00
२४	जैतुन २ फिट भन्दा अग्लो	गोटा		200.00	200.00
२५	जामुन	प्रति विरुवा	125.00	125.00	125.00
२६	जापानिज नास्पति (२ फिट सम्म अग्लो)	गोटा	200.00	200.00	200.00
२७	जुनार (१.५ फिट सम्म अग्लो)	गोटा	90.00	90.00	90.00
२८	जुनार लोकल (वीउवाट)	प्रति विरुवा	50.00	50.00	50.00



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
२९	जुनार कलमी (२ वर्ष वा सो भन्दा बढी)	प्रति विरुवा	100.00	100.00	100.00
३०	पिकानट (२ फिट सो भन्दा अग्लो) २ वर्षी वा वा सो भन्दा बढी	गोटा	450.00	350.00	350.00
३१	पिकानट १ देखी १.५ वर्ष सम्मको	प्रति विरुवा	300.00	300.00	300.00
३२	लिची बिजु (१.५ फिट सम्म अग्लो)	गोटा	80.00	90.00	90.00
३३	लिची ग्राफ्टिंग (२ फिट सम्म अग्लो)	गोटा	220.00	120.00	130.00
३४	किम्बु कटिंग (१ फिट सम्म अग्लो)	गोटा		10.00	10.00
३५	क्वि १ वर्ष (१ भाले ३ पोथी)	प्रति विरुवा	125.00	125.00	125.00
३६	क्वि २ वर्ष (१ भाले ३ पोथी)	प्रति विरुवा	200.00	200.00	200.00
३७	लीची लोकल	प्रति विरुवा	75.00	75.00	75.00
३८	लीची ग्राफ्टिङ्ग २ वर्ष	प्रति विरुवा	175.00	175.00	175.00
३९	एभोकाडो (२.५ फिट सम्म अग्लो)	गोटा		200.00	200.00
४०	एभोकाडो १ वर्ष	प्रति विरुवा	65.00	65.00	65.00
४१	एभोकाडो २ वर्ष	प्रति विरुवा	200.00	200.00	200.00
४२	एप्पल वयर	प्रति विरुवा	150.00	150.00	150.00
४३	कागती बिजु विरुवा (१ वर्ष उमेरको)	प्रति विरुवा	55.00	55.00	55.00
४४	कागती कटिंग, लेयारिग विरुवा (२ वर्ष भन्दा बढी उमेरको)	गोटा	150.00	150.00	150.00
४५	कागती कलमी २ वर्ष बाह्रमासे	प्रति विरुवा	200.00	200.00	200.00
४६	कफि	प्रति विरुवा	22.00	22.00	22.00
४७	डाले घास (बडहर, सिरिस, टाँकी, दवदवे, निमारो, कोइरालो, ठोटने, राइखन्यू, गिंदेरी, काभ्रो आदि)	प्रति विरुवा	20.00	22.00	30.00
४८	ओखर दाते, थैलामा ग्राफ्टिङ्ग	प्रति विरुवा	150.00	150.00	150.00
४९	अगरवुड थैलामा २ वर्ष वा सो भन्दा बढी उमेरको २ फीट वा सो भन्दा बढी अग्लो	प्रति विरुवा			250.00
५०	अन्य फलफुल विरुवा	प्रति विरुवा			30.00
65	जिल्ला वन कार्यालयबाट गरिने कार्यहरु				
क	वन समूहको कार्ययोजना सम्बन्धि				
१	तथ्यांक प्रविष्ट गर्ने कार्य	पेज			100.00
२	तथ्यांक विप्लेषण	कार्ययोजना			5,000.00
३	कार्ययोजना लेखन हस्तलिपी तयार	कार्ययोजना			10,000.00
४	कार्ययोजना खेसा चेक तथा पृष्ठपोषण	कार्ययोजना			5,000.00
66	गोलिया काठ र दाउरा कटान मुछान, दररेट				
१	कटान मुछान	प्रति क्यू.फिट	36.00	35.00	30.00
२	बोक्रा भिकने	प्रति क्यू.फिट	16.00	15.00	10.00
३	तान्ने	प्रति क्यू.फिट	36.00	35.00	30.00
४	लोडिङ्ग	प्रति क्यू.फिट	31.00	30.00	20.00
५	अनलोडिङ्ग	प्रति क्यू.फिट	16.00	15.00	10.00
६	पाइलिङ्ग	प्रति क्यू.फिट	26.00	25.00	20.00

Handwritten signatures and initials at the bottom of the page.

सुदी मुखर्जी सेडाई
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
67	काठ, दाउरा ढुवानी (घाटगढि प्रयोजनका लागी)				120.00
	गाडीद्वारा ढुवानी				
१	पक्की सडक (३ कि.मी सम्म)	प्रति क्यू.फिट	42.00	40.00	20.00
२	पक्की सडक (३ कि.मी भन्दा वढी)	प्रति क्यू.फिट	52.00	55.00	30.00
३	ग्रावेल सडक (३ कि.मी सम्म)	प्रति क्यू.फिट.			25.00
४	ग्रावेल सडक (३ कि.मी भन्दा वढी)	प्रति क्यू.फिट.			35.00
५	कच्ची सडक (३ कि.मी सम्म)	प्रति क्यू.फिट.			30.00
६	कच्ची सडक (३ कि.मी भन्दा वढी))	प्रति क्यू.फिट.			40.00
68	दाउरा संकलन, ढुवानी चट्टा निर्माण (२० फि X ५ फि X ५ फि)				
१	संकलन कटान मुछान	चट्टा	3,400.00	3,400.00	3,400.00
२	लोडिङ्ग	चट्टा	2,700.00	2,700.00	2,700.00
४	अनलोडिङ्ग	चट्टा	1,400.00	1,400.00	1,400.00
५	चट्टा निर्माण	चट्टा	1,400.00	1,400.00	1,400.00
69	डोजर /Excavator ले माटो खन्ने कार्य				
70	पशुसेवा कार्यालय सम्बन्धी				
	घाँसका विउवेर्नाहरु				
१	जै	के.जि.	100.00	100.00	100.00
२	भैच	के.जि.	150.00	150.00	150.00
३	केराउ	के.जि.	130.00	130.00	130.00
४	मिन्दुला	के.जि.	375.00	375.00	375.00
५	टियोसेन्ट	के.जि.	150.00	150.00	150.00
६	स्टाइलो	के.जि.	850.00	850.00	850.00
७	मोलासेस	के.जि.	375.00	375.00	375.00
८	भटमासे	के.जि.	1,425.00	1,425.00	1,425.00
	स्लिप तथा वेर्नाहरु				
१	डालेघाँसका बोट विरुवा	गोटा	12.00	12.00	12.00
२	भुइँघाँसका स्लिप तथा सेटस	सेट/स्लिप	6.00	6.00	6.00
३	अम्रिसो गाना	गाना	7.00	7.00	7.00
४	नेपीएर कटिड	विरुवा	9.00	9.00	9.00
५	सुपर नापयर	गोटा	12.00	12.00	12.00
६	किम्बूको काटिंग विरुवा	गोटा	10.00	10.00	10.00
	पशुपन्छी सम्बन्धी				
१	कमर्सियल १ दिने चल्ला	गोटा	90.00	90.00	90.00
२	ब्रोइलर १ दिने चल्ला	गोटा	80.00	80.00	80.00
३	गिरिराज चल्ला ४ हसे	गोटा	200.00	200.00	200.00
४	स्थानीय कुखुरा भाले	गोटा	1,000.00	1,000.00	1,000.00
५	स्थानीय कुखुरा पोथी	गोटा	800.00	800.00	800.00
६	प्रजननको स्थानीय बोका	के.जि.	1,000.00	1,000.00	1,000.00

प्रमुख जिल्ला अधिकार
 काठमाडौं




सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
७	प्रजननको ५०% क्रस बोयर बोका	के.जि.	2,000.00	2,000.00	2,000.00
८	प्रजननको ७५% क्रस बोयर बोका	के.जि.	2,500.00	2,500.00	2,500.00
९	प्रजननको ७५% भन्दा माथी क्रस बोयर बोका	के.जि.	3,000.00	3,000.00	3,000.00
१०	प्रजननको स्थानीय खरी बाखा	के.जि.	560.00	560.00	560.00
११	प्रजननको पाठी खरी बाखा	के.जि.	600.00	600.00	600.00
१२	प्रजननको जमुनापारी क्रस बाखा	के.जि.	600.00	600.00	600.00
१३	प्रजननयोग्य साँढे	गोटा	50,000.00	50,000.00	50,000.00
१४	प्रजननको राँगो मुराक्रस	गोटा	150,000.00	150,000.00	150,000.00
१५	बंगुरका पाठापाठि ४० दिने	गोटा	5,500.00	5,500.00	5,500.00
१६	मुराक्रस लईनो भैसी	गोटा	150,000.00	150,000.00	150,000.00
१७	मुराक्रस थोरे पाडी- १८ महिना सम्मको	गोटा	40,000.00	40,000.00	40,000.00
१८	मुराक्रस पाडा मासुको लागि	के.जि.	400.00	400.00	400.00
१९	जर्सी गाई लैना	गोटा	100,000.00	100,000.00	100,000.00
२०	होलिष्टियन गाई लैना	गोटा	120,000.00	120,000.00	120,000.00
	पशु औजार तथा उपकरणहरु				
१	लिक्विड नाइट्रोजन कन्टेनर ५० लिटरको	गोटा	115,000.00	115,000.00	115,000.00
२	लिक्विड नाइट्रोजन कन्टेनर ३० लिटरको	गोटा	90,000.00	90,000.00	90,000.00
३	सिमेन रेफ्रि २ लिटरको	गोटा	42,000.00	42,000.00	42,000.00
४	ए.आइ गन डयूल स्ट्र	गोटा	4,500.00	4,500.00	4,500.00
५	ए.आइ.सिथ ५० पिस	प्याकेट	750.00	750.00	750.00
६	ए.आइ.ग्लोब १०० पिस	प्याकेट	1,200.00	1,200.00	1,200.00
७	सर्जिकल डेलिभरि सेट	सेट	16,500.00	16,500.00	16,500.00



 सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



Electrical Works

काभ्रेपलाञ्चोक

आ.ब. ०८१/०८२



निर्णय नं.: ३ काभ्रेपलान्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र आ.ब. ०८१/०८२ को लागी बिद्युतिय कार्य संग सम्बन्धीत तपसिलमा उल्लेखीत विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि २५ सम्म)


Electrical Works

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL OR ISI EQUIVALENT					
	1) One Gang one way switch	सेट	58.00	58.00	58.00	
	2) One Gang two way switch	सेट	69.00	69.00	69.00	
	3) One way bell switch	"	72.00	72.00	72.00	
	4) Two gang one way switch	"	96.00	96.00	96.00	
	5) Two gang one way switch with one bell push	"	105.00	105.00	105.00	
	6) Two gang Full two way switch	"	107.00	107.00	107.00	
	7) Three Gang one way switch	"	127.00	127.00	127.00	
	8) Four gang one way switch	"	161.00	161.00	161.00	
	9) Six gang one way switch	"	253.00	253.00	253.00	
	10) Eight gang one way switch	"	304.00	304.00	304.00	
	11) Dimmer single 300 watt	"	309.00	309.00	309.00	
	12) Dimmer single 750 watt	"	459.00	459.00	459.00	
	13) 5 Step humming free dimmer	"	407.00	407.00	407.00	
	14) 16Amp 3 Pin Plug Top	"	121.00	121.00	121.00	
	15) 1 switch with dimmer	"	368.00	368.00	368.00	
	16) 6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151.00	151.00	151.00	
	17) 6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169.00	169.00	169.00	
	18) 20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371.00	371.00	371.00	
	19)32A D.P. switch with fuse & indicator Surface Mounting	"	206.00	206.00	206.00	
	20)6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	"	611.00	611.00	611.00	
	21) Blanking plate single	"	40.00	40.00	40.00	
	22) Telephone socket single	"	118.00	118.00	118.00	
	23) Telephone socket Double	"	169.00	169.00	169.00	
	24) Angle / bottom holder	"	35.00	35.00	35.00	
	25) Ceiling Rose	"	35.00	35.00	35.00	
	26) Buzzer	"	97.00	97.00	97.00	
	27) Musical bell	"	222.00	222.00	222.00	
	28) T.V. antena single Socket	"	82.00	82.00	82.00	
	29) 6A 2/3 Pin unshuttered multi switch socket	"	128.00	128.00	128.00	
	30) RJ 45 Computer Socket for modem	"	234.00	234.00	234.00	
	31)CAT-5 Computer Socket for modem	"	0.00	0.00	0.00	
	32) Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35.00	35.00	35.00	
	33)Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63.00	63.00	63.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	34) Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98.00	98.00	98.00	
	35) Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, CLIPSAL or Equivalent					
	10A 1gang 1way Switch	Set	83.00	83.00	83.00	
	10A 2gang 1way Switch	Set	163.00	163.00	163.00	
	10A 3gang 1way Switch	"	216.00	216.00	216.00	
	10A 4gang 1way Switch	"	350.00	350.00	350.00	
	10A 5gang 1way Switch	"	371.00	371.00	371.00	
	10A 6gang 1way Switch	"	617.00	617.00	617.00	
	10A 1gang 2way Switch	"	144.00	144.00	144.00	
	10A 2gang 2way Switch	"	278.00	278.00	278.00	
	10A 3gang 2way Switch	"	407.00	407.00	407.00	
	10A 4gang 2way Switch	"	613.00	613.00	613.00	
	T V Socket outlet	"	299.00	299.00	299.00	
	Telephone Socket	"	268.00	268.00	268.00	
	13A Universal socket outlet	"	464.00	464.00	464.00	
	13A Socket	"	273.00	273.00	273.00	
	15A switched Socket outlet	"	443.00	443.00	443.00	
	5A Socket	"	340.00	340.00	340.00	
	RJ 45 8way Computer Socket	"	824.00	824.00	824.00	
	TV and Telephone socket	"	592.00	592.00	592.00	
2a	Modular Type Switch Socket set NORTH-WEST / SIEMENS/C&S/Legrand/ABB/Philips or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
1	1P – 6A 1 way switch	No.				
2	1P – 6A 1 way switch Luminous	"				
3	1P – 16A 1 way switch	"				
4	1P – 16A 1 way switch Luminous	"				
5	1P – 25A 1 way switch	"				
6	1P – 25A 1 way switch Luminous	"				
7	1P – 6A 2 way switch	"				
8	1P – 16A 2 way switch	"				
9	1P – 6A push button	"				
10	1P – 6A push button Luminous	"				
11	1 gang blanking module	"				
12	2 gang blanking module	"				
	FAN REGULATOR / DIMMER					
13	Step type fan regulator	No.				
14	60 – 500 W dimmer	"				
15	1000 W dimmer	"				
2b	Modular Type Switch Socket NORTH-WEST / ROMA / WOODS Electrical U.K. OR ISI EQUIVALENT					
	1) 1gang 1 Way Switch with frame & plate .	सेट				
	2) 2-gang 1-way " "	सेट				



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत	
			०७९/०८०	०८०/०८१	०८१/०८२		
	3) 3 gang 1way ,, ,,	सेट				आयक बष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	4) 4 gang 1 way switch ,,	सेट					
	5) 5 gang 1 way ,, ,,	सेट					
	6) 6 gang 1way ,, ,,	सेट					
	7) TV socket ,, ,,	सेट					
	8) 1 gang 1 bell socket ,,	"					
	9) 5 amp power socket ,,	"					
	10) 15 amp ,, ,,	"					
	11) 15 amp flat power socket "	"					
	12) 1 gang 2 way switch "	"					
	13 key tag with 25 amp energy squaring switch with plate	"					
	14) 13 flat power socket	"					
	15) 1 gang 2 way switch	"					
	16) Modular S.P. MCB suitable to mounting on modular type Switch/socket frame and plate	"					
	17) MCB + socket unit for flush mounting comprising of a single pole MCB , a 25Amp socket & a 25 Amp plugtop with indicator	"					
	18) Dimmer 300 W	"					
	19) Dimmer 1000W	"					
	20) RJ 45 computer Data Transfer socket with shutter	"					
	21)Flexicord 3 pin 4 meter, NorthWest / Roma or eqv.	"					
3	METAL Junction BOX						
	1) 4"x4"	गोटा	100.00	100.00	100.00		
	2) 4"x6"	"	150.00	150.00	150.00		
	3) 6"x8"	"	237.00	237.00	237.00		
	4) 8"x10"	"	349.00	349.00	349.00		
	5) 8"x12"	"	349.00	349.00	349.00		
4	PVC Junction Box						
	1) 4"x4"	गोटा	31.00	31.00	31.00		
	2) 4"x6"	"	31.00	31.00	31.00		
	3) 6"x8"	"	46.00	46.00	46.00		
	4) 8"x10"	"	67.00	67.00	67.00		
	5) 8" x12"	"	129.00	129.00	129.00		
	6) Join box cover	"	144.00	144.00	144.00		
5	PVC Listy Double Lock { 6'length =1 no.(गोटा)}						
	1) ½ "	र.मी	31.00	31.00	31.00		
	2) ¾"	"	46.00	46.00	46.00		
	3) 1"	"	67.00	67.00	67.00		
	4) 1½"	"	129.00	129.00	129.00		
	5) 2"	"	144.00	144.00	144.00		
6	PVC Conduit Pipe		0.00	0.00	0.00		
	1) ½ "	र.मी	31.00	31.00	31.00		
	2) ¾"	"	46.00	46.00	46.00		
	3) 1"	"	67.00	67.00	67.00		




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
7	Listy Pipe Accessories		0.00	0.00	0.00	
	1) 1/2"-2" size Shaddle	र.मी	8.00	8.00	8.00	
	2) Grips (denmark)	गोटा	6.00	6.00	6.00	
	3) Steel screws	गोटा	2.00	2.00	2.00	
	4) PVC Tape	गोटा	15.00	15.00	15.00	
8	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Standard.Company or Equivalent					
	1) 4 way SPN DB Double Cover	सेट	1082.00	1082.00	1082.00	
	2) 6 way SPN DB " "	"	1135.00	1135.00	1135.00	
	3) 8 way SPN DB " "	"	1416.00	1416.00	1416.00	
	4) 12 way SPN DB " "	"	1679.00	1679.00	1679.00	
	5) 16 way SPN DB " "	"	1795.00	1795.00	1795.00	
	6) 3-4 way TPN DB Double Cover	"	2668.00	2668.00	2668.00	
	7) 6 way TPN " " "	"	2998.00	2998.00	2998.00	
	8) 8 way TPN " " " Vertical	"	5799.00	5799.00	5799.00	
	9) 12 way TPN " " " Vertical	"	7727.00	7727.00	7727.00	
	10) 50 Pair Telephone D.B.with crown tag	"	5446.00	5446.00	5446.00	
9	PVC Box for MCB					
	1) 1-pole PVC box GPS	सेट	81.00	81.00	81.00	
	2) 2- pole PVC " "	"	81.00	81.00	81.00	
	3) 3 and 4-pole PVC " "	"	130.00	130.00	130.00	
10	Miniature Circuits Breaker (MCB) , ISI ordinary type or equivalent					
	1) 6-32 amp MCB SP (single pole)	गोटा	206.00	206.00	206.00	
	2) 6-32 amp MCB DP (Double pole)	"	1030.00	1030.00	1030.00	
	3) 6-32 amp MCB TP (Triple pole)	"	1710.00	1710.00	1710.00	
	4) 32 amp MCB TPN	"	2472.00	2472.00	2472.00	
	5) 40-63 amp MCB SP	"	0.00	0.00	0.00	
	6)40-63 amp MCB DP	"	1648.00	1648.00	1648.00	
	7) 40-63 amp MCB TP	"	2637.00	2637.00	2637.00	
	8) 40-63 amp MCB TPN	"	3157.00	3157.00	3157.00	
11	ISOLATOR ISI marked or Equivalent					
	1) 40 Amp Isolator Single Pole	गोटा				
	2)63 Amp Isolator Single Pole	"				
	3) 100 Amp Isolator Single Pole	"				
	4) 125 Amp Isolator Single Pole	"				
	5) 40 Amp Isolator Double Pole	गोटा				
	6)63 Amp Isolator double Pole	"				
	7) 100 Amp Isolator double Pole	"				
	8) 125 Amp Isolator double Pole	"				
	9) 40 Amp Isolator Triple Pole	गोटा				
	10)63 Amp Isolator Triple Pole	गोटा				
	11) 100 Amp Isolator Triple Pole	गोटा				

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर
रेट अनुसार हुने


सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	12) 125 Amp Isolator Triple Pole	गोटा				
	13) 40 Amp Isolator Four Pole	गोटा				
	14) 63 Amp Isolator Four Pole	गोटा				
	15) 100 Amp Isolator Four Pole	गोटा				
	16) 125 Amp Isolator Four Pole	गोटा				
12	Residual Current Circuit Breaker ISI marked or Equivalent					
	1) 25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751.00	2751.00	2751.00	
	2) 63A 30mA DP RCCB	गोटा	3278.00	3278.00	3278.00	
	3) 63A 100mA DP RCCB	गोटा	3014.00	3014.00	3014.00	
	4) 63A 300mA DP RCCB	गोटा	3064.00	3064.00	3064.00	
	5) 25A to 40A ,(30mA,100,300mA) FP RCCB	गोटा	3377.00	3377.00	3377.00	
	6) 63A 30mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
	7) 63A 100mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
	8) 63A 300mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
13	Miniature circuit Brackets (MCB) 10 KA Simens,MarlinGerlin ,GE or ISI marked Equavalent					
	1) 0.5-4 AMP MCB 10 KA single pole	सेट				
	2) 6-32 AMP MCB 10 KA single pole	"				
	3) 6-32 AMP MCB 10 KA single pole	"				
	4) 0.5 -4 AMP MCB Doble pole	"				
	4) 6-32 AMP MCB " "	"				
	5) 40A MCB DP	"				
	5) 63A MCB DP	"				
	5) 0.5-4 AMP MCB Triple pole	"				
	6) 6-32 AMP MCB " "	"				
	7) 40 AMP MCB " "	"				
	6) 50 AMP MCB " "	"				
	6) 63 AMP MCB " "	"				
	8) 6A to 32 A MCB Triple pole with neutral (TPN)	"				
14	Moulded Case Circuit Breaker (GE , Seimens, Legrand or Equivalent)					
	16AMP- 63AMP TP MCCB 16KA	सेट	5665.00	5665.00	5665.00	
	80AMP TP MCCB 16KA	"	5665.00	5665.00	5665.00	
	100AMP TP MCCB 16KA	"	6386.00	6386.00	6386.00	
	125AMP TP MCCB 16KA	"	8240.00	8240.00	8240.00	
	160AMP TP MCCB 16KA	"	9785.00	9785.00	9785.00	
	16AMP- 63AMP TP MCCB 25KA	"	6386.00	6386.00	6386.00	
	80AMP TP MCCB 25KA	"	7045.00	7045.00	7045.00	
	100AMP TP MCCB 25KA	"	7045.00	7045.00	7045.00	
	125AMP TP MCCB 25KA	"	11330.00	11330.00	11330.00	
	160AMP TP MCCB 25KA	"	13390.00	13390.00	13390.00	
	200AMP TP MCCB 25KA(Adjustable)	"	21115.00	21115.00	21115.00	

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर
रेट अनुसार हुने




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	200AMP TP MCCB 35KA(Adjustable)	"	23175.00	23175.00	23175.00	
	250AMP TP MCCB 35KA(Adjustable)	"	27295.00	27295.00	27295.00	
	400AMP TP MCCB 50KA(Adjustable)	"	35535.00	35535.00	35535.00	
	630AMP TP MCCB 50KA(Adjustable)	"	48410.00	48410.00	48410.00	
	800AMP TP MCCB 50KA(Adjustable)	"	63963.00	63963.00	63963.00	
15	Air Circuit Breaker (ACB)(GE , Seimens , ABB or Equivalent)					
	Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate)	सेट				
	Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate)	सेट				
	Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate)	"				
		"				
	Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate)	"				

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर
रेट अनुसार हुने

सूर्य प्रसाद
मुख्य जिल्ला अधिकारी




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	सेट				
	Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 4000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
16	Switch Gear ISI or equivalent.					
	1) 16 AMP 415 DP Rewirable Mainswitch	गोटा				
	2) 32 AM 415V DP " "	"				
	3) 63 AMP 415V " " "	"				
	4) 100 AMP 415v " "	"				
	5) 16 AMP 415 V DP HRC	"				
	6) 32 AMP 415V DP " "	"				
	7) 63 AMP 415v DP " "	"				
	8) 100AMP 415V DP " "	गोटा				
	9) 200 AMP 415V " "	"				
	10) 16 AMP 415V TP HRC	"				
	11) 32 AMP 4/5 TP HRc "	"				
	12) AMP 415V TP HRc "	"				
	13) 100AMP 415V " "	"				
	14) 200 AMP 415 " "	"				
	15) 300 AMP 415V " "	"				
	16) 400 AMP 415V " "	"				
	17) 16AMP 415V Change over switch	"				
	18) 32AMP 415V " "	"				
	19) 63AMP 415 " "	"				
	20) 100 AMP 415V " "	"				


आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर
रेट अनुसार हुने

सुबोध प्रसाद सेडाई
जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	21) 200 AMP 415V	"				
	22) 300 AMP 415V	"				
	23) 63AMP 415V Bus Bar Chamber	"				
	24) 100 AMP 415V	"				
	25) 200 AMP 415V	"				
	26) 300 AMP 415V	"				
17	GENERAL FITTINGS					
	Dome Light					
	1) 6" Milky type decorative dome light	सेट	180.00	185.00	185.00	
	2) 6 " Brass base decorative dome light	"	736.00	758.00	758.00	
	3) 8"Milky type decorative dome light	"	227.00	233.00	233.00	
	4) 8 " Brass base decorative dome light	"	876.00	902.00	902.00	
	5) 8" Silver cast Milky base Decorative Dome Light Homedec, DECON or ISI Eqv.	"	1107.00	1140.00	1140.00	
	6) 8" Silver cast Black Base base Decorative Dome Light Homedec, DECON or Eqv.	"	567.00	584.00	584.00	
	7) Decorative Ceilling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL , Compact co. or Equivalent	"	1213.00	1249.00	1249.00	
	8) Wall bracket /spout light/mirror light bulk head ordinary .	"	232.00	238.00	238.00	
	9) Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361.00	371.00	371.00	
	10) Wall bracket/spout light/mirror light bulk head best quality , Homedec , Decon or ISI Eqv.	"	824.00	848.00	848.00	
	11) 40-60 watt Down light (conceal light)	"	968.00	997.00	997.00	
	12) 1 x 18watt CFL Down light (conceal light) Complete Set	"	1514.00	1559.00	1559.00	
	13) Dining lamp.	"	1700.00	1751.00	1751.00	
	14) Chandlers 6-8 lamp Medium	"	15090.00	15542.00	15542.00	
	15) Chandlers 3-5 lamp Medium	"	10764.00	11086.00	11086.00	
	16) Mirror Light Euro Light	"	464.00	477.00	477.00	
	17) Picture light Euro Light POO2	"	670.00	690.00	690.00	
	18) Wall spot Light E27 60W Euro or eqv.	"	361.00	371.00	371.00	
	Exit Liggth safety sign (8.24) w make samcon	सेट	824.00	848.00	848.00	
	Post top Lanterns Wipro,GE,C&S or Equivalent					
	19) Bollard Garden light small Size Homedec, DECON Or ISI Eqv.		2575.00	2652.00	2652.00	
	20) Bollard Garden light medium Size Homedec, DECON Or ISI Eqv.		3090.00	3182.00	3182.00	
	21) Bollard Garden light Full Size Homedec, DECON Or ISI Eqv.		3476.00	3580.00	3580.00	
	22)8" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv.		1416.00	1458.00	1458.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	23) 10" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv.		2704.00	2785.00	2785.00	
18	CEILING FANS & EXHAUST FANS, ALMONARD, / CROMPTION, BAJAJ CO. or equivalent					
	1) 36" size ceiling Fan	गोटा	2163.00	2227.00	2227.00	
	2) 42" size " "	"	2266.00	2333.00	2333.00	
	3) 48" size " "	"	2318.00	2387.00	2387.00	
	4) 56" size " "	"	2575.00	2652.00	2652.00	
	5) 6" Exhaust Fan		1494.00	1538.00	1538.00	
	6) 9" Exhaust Fan	"	1803.00	1857.00	1857.00	
	7) 16" size wall fan	"	2833.00	2917.00	2917.00	
	8) 12"-15" size exhaust fan	"	2575.00	2652.00	2652.00	
19	BELL INDICATOR					
	1) 4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00	
	2) 6 way " " " "	"	2049.00	2049.00	2049.00	
	3) 8 way " " " "	"	2851.00	2851.00	2851.00	
	4) 12 way " " " "	"	4395.00	4395.00	4395.00	
20	Materials For Earthing & Lightning Protection					
	1) Copper plate	के.जी	917.00	944.00	944.00	
	1) Copper plate (800×800×3.15)mm size	गोटा				
	2) Copper plate (650×650×3.15)mm size	गोटा				
	3) Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082.00	1114.00	1114.00	
	4) Copper Strip (20 x 3)mm(Appro. 65"= 1 Kg)	के.जी	1082.00	1114.00	1114.00	
	5) Copper Strip (12 x 3)mm (Appro. 118"= 1 Kg)		1082.00	1114.00	1114.00	
	6) Lightning rod copper conductor Air termination set	गोटा	2730.00	2811.00	2811.00	
	7) 8 SWG bare copper wire	र. मी	144.00	148.00	148.00	
	8) 29 mm Diameter GI Pipe of 1m length	र. मी	252.00	259.00	259.00	
	9) 30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618.00	636.00	636.00	
	10) 5/16 nuts & bolt with spring washer cadmium maker	गोटा	15.00	15.00	15.00	
	11) 1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196.00	201.00	201.00	
	12) Funnel with wire mesh	गोटा	361.00	361.00	361.00	
	13) Charcol	व्याग	309.00	309.00	309.00	
	14) Salt	के.जी	12.00	12.00	12.00	
21	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057.00	12057.00	12057.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
b	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484.00	12484.00	12484.00	
	8 Mtr. (Bottom : 139.7 mm Dia 4500 mm height, 114.3mm Dia 1750mm height & 88.9 mm Dia 1750mm height with firmly Welded or bolted (101kg Total Wt)				आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
c	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12979.00	12979.00	12979.00	
	9 Mtr. (Bottom : 165.1 mm Dia.5000 mm height, 139.7mm Dia 2000mm height , 114.3 mm Dia 2000mm height with firmly Welded or bolted with overlapping of 200mm, 150mm, Respectively (147 Kg Wt Total)	No				
	10 Mtr. (Bottom : 165.1 mm Dia.5200 mm height, 139.7mm Dia 2400mm height , 114.3 mm Dia 2400mm height with firmly Welded or bolted with overlapping of 200mm, 150mm, Respectively (160 Kg Wt Total)	No			आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	Heavy
	11 Mtr. (Bottom : 165.1 mm Dia.5600 mm height, 139.7mm Dia 2700mm height , 114.3 mm Dia 2700mm height with firmly Welded or bolted with overlapping of 200mm, 150mm, Respectively (175 Kg Wt Total)	No				
e	7 mtr.length Wooden Pole (Treated)	No	4996.00	4996.00	4996.00	
f	9 mtr.length Wooden Pole (Treated)	No	6798.00	6798.00	6798.00	
22	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube, condenser,starter , lamp holder,channel/ batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block Manufactured By Wipro, Philips, GE or ISI equivalent Company .					
	1) 1×20 watt FTL (Patti fittings)	सेट	464.00	464.00	464.00	
	2) 1×40 watt FTL (Patti fittings)		775.00	775.00	775.00	
	3) 1×20 watt FTL (Mirrolta)	"	876.00	876.00	876.00	
	4) 1×40 watt FTL (Mirrolta)	"	1020.00	1020.00	1020.00	
	5) 1×40 watt FTL box fittings	"	1159.00	1159.00	1159.00	
	6) 2×40 watt FTL box fittings	"	1751.00	1751.00	1751.00	
	7) 1×40 watt FTL Industrial channel	"	1782.00	1782.00	1782.00	
	8) 2×40 watt FTL Industrial channel	"	2287.00	2287.00	2287.00	
	9) 1×40 watt FTL, oplite with opal Arcylic dissuser .	"	1854.00	1854.00	1854.00	

प्रसाद सेडै


 प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	10) 2×40 watt FTL, hoplite with opal Arcylic dissuser	"	3090.00	3090.00	3090.00	
	11) 4×20 watt FTL, oplite with opal Arcylic dissuser	"	5410.00	5410.00	5410.00	
	12) 4×20 watt FTL mirror optic.	"	5410.00	5410.00	5410.00	
	13) 1×40 watt FTL mirr optic .	"	3554.00	3554.00	3554.00	
	14) 2×40 watt FTL mirror optic.	"	4326.00	4326.00	4326.00	
	15) 4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set	"	9383.00	9383.00	9383.00	
	16) 3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	"	8245.00	8245.00	8245.00	
	17) 2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	2678.00	2678.00	2678.00	
	18) 1 x11 W CFL mirror Optic complet set	सेट	1833.00	1833.00	1833.00	
	19) 300/500 watt halogen lamp.Complete set	"	2266.00	2266.00	2266.00	
	20) 1000 watt halogen lamp Complete Set	"	6067.00	6067.00	6067.00	
	21) 150 watt HPSV lamp Complete Set	"				
	22) 250 watt HPSV lamp Complete Set	"				
	23) 3x36 W CFL -4 pin low glare fixture with paralite -P	"				अधिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने
23	LUMINARIES Accessories (Philips, Wipro,GE or ISI Eqv.)					
	1) 500 watt halogen rod	गोटा	232.00	232.00	232.00	
	2) 1000 watt halogen rod	गोटा	278.00	278.00	278.00	
	70Watt SON Lamp (Sodium Vapour)	गोटा	834.00	834.00	834.00	
	3) 150 watt sodium vapour bulb	गोटा	1298.00	1298.00	1298.00	
	4) 250 watt sodium vapour bulb	गोटा	1700.00	1700.00	1700.00	
	5) 20-40 watt FTL rod	"	80.00	80.00	80.00	
	6) 20-40 watt FTL chowk.	"	258.00	258.00	258.00	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412.00	412.00	412.00	
	7) Acrlye cover for 4×20 FTL	"	989.00	989.00	989.00	
	8) FTL starter	"	19.00	19.00	19.00	
	9) 8 W to11W, C.F.L.Direct fit	"	232.00	232.00	232.00	
	10) 13 to 22W , C.F.L.Direct fit	"	299.00	299.00	299.00	
	11) 15-100 watt bulb.(ISI)	गोटा	26.00	26.00	26.00	
	PL-S 9W/86 (CFL)	"	165.00	165.00	165.00	
	PL-S 11W/86 (CFL)	"	175.00	175.00	175.00	
	PL-L 36W/86 (CFL)	"	417.00	417.00	417.00	
	125W HPL-N (Mercury Vapour)	"	371.00	371.00	371.00	
	250W HPL-N	"	876.00	876.00	876.00	
24	COPPER CONDUCTOR/WIRE/CABLE (PER COIL=91.44 RM)					
	1) 1/18 size copper wire cable	क्वायल	948.00	976.00	976.00	
	2) 3/22 " " "	"	1133.00	1166.00	1166.00	
	3) 3/20 " " "	"	1803.00	1857.00	1857.00	


सुन्य प्रसाध सेडाई
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
4)	7/22 " " "		2524.00	2599.00	2599.00	
5)	7/20 " " "		4120.00	4243.00	4243.00	
4)	7/18 " " "	"	6489.00	6683.00	6683.00	
5)	7/16 " " "	"	13390.00	13791.00	13791.00	
9)	19/68 " " "	"	18025.00	18565.00	18565.00	
10)	19/16 " " "	"	36050.00	37131.00	37131.00	
10)	2/20 " " "		1370.00	1411.00	1411.00	
10)	2/22 " " "		927.00	954.00	954.00	
	Multistrand Flexible wire					
i)	1.0 mm PVC insulated Copper wire	क्वायल	1030.00	1060.00	1060.00	
ii)	1.5 mm PVC insulated Copper wire	"	1648.00	1697.00	1697.00	
iii)	2.5 mm PVC insulated Copper wire	"	2421.00	2493.00	2493.00	
iv)	4.0 mm PVC insulated Copper wire	"	3914.00	4031.00	4031.00	
vi)	6.0 mm PVC insulated Copper wire	"	6180.00	6365.00	6365.00	
vii)	10.0mm PVC insulated Copper wire	"	10300.00	10609.00	10609.00	
25	Concentric cable					
1)	4mm size concentric cable	र.मी	23.00	23.60	23.60	
2)	6mm size " "	र.मी	26.00	26.70	26.70	
3)	10mm size " "	र.मी	39.00	40.10	40.10	
4)	16mm size " "	र.मी	67.00	69.00	69.00	
5)	25mm size " "	र.मी	89.00	91.60	91.60	
6)	RG6 Coaxial cable	र.मी	23.00	23.60	23.60	
7)	RG59 Coaxial cable	र.मी	26.00	26.70	26.70	
8)	UTP cat -5 networking cable	र.मी	26.00	26.70	26.70	
26	Telephone Drop wire/pair cable					
1)	² / ₂₀ Telephone drop wire	क्वायल	989.00	1018.00	1018.00	
2)	² / ₂₂ " "	क्वायल	670.00	690.00	690.00	
3)	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14.00	14.00	14.00	
4)	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	20.00	20.00	20.00	
5)	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	32.00	32.00	32.00	
6)	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	62.00	63.00	63.00	
7)	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	91.00	93.00	93.00	
8)	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	119.00	122.00	122.00	
9)	1mm drop wire	"	10.00	10.00	10.00	
10)	1-4 Line EPABX, Creative, Matrix Or Eqv.	सेट	7648.00	7877.00	7877.00	
11)	2-6 Line EPABX "	"	18411.00	18963.00	18963.00	
12)	3-8 Line EPABX "	"	20538.00	21154.00	21154.00	
13)	4-12 Line EPABX "	"	36823.00	37927.00	37927.00	
14)	6-16 Line EPABX "	"	49569.00	51056.00	51056.00	
15)	8-24 Line EPABX "	"	84975.00	87524.00	87524.00	
16)	8-48 Line EPABX "	"	90923.00	93650.00	93650.00	
17)	8-72 Line EPABX "	"	97288.00	100206.00	100206.00	
27	Other Accessories					
1)	6" size Dome light glass	गोटा	65.00	66.00	66.00	
2)	8" size " " "	"	76.00	78.00	78.00	
3)	wall bracket glass	"	65.00	66.00	66.00	
4)	Fan regulator	"	271.00	279.00	279.00	

सुब प्रसाद सेडाई
प्रमुख वजिल्ला अधिकारी




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
28	Flush mounting Metal box for modular type switch & socket					
	1) 1 gang metal box	सेट				
	2) 2 gang " "	"				
	3) 3 gang " "	"				
	4) 4 gang " "	"				
	5) 5 gang " "	"				
	6) 6 gang " "	"				
	7) 8 module metal box (4+4) =(78x230x60)mm	"				
	8) 8 module metal box (Horizontal) =(135x120x60)mm	"				
	9) 12 module metal box =(135x120x60)mm	"				
	10) TV socket metal box	"				
	11) Telephone socket metal box	"				
29	Moulded case circuit Breaker (MCCB) semins/Marlingerin / GE or ISI equavanent					
	1) 16A to 63 Amp 18kA , 3 Pole MCCB	सेट				
	2) 80A to100 Amp 18 KA " "	"				
	3) 125 AMP 40 KA 3P MCCB	"				
	4) 160 AMP 40 KA "	"				
	5) 200 AMP 40 KA "	"				
	6) 250 AMP 40 KA "	"				
	7) 300 AMP 40 KA "	"				
	8) 400 AMP 45KA "	"				
	9) 630 AMP 45 KA "	"				
	10) 800 AMP 50 KA "	"				
30	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & final coat of enamel paint (Three phase Neutral earthing) TPNE copper busbar including necessary accessories.					
	1) 60/75/100 AMP, 9"x36"x48" size	सेट				
	2) 60/75/100 AMP "12"x36"x48" size	सेट				
	3) 60/75/100 AMP 9"x48"x60" size	सेट				
	4) 60/75/100 AMP 12"x49"x60" size	सेट				
	5) 150/200 AMP 9"x38"x52" size	सेट				
	6) 150/200 AMP 12"x38"x52" size	सेट				
	7) 150/200 AMP 9"x42"x56" size	"				
	8) 150/200 AMP 12"x42"x56" size	"				
	9) 250/300AMP 12"x48"x60" size	"				
	10) 250/300AMP 12"x52"x62" size	"				
	11) 400 AMP 12"x52"x66" size	"				

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर
रेट अनुसार हुने


(Handwritten signatures and initials)

(Handwritten signature)
सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
31	Distribution Board 3 Phase double door system with neutral and earth connector 2 coat of red oxide paint with 2 coat final paint of Nepal red.					
	1) 4 Way TPN DB 14" x 16 " x 5"	सेट				
	2) 6 Way TPN DB 16" x 18 " x 5"	"				
	3) 8 Way TPN DB 18"x20"x5"	"				आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने
	4) 10 Way TPN DB 20" x 22"x 5"	"				
	5) 12 Way TPN DB 22" x 24" x 5"	"				
	6) 14-16 Way TPN DB 24" x 26 x 5 "	"				
32	Panel Board measurement instrument					
	1) 0-500 volt meter	पिस	1023.00	1023.00	1023.00	
	2) 60/100 Amp meter .	"	979.00	979.00	979.00	
	3) Panel Indicator	"	237.00	237.00	237.00	
	4) 2 Amp glass fuse with holder 12 mm size	"	134.00	134.00	134.00	
	5) AMP meter selector switch	"	649.00	649.00	649.00	
	6) volt meter selector switch	"	711.00	711.00	711.00	
	7) 60/100 Amp C.T. coil per set 3 Pcs	"	1432.00	1432.00	1432.00	
	8)150-200AMP C.T coil. 3 PC / Set	गोटा	1782.00	1782.00	1782.00	
	9) 250-300 AMP " " "	"	2421.00	2421.00	2421.00	
	10) 400/500/600AMP " " "	"	3554.00	3554.00	3554.00	
	11) Kilo watt hour energy meter single phase	पिस	2271.00	2271.00	2271.00	
	12) Kilo watt hour energy meter 3 phase direct	"	10228.00	10228.00	10228.00	
33	Trailing Protected Industrial Plug IP44					
	1)16A 3P+E 400V Industrial plug	सेट	541.00	541.00	541.00	
	2)32 A 3p +N+E " Plug	सेट	803.00	803.00	803.00	
	3) 32 A 3P+N+E water tight Plug IP67	सेट	1545.00	1545.00	1545.00	
34	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door , Taiwan	सेट	20600.00	20600.00	20600.00	
35	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905.00	13905.00	13905.00	
36	CABLE SHOE					
	1) 16 sq.mm cable shoe	गोटा	64.00	64.00	64.00	
	2) 25 sq.mm " "	गोटा	83.00	83.00	83.00	
	3) 35 sq.mm " "	गोटा	64.00	64.00	64.00	
	4) 50 sq.mm " "	गोटा	75.00	75.00	75.00	
	5) 70 sq.mm " "	गोटा	92.00	92.00	92.00	
	6) 95 sq.mm " "	गोटा	143.00	143.00	143.00	
	7) 150 sq.mm " "	गोटा	215.00	215.00	215.00	
	8) 195 sq.mm " "	गोटा	305.00	305.00	305.00	
	9) 250 sq.mm " "	"	485.00	485.00	485.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
37	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1) 1.5 mm2	र.मी	103.00	103.00	103.00	
	2) 2.5 mm2	"	139.00	139.00	139.00	
	3) 4.0 mm2	"	191.00	191.00	191.00	
	4) 6.0 mm2	"	247.00	247.00	247.00	
	5) 10.0 mm2	"	371.00	371.00	371.00	
	6) 16.0 mm2	"	494.00	494.00	494.00	
	7) 25.0 mm2	"	721.00	721.00	721.00	
	8) 35.0 mm2	"	958.00	958.00	958.00	
	9) 50.0 mm2	"	1339.00	1339.00	1339.00	
	b) 3 Core					
	1) 1.5 mm2		129.00	129.00	129.00	
	2) 2.5 mm2	"	180.00	180.00	180.00	
	3) 4.0 mm2	"	258.00	258.00	258.00	
	4) 6.0 mm2	"	330.00	330.00	330.00	
	5) 10.0 mm2	"	494.00	494.00	494.00	
	6) 16.0 mm2	"	690.00	690.00	690.00	
	7) 25.0 mm2	"	1051.00	1051.00	1051.00	
	8) 35.0 mm2	"	1391.00	1391.00	1391.00	
	9) 50.0 mm2	"	1906.00	1906.00	1906.00	
	10) 70.0 mm2	"	2678.00	2678.00	2678.00	
	11) 95.0 mm2	"	3605.00	3605.00	3605.00	
	12) 120.0 mm2	"	4532.00	4532.00	4532.00	
	13) 150.0 mm2	"	5562.00	5562.00	5562.00	
	c) 3.5 Core					
	1) 25.0 mm2	र.मी	1257.00	1257.00	1257.00	
	2) 35.0 mm2	र.मी	1597.00	1597.00	1597.00	
	3) 50.0 mm2	र.मी	2245.00	2245.00	2245.00	
	4) 70.0 mm2	र.मी	3090.00	3090.00	3090.00	
	5) 95.0 mm2	र.मी	4120.00	4120.00	4120.00	
	6) 120.0 mm2	र.मी	5408.00	5408.00	5408.00	
	7) 150.0 mm2	र.मी	6386.00	6386.00	6386.00	
	8) 185.0 mm2	र.मी	7931.00	7931.00	7931.00	
	9) 240.0 mm2	र.मी	10403.00	10403.00	10403.00	
	10) 300.0 mm2	"	13184.00	13184.00	13184.00	
	11) 400.0 mm2	"	17304.00	17304.00	17304.00	
	d) 4 Core					
	1) 1.5 mm2	र.मी	155.00	155.00	155.00	
	2) 2.5 mm2	"	221.00	221.00	221.00	
	3) 4.0 mm2	"	319.00	319.00	319.00	
	4) 6.0 mm2	"	412.00	412.00	412.00	
	5) 10.0 mm2	"	618.00	618.00	618.00	
	6) 16.0 mm2	"	901.00	901.00	901.00	
	7) 25.0 mm2	"	1339.00	1339.00	1339.00	

[Handwritten signature]

[Handwritten signature]

सुप्र प्रसाद रेडाई
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	8) 35.0 mm ²	"	1803.00	1803.00	1803.00	
	9) 50.0 mm ²	"	2575.00	2575.00	2575.00	
	10) 70.0 mm ²	"	3502.00	3502.00	3502.00	
	11) 95.0 mm ²	"	4738.00	4738.00	4738.00	
	12) 120.0 mm ²	"	5974.00	5974.00	5974.00	
	13) 150.0 mm ²	"	7416.00	7416.00	7416.00	
	14) 185.0 mm ²	"	9064.00	9064.00	9064.00	
	15) 240.0 mm ²	"	12360.00	12360.00	12360.00	
	16) 300.0 mm ²	"	14832.00	14832.00	14832.00	
	17) 400.0 mm ²	"	20085.00	20085.00	20085.00	
38	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core Copper Conductor Unarmoured					
	1) 10 sq. mm.	र.मी	43.00	43.00	43.00	
	2) 16 sq. mm.	"	65.00	65.00	65.00	
	3) 25 sq. mm.	"	76.00	76.00	76.00	
	4) 35 sq. mm.	"	91.00	91.00	91.00	
	5) 50 sq. mm.	"	121.00	121.00	121.00	
	6) 70 sq. mm.	"	158.00	158.00	158.00	
	7) 95 sq. mm.	"	214.00	214.00	214.00	
	8) 120 sq. mm.	"	260.00	260.00	260.00	
	9) 150 sq. mm.	"	308.00	308.00	308.00	
	b) 2-core Copper Conductor Unarmoured					
	1) 1.5 sq.mm	र.मी	72.00	72.00	72.00	
	2) 2.5 sq.mm	"	103.00	103.00	103.00	
	3) 4 sq.mm	"	144.00	144.00	144.00	
	4) 6 sq.mm	"	196.00	196.00	196.00	
	5) 10 sq.mm	"	309.00	309.00	309.00	
	6) 16 sq.mm	"	427.00	427.00	427.00	
	7) 25 sq.mm	"	659.00	659.00	659.00	
	8) 35 sq.mm	"	896.00	896.00	896.00	
	9) 50 sq.mm	"	1236.00	1236.00	1236.00	
	10) 70 sq.mm	"	1236.00	1236.00	1236.00	
	11) 95 sq.mm	"	2318.00	2318.00	2318.00	
	12) 120 sq.mm	"	3039.00	3039.00	3039.00	
	13) 150 sq.mm	"	3811.00	3811.00	3811.00	
	c) 3-core Copper Conductor Unarmoured					
	1) 1.5 sq.mm.	र.मी	93.00	93.00	93.00	
	2) 2.5 sq.mm	र.मी	134.00	134.00	134.00	
	3) 4 sq.mm	"	196.00	196.00	196.00	
	4) 6 sq.mm	"	278.00	278.00	278.00	
	5) 10 sq.mm	"	438.00	438.00	438.00	
	6) 16 sq.mm	"	639.00	639.00	639.00	
	7) 25 sq.mm	"	979.00	979.00	979.00	
	8) 35 sq.mm	"	1318.00	1318.00	1318.00	
	9) 50 sq.mm	"	1854.00	1854.00	1854.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	10) 70 sq.mm	"	2575.00	2575.00	2575.00	
	11) 95 sq.mm	"	3502.00	3502.00	3502.00	
	12) 120 sq.mm	"	4429.00	4429.00	4429.00	
	13) 150 sq.mm	र.मी	5459.00	5459.00	5459.00	
	d) 3.5 core Copper Conductor Unarmoured					
	1) 25 sq.mm	र.मी	1205.00	1205.00	1205.00	
	2) 35 sq.mm	"	1545.00	1545.00	1545.00	
	3) 50 sq.mm	"	2163.00	2163.00	2163.00	
	4) 70 sq.mm	"	3013.00	3013.00	3013.00	
	5) 95 sq.mm	"	4069.00	4069.00	4069.00	
	6) 120 sq.mm	"	5356.00	5356.00	5356.00	
	7) 150 sq.mm	"	6335.00	6335.00	6335.00	
	e) 4-core Copper Conductor Unarmoured					
	1) 1.5 sq.mm	र.मी	113.00	113.00	113.00	
	2) 2.5 sq.mm	"	170.00	170.00	170.00	
	3) 4 sq.mm	"	252.00	252.00	252.00	
	4) 6 sq.mm	"	350.00	350.00	350.00	
	5) 10 sq.mm	"	556.00	556.00	556.00	
	6) 16 sq.mm	"	845.00	845.00	845.00	
	7) 25 sq.mm	"	1318.00	1318.00	1318.00	
	8) 35 sq.mm	"	1772.00	1772.00	1772.00	
	9) 50 sq.mm	"	2472.00	2472.00	2472.00	
	10) 70 sq.mm	"	3451.00	3451.00	3451.00	
	11) 95 sq.mm	"	4687.00	4687.00	4687.00	
	12) 120 sq.mm	"	5923.00	5923.00	5923.00	
	13) 150 sq.mm	"	7365.00	7365.00	7365.00	
	14) 185 sq.mm	"	9064.00	9064.00	9064.00	
	15) 240 Sq. mm	"	12257.00	12257.00	12257.00	
	16) 300 Sq. mm	"	14832.00	14832.00	14832.00	
	17) 400 Sq. mm	"	20085.00	20085.00	20085.00	
39	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1) 1.5 sq.mm	र.मी				
	1) 2.5 sq.mm	र.मी	93.00	93.00	93.00	
	2) 4 sq.mm	र.मी	118.00	118.00	118.00	
	3) 6 sq.mm	र.मी	134.00	134.00	134.00	
	4) 10 sq.mm	र.मी	160.00	160.00	160.00	
	5) 16 sq.mm	र.मी	180.00	180.00	180.00	
	6) 25 sq.mm	र.मी	216.00	216.00	216.00	
	7) 35 sq.mm	र.मी	247.00	247.00	247.00	
	8) 50 sq.mm	र.मी	319.00	319.00	319.00	
	9) 70 sq.mm	र.मी	397.00	397.00	397.00	
	10) 95 sq.mm	"	505.00	505.00	505.00	
	b) 3-core Aluminum conductor Armoured					
	1) 2.5 sq.mm.	र.मी	108.00	108.00	108.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	2) 4 sq.mm	"	134.00	134.00	134.00	
	3) 6 sq.mm	"	149.00	149.00	149.00	
	4) 10 sq.mm	"	180.00	180.00	180.00	
	5) 16 sq.mm	"	206.00	206.00	206.00	
	6) 25 sq.mm	"	278.00	278.00	278.00	
	7) 35 sq.mm	"	335.00	335.00	335.00	
	8) 50 sq.mm	"	427.00	427.00	427.00	
	9) 70 sq.mm	"	541.00	541.00	541.00	
	10) 95 sq.mm	"	494.00	494.00	494.00	
	11) 120 sq.mm	"	834.00	834.00	834.00	
	12) 150 sq.mm	"	1004.00	1004.00	1004.00	
	13) 185 sq.mm	"	1236.00	1236.00	1236.00	
	14) 240 sq.mm	"	1514.00	1514.00	1514.00	
	15) 300 sq.mm	"	1854.00	1854.00	1854.00	
	16) 400 sq.mm	"	2318.00	2318.00	2318.00	
	c) 3.5 core Aluminum conductor Armoured					
	1) 25 sq.mm.	र.मी	319.00	319.00	319.00	
	2) 35 sq.mm	"	371.00	371.00	371.00	
	3) 50 sq.mm	"	489.00	489.00	489.00	
	4) 70 sq.mm	"	628.00	628.00	628.00	
	5) 95 sq.mm	"	803.00	803.00	803.00	
	6) 120 sq.mm	"	979.00	979.00	979.00	
	7) 150 sq.mm	"	1174.00	1174.00	1174.00	
	8) 185 sq.mm	"	1421.00	1421.00	1421.00	
	9) 240 sq.mm	"	1772.00	1772.00	1772.00	
	10) 300 sq.mm	"	2215.00	2215.00	2215.00	
	11) 400 sq.mm	"	2781.00	2781.00	2781.00	
	d) 4-core Aluminum conductor Armoured					
	1) 2.5 sq.mm	र.मी	124.00	124.00	124.00	
	2) 4 sq.mm	"	155.00	155.00	155.00	
	3) 6 sq.mm	"	180.00	180.00	180.00	
	4) 10 sq.mm	"	196.00	196.00	196.00	
	5) 16 sq.mm	"	252.00	252.00	252.00	
	6) 25 sq.mm	"	340.00	340.00	340.00	
	7) 35 sq.mm	"	402.00	402.00	402.00	
	8) 50 sq.mm	"	548.00	548.00	548.00	
	9) 70 sq.mm	"	700.00	700.00	700.00	
	10) 95 sq.mm	"	901.00	901.00	901.00	
	11) 120 sq.mm	"	1082.00	1082.00	1082.00	
	12) 150 sq.mm	"	1370.00	1370.00	1370.00	
	13) 185 sq.mm	"	1627.00	1627.00	1627.00	
	14) 240sq.mm	"	2039.00	2039.00	2039.00	
	15) 300 sq.mm	"	2524.00	2524.00	2524.00	
	16) 400sq.mm	"	3193.00	3193.00	3193.00	
40	Aluminium conductor unarmoured (power)					
	a) 1-core					




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	1) 16 sq.mm	र.मी	52.00	52.00	52.00	
	2) 25 sq.mm	"	72.00	72.00	72.00	
	3) 35 sq.mm	"	88.00	88.00	88.00	
	4) 50 sq.mm	"	113.00	113.00	113.00	
	5) 70 sq.mm	"	144.00	144.00	144.00	
	6) 95 sq.mm	"	196.00	196.00	196.00	
	7) 120 sq.mm	"	237.00	237.00	237.00	
	8) 150 sq.mm	"	391.00	391.00	391.00	
	9) 185 sq.mm	"	361.00	361.00	361.00	
	10) 240 sq.mm	"	443.00	443.00	443.00	
	11) 300 sq.mm	"	536.00	536.00	536.00	
	b) 2-core Aluminium conductor unarmoured					
	1) 2.5 sq.mm	र.मी	52.00	52.00	52.00	
	2) 4 sq.mm	"	62.00	62.00	62.00	
	3) 6 sq.mm	"	77.00	77.00	77.00	
	4) 10 sq.mm	"	98.00	98.00	98.00	
	5) 16 sq.mm	"	103.00	103.00	103.00	
	6) 25 sq.mm	"	144.00	144.00	144.00	
	7) 35 sq.mm	"	185.00	185.00	185.00	
	8) 50 sq.mm	"	237.00	237.00	237.00	
	9) 70 sq.mm	"	299.00	299.00	299.00	
	10) 95 sq.mm 2 core	"	402.00	402.00	402.00	
	c) 3-core Aluminium conductor unarmoured					
	1) 2.5 sq.mm	र.मी	62.00	62.00	62.00	
	2) 4 sq.mm	"	72.00	72.00	72.00	
	3) 6 sq.mm	"	88.00	88.00	88.00	
	4) 10 sq.mm	"	124.00	124.00	124.00	
	5) 16 sq.mm	"	144.00	144.00	144.00	
	6) 25 sq.mm	"	206.00	206.00	206.00	
	7) 35 sq.mm	"	258.00	258.00	258.00	
	8) 50 sq.mm	"	340.00	340.00	340.00	
	9) 70 sq.mm	"	453.00	453.00	453.00	
	10) 95 sq.mm	"	597.00	597.00	597.00	
	11) 120 sq.mm	"	742.00	742.00	742.00	
	12) 150 sq.mm	"	886.00	886.00	886.00	
	13) 185 sq.mm	"	1112.00	1112.00	1112.00	
	14) 240 sq.mm	"	1380.00	1380.00	1380.00	
	15) 300 sq.mm	"	1751.00	1751.00	1751.00	
	d) 3.5-core Aluminium conductor unarmoured					
	1) 25 sq.mm	र.मी	258.00	258.00	258.00	
	2) 35 sq.mm	"	309.00	309.00	309.00	
	3) 50 sq.mm	"	412.00	412.00	412.00	
	4) 70 sq.mm	"	567.00	567.00	567.00	
	5) 95 sq.mm	"	742.00	742.00	742.00	
	6) 120 sq.mm	"	927.00	927.00	927.00	
	7) 150 sq.mm	"	1112.00	1112.00	1112.00	
	8) 185 sq.mm	"	1391.00	1391.00	1391.00	
	9) 240 sq.mm	"	1751.00	1751.00	1751.00	
	10) 300 sq.mm	"	2163.00	2163.00	2163.00	




Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
	e) 4-core Aluminium conductor unarmoured					
	1) 2.5 sq.mm	र.मी	72.00	72.00	72.00	
	2) 4 sq.mm	"	82.00	82.00	82.00	
	3) 6 sq.mm	"	98.00	98.00	98.00	
	4) 10 sq.mm	"	134.00	134.00	134.00	
	5) 16 sq.mm	"	196.00	196.00	196.00	
	6) 25 sq.mm	"	288.00	288.00	288.00	
	7) 35 sq.mm	"	350.00	350.00	350.00	
	8) 50 sq.mm	"	484.00	484.00	484.00	
	9) 70 sq.mm	"	639.00	639.00	639.00	
	10) 95 sq.mm	"	845.00	845.00	845.00	
	11) 120 sq.mm	"	1030.00	1030.00	1030.00	
	12) 150 sq.mm	"	1288.00	1288.00	1288.00	
	13) 185 sq.mm	"	1597.00	1597.00	1597.00	
	14) 240 sq.mm	"	2009.00	2009.00	2009.00	
	15) 300 sq.mm	"	2472.00	2472.00	2472.00	
41	Electric and Hydraulic Barriers with Automatic Gate System					
a	Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete	गोटा				
b	Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete	गोटा				
c	Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete	गोटा				
d	Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete	गोटा				
42	Security Gate System					
a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995.00	16995.00	16995.00	
b	Walk Through gate (ब्लाक स्कोपियन कम्पनी)	गोटा				
43	General Lightig , BAJAJ ,ANCHOR, C/G Eqp.					
i	1 x 40 W FTL Patti fitting	सेट	252.00	252.00	252.00	
ii	1 x 20 W FTL Patti fitting	सेट	232.00	232.00	232.00	
iii	1 x 40 W FTL Box Fitting	सेट	427.00	427.00	427.00	
iv	1 x 20 W FTL Box fitting	सेट	417.00	417.00	417.00	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355.00	355.00	355.00	
44	GEWISS PVC Conduit product of Italy					
	RK Range					



Electrical Works


सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
1	16 mm medium rigid conduit DX 25 316	Mtr.	88.00	88.00	88.00	
2	20 mm medium rigid conduit DX 25 320	Mtr.	124.00	124.00	124.00	
3	25 mm medium rigid conduit DX 25 325	Mtr.	175.00	175.00	175.00	
4	32 mm medium rigid conduit DX 25 332	Mtr.	252.00	252.00	252.00	
5	40 mm medium rigid conduit DX 25 340	Mtr.	345.00	345.00	345.00	
6	50 mm medium rigid conduit DX 25 350	Mtr.	530.00	530.00	530.00	
7	63 mm medium rigid conduit DX 25 363	Mtr.	999.00	999.00	999.00	
8	16 mm heavy rigid conduit DX 25 716	Mtr.	165.00	165.00	165.00	
9	20 mm heavy rigid conduit DX 25 720	Mtr.	216.00	216.00	216.00	
10	25 mm heavy rigid conduit DX 25 725	Mtr.	288.00	288.00	288.00	
11	32 mm heavy rigid conduit DX 25 732	Mtr.	433.00	433.00	433.00	
12	40 mm heavy rigid conduit DX 25 740	Mtr.	587.00	587.00	587.00	
13	50 mm heavy rigid conduit DX 25 750	Mtr.	793.00	793.00	793.00	
14	63 mm heavy rigid conduit DX 25 763	Mtr.	1488.00	1488.00	1488.00	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	Mtr.	196.00	196.00	196.00	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	Mtr.	247.00	247.00	247.00	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	Mtr.	376.00	376.00	376.00	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	Mtr.	623.00	623.00	623.00	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	Mtr.	747.00	747.00	747.00	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	Mtr.	963.00	963.00	963.00	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	Mtr.	1200.00	1200.00	1200.00	
22	16 mm shockproof polymer saddle collar clip GW 50 605	Mtr.	31.00	31.00	31.00	
23	20 mm shockproof polymer saddle collar clip GW 50 606	Mtr.	36.00	36.00	36.00	
24	25 mm shockproof polymer saddle collar clip GW 50 607	Mtr.	41.00	41.00	41.00	
25	32 mm shockproof polymer saddle collar clip GW 50 608	Mtr.	62.00	62.00	62.00	
26	40 mm shockproof polymer saddle collar clip GW 50 630	Mtr.	98.00	98.00	98.00	
27	50 mm shockproof polymer saddle collar clip GW 50 631	Mtr.	118.00	118.00	118.00	
28	16 mm conduit coupler DX 40 016	Mtr.	36.00	36.00	36.00	
29	20 mm conduit coupler DX 40 020	Mtr.	46.00	46.00	46.00	
30	25 mm conduit coupler DX 40 025	Mtr.	57.00	57.00	57.00	
31	32 mm conduit coupler DX 40 032	Mtr.	103.00	103.00	103.00	
32	40 mm conduit coupler DX 40 040	Mtr.	139.00	139.00	139.00	
33	50 mm conduit coupler DX 40 050	Mtr.	242.00	242.00	242.00	
34	63 mm conduit coupler DX 40 063	Mtr.	458.00	458.00	458.00	
35	16 mm tight bend DX 40 116	Mtr.	57.00	57.00	57.00	
36	20 mm tight bend DX 40 120	Mtr.	82.00	82.00	82.00	
37	25 mm tight bend DX 40 125	Mtr.	129.00	129.00	129.00	
38	32 mm tight bend DX 40 132	Mtr.	237.00	237.00	237.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
39	40 mm tight bend DX 40 140	Mtr.	335.00	335.00	335.00	
40	50 mm tight bend DX 40 150	Mtr.	603.00	603.00	603.00	
41	63 mm tight bend DX 40 163	Mtr.	2359.00	2359.00	2359.00	
42	4 way junction box DX 45 004	Mtr.	670.00	670.00	670.00	
43	7 way junction box DX 45 007	Mtr.	803.00	803.00	803.00	
44	10 way junction box DX 45 010	Mtr.	1020.00	1020.00	1020.00	
45	Closing cap for junction box DX 47 000	Mtr.	118.00	118.00	118.00	
46	16 mm inspectionable T bend DX 40216	"	118.00	118.00	118.00	
47	20 mm inspectionable T bend DX 40220	"	149.00	149.00	149.00	
48	25 mm inspectionable T bend DX 40225	"	196.00	196.00	196.00	
49	32 mm inspectionable T bend DX 40232	"	237.00	237.00	237.00	
50	16 mm inspectionable bend DX 40 316	"	98.00	98.00	98.00	
51	20 mm inspectionable bend DX 40 320	"	118.00	118.00	118.00	
52	25 mm inspectionable bend DX 40 325	"	155.00	155.00	155.00	
53	32 mm inspectionable bend DX 40 332	"	185.00	185.00	185.00	
45	GEWISS Cable Tray with Cover and Accessories BRN Range					
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819.00	819.00	819.00	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973.00	973.00	973.00	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174.00	1174.00	1174.00	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318.00	1318.00	1318.00	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540.00	1540.00	1540.00	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710.00	1710.00	1710.00	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137.00	2137.00	2137.00	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513.00	2513.00	2513.00	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090.00	3090.00	3090.00	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281.00	3281.00	3281.00	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984.00	984.00	984.00	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179.00	1179.00	1179.00	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298.00	1298.00	1298.00	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468.00	1468.00	1468.00	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663.00	1663.00	1663.00	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859.00	1859.00	1859.00	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276.00	2276.00	2276.00	


प्रमुख जिल्ला अधिकारी



Electrical Works


सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657.00	2657.00	2657.00	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456.00	3456.00	3456.00	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749.00	3749.00	3749.00	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584.00	4584.00	4584.00	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313.00	1313.00	1313.00	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122.00	2122.00	2122.00	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781.00	2781.00	2781.00	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852.00	3852.00	3852.00	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836.00	4836.00	4836.00	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449.00	5449.00	5449.00	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494.00	1494.00	1494.00	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271.00	2271.00	2271.00	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884.00	2884.00	2884.00	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151.00	4151.00	4151.00	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016.00	5016.00	5016.00	
46	Intrusion Detection System					
i	Main Controller CONTROL, FIRE/BURG COMMERCIAL VISTA- 128FBP	सेट	38851.00	38851.00	38851.00	
ii	Smoke & Heat Detector Wireless Smoke and Head Detector	सेट	10545.00	10545.00	10545.00	
iii	Door Contact Wireless Door Contact with transmitter	सेट	2678.00	2678.00	2678.00	
iv	Motion Detector Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4178.00	4178.00	4178.00	
v	Panic Switch Wireless Panic Transmitter	सेट	4921.00	4921.00	4921.00	
vi	Key Wireless Key to Arm and Disarm the System	सेट	4780.00	4780.00	4780.00	
vii	Window Contact Wired door Contact with transmitter slim	सेट	2812.00	2812.00	2812.00	
47	Automatic Motor Operator for water motor					
i	Upto 1/2 HP single phase motor	सेट	4120.00	4120.00	4120.00	
ii	Upto 1 HP single phase motor	सेट	5665.00	5665.00	5665.00	

प्रमुख जिल्ला अधिकारी



Electrical Works


सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
iii	Upto 5 HP three phase motor	सेट	9270.00	9270.00	9270.00	
48	CCTV System					
1	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveilliance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650.00	56650.00	56650.00	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916.00	58916.00	58916.00	
2	Indoor high speed Dome Integrated CAMERA					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384.00	54384.00	54384.00	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650.00	56650.00	56650.00	
3	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450.00	15450.00	15450.00	
4	7" Sphirical Shilded with bracket included chip excluded Camera		8364.00	8364.00	8364.00	
6	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990.00	33990.00	33990.00	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985.00	50985.00	50985.00	
7	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815.00	10815.00	10815.00	
49	Electrical Equipments					
1	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829.00	2829.00	2829.00	
b	Funnelling Mechanisn with cover (mild steel)	set	618.00	618.00	618.00	
c	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517.00	9517.00	9517.00	
d	Copper wire (10 SWG)	Mtr.	155.00	155.00	155.00	
2	Service wire (Al)					
a.	2.5 mm ²	Mtr.	18.00	18.00	18.00	
b.	4.0 mm ²	Mtr.	22.00	22.00	22.00	
c.	6.0 mm ²	Mtr.	28.00	28.00	28.00	
3	Lightening Arrestor for 3 Phase .					
a.	0.5 KV	Set	1236.00	1236.00	1236.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०७९/०८०	०८०/०८१	०८१/०८२	
b.	11 KV	Set	4326.00	4326.00	4326.00	
c.	Cross Arms V Channel.	No	3090.00	3090.00	3090.00	
4	Stay set with accessories.					
a.	GI wire	No	1182.00	1182.00	1182.00	
	GI wire	Kg				
b.	GI Plate	No	1185.00	1185.00	1185.00	
c.	Gay Insulator.	No	56.00	56.00	56.00	
d.	Elbow	No	103.00	103.00	103.00	
e.	Rod , Nut	No	445.00	445.00	445.00	
f.	Grip	No	49.00	49.00	49.00	
	Turn Buckle, Anchor Rod,Plate with Nut/Bolt(except wire)	set				
5	Overhead Insulators (0.4KV)					
a.	Sackle Insulator	No	30.00	30.00	30.00	
b.	D-Iron	No	90.00	90.00	90.00	
c.	Nut Bolt (3" with 8 mm Ø)	No	31.00	31.00	31.00	
d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	No	22.00	22.00	22.00	
	Sackle Insulator with nut Bolt Set	Set	15.00	15.00	15.00	
6	Overhead Insulators with fixing accessories (11KV)		23.00	23.00	23.00	
a.	Pin Insulator	No	185.00	185.00	185.00	
b.	Disc Insulator	No	989.00	989.00	989.00	
c.	Cross Arms V Channel.	No	2719.00	2719.00	2719.00	
7	Sqarrel ACSR conductor 20mm ²	Rm.	17.00	17.00	17.00	
8	weasel ACSR conductor 30 mm ²	Rm.	25.00	25.00	25.00	
9	Rabbit ACSR conductor 50 mm ²	Rm.	41.00	41.00	41.00	
10	Dog ACSR conductor 100 mm ²	Rm.	82.00	82.00	82.00	
11	Pulling Machine for Transmission line (Korean)	Set				
12	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	155.00	155.00	155.00	
	50 mm square 4 core ABC cable	Rm.	258.00	258.00	258.00	
	95 mm square 4 core ABC cable	Rm.	505.00	505.00	505.00	

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



Sanitary Works

काभ्रेपलाञ्चोक

आ.ब. ०८१/०८२



निर्णय नं.: ४ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र ०८१/०८२ को लागि सेनीटरी कार्य प्रस्तावित कार्य अनुसूची अनुसार विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर) बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि ५८ सम्म)

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट				
	ii)500 mm size white glazed without siphon	"	2,524.00	2,524.00	2,524.00	
	iii)580 mm size orrisa Pan	"	2741.00	2,741.00	2,741.00	
	iii)580 mm size white glazed Indian pan	"	3371.00	3,371.00	3,371.00	
	iv) Siphon 'p' or 's' type	"	1049.00	1,049.00	1,049.00	
	v) Asian Pan 51x40 Rectangular	"	590.00	590.00	590.00	
	Porcelain Clay Cistern		2524.00	2,524.00	2,524.00	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	3559.00	3559.00	3559.00	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	667.00	667.00	667.00	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587.00	1587.00		
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825.00	1825.00		
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	18119.00	18119.00		
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875.00	28875.00		
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389.00	20389.00		
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252.00	5252.00		
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656.00	8656.00		
	x) 600 to 900 mm Grab bar	सेट	6062.00	6062.00		
	Bidet set					

आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

(Handwritten signatures and initials)

(Handwritten signature)
प्रमुख जिल्ला अधिकारी

SANITARY WORK



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	
	i) Porcelain clay white glaze Bidet.	सेट	3692.00	3692.00	3692.00	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174.00	4174.00	4174.00	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880.00	1880.00	1880.00	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619.00	1619.00	1619.00	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212.00	1212.00	1212.00	
	ii) Porcelain clay white glaze squatting plate large size	"	1454.00	1454.00	1454.00	
	iii) Porcelain clay super color squatting plate large size.	"	2831.00	2831.00	2831.00	
	iv) Urinal Spreader	"	915.00	915.00	915.00	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095.00	1095.00		
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481.00	1481.00		
	iv) Do but wash basin (45×32)cm	"	1065.00	1065.00		
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201.00	1201.00		
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348.00	8348.00		
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	13776.00	13776.00		
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785.00	9785.00		
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	6232.00	6232.00		

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

प्रमुख प्रसाद सेडाई
जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	d) White glaze porcelain clay Basin for disable with grab bar all complete	सेट	20549.00	20549.00		
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1378.00	1378.00	1378.00	
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670.00	1670.00	1670.00	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973.00	1973.00	1973.00	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313.00	13313.00	13313.00	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1741.00	1741.00	1741.00	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2222.00	2222.00	2222.00	
	ii) Porcelain clay white glaze small size	"	1653.00	1653.00	1653.00	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553.00	27553.00	27553.00	
	Kitchen sink					
	i) Porcelain clay large	सेट	3763.00	3763.00		
	ii) Porcelain clay small	"	3409.00	3409.00		
	iii) drain board white 53x45	"	1304.00	1304.00		
	iii) Soap dish	"	661.00	661.00		
	iv) White glaze foot rest	"	419.00	419.00		
	v) White glaze Toilet paper holder	"	1157.00	1157.00		
2	PVC Cistern Set					
	i) single flush	सेट	1973.00	1973.00	1973.00	
	ii) Deluxe single flush	"	2204.00	2204.00	2204.00	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966.00	2966.00	2966.00	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862.00	16862.00	16862.00	
	v) 32 mm pvc bottle trap set.	पिस	476.00	476.00	476.00	
	vi) 1.5x45 cm pvc pipe connector set.	"	143.00	143.00	143.00	
	vi) Bakelite toilet seat cover set.	"	276.00	276.00	276.00	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18185.00	18185.00		
	Stainless steel Orissa pan LP 210 size	"	8486.00	8486.00		
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262.00	13262.00		
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276.00	10276.00		
	Stainless steel commode S trap with self closing complete set	"	17554.00	17554.00		
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस	14634.00	14634.00		

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

सुब्रह्मण्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२ कोषियत
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432.00	18432.00	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस	25764.00	25764.00	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952.00	15952.00	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182.00	4182.00	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455.00	6455.00	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827.00	827.00	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157.00	1157.00	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673.00	2673.00	
	Stainless steel bowl with diamond board 37" long	"	3660.00	3660.00	
	Stainless steel bowl with ordinary board 37" long	"	2314.00	2314.00	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917.00	13917.00	
	Stainless steel double bowl with single drain board ordinary	"	5786.00	5786.00	
	Stainless steel p trap bottle trap for basin	"	2324.00	2324.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408.00	8408.00	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565.00	5565.00	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408.00	8408.00	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462.00	1462.00	
	Stainless steel Hose ringer 1200 mm	"	1274.00	1274.00	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798.00	1798.00	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	पिस	6943.00	6943.00	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425.00	4425.00	
	Stainless steel Sink 700*450*200	पिस	24246.00	24246.00	
	Stainless steel Sink table top1200*600*300	"	33504.00	33504.00	
	Steel Split clamp with washer all complete	"			
	75 mm dia	पिस	331.00	331.00	
	110 mm dia	"	441.00	441.00	

आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

4 of 58

प्रमुख जिल्ला अधिकारी



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	160 mm dia	"	771.00	771.00		
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240.00	1240.00		
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976.00	2976.00		
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785.00	9785.00		
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647.00	647.00		
	Stainless steel towel bar 450 mm	"	1240.00	1240.00		
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	गोटा	12124.00	12124.00		
	Capacity 1000 ltr	गोटा	17699.00	17699.00		
	Capacity 1500 ltr	गोटा	27212.00	27212.00		
	Capacity 2000 ltr	गोटा	32743.00	32743.00		
	Capacity 3000 ltr	गोटा				
	Capacity 4000 ltr	गोटा				
	Capacity 5000 ltr	गोटा				
	Sinks Other Types:					
	Scrub sink					
	a) 1.2 mts (18" deep+6" splash)	सेट	4313.00	4313.00	4313.00	
	b) 1.5 mts (18" deep+6" splash)	"	3401.00	3401.00	3401.00	
	c) 1.0 mts (18" deep+6" splash)	"				
	d) 0.9 mts (18" deep+6" splash)	"	7465.00	7465.00	7465.00	
	a) 1.2 mts (21" deep+6" splash)	"	6756.00	6756.00	6756.00	
	b) 1.5 mts (21" deep+6" splash)	"	19397.00	19397.00	19397.00	
	c) 1.0 mts (21" deep+6" splash)	"	7164.00	7164.00	7164.00	
	d) 0.9 mts (21" deep+6" splash)	"	5731.00	5731.00	5731.00	
	Table Top with Sink		35267.00	35267.00	35267.00	
	42"x24"x12" deep+ 6" splash with		6062.00	6062.00	6062.00	
	18"x24" drain and 24"x18"x12" sink		1459.00	1459.00	1459.00	
	a) without frame and legs	सेट				
	b) with s.s. frame and legs	"	4786.00	4786.00	4786.00	
	Deep Scrub Sink		5012.00	5012.00	5012.00	
	28"x28"x24" deep+ 6" splash with		6418.00	6418.00	6418.00	
	24"x24"x24" sink					
	a) without frame and legs	सेट	510.00	510.00	510.00	
	b) with s.s. frame and legs	"	510.00	510.00	510.00	
	Super lab sink		510.00	510.00	510.00	
	i) super lab sink large size	सेट	567.00	567.00	567.00	
	ii) super lab sink small size	सेट	680.00	680.00	680.00	
	Super kitchen sink		1246.00	1246.00	1246.00	
	i) super kitchen sink large size	सेट	510.00	510.00	510.00	
	ii) super kitchen sink small size	"	1133.00	1133.00	1133.00	
	4 Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.		976.00	976.00	976.00	
	i) Hand dryer Germany	सेट	19397.00	19397.00	19397.00	


सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कामको कालावधि
	v) Hand Dryer Chinese	"	7164.00	7164.00	7164.00	
	vi) Indian Mark Brand Flush valve	"	5731.00	5731.00	5731.00	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267.00	35267.00	35267.00	
	xv) European pattern liquid soap container stainless steel	"	6062.00	6062.00	6062.00	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459.00	1459.00	1459.00	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	सेट	4786.00	4786.00		
	b) 45 cm long bend type	"	5012.00	5012.00		
	c) 60 cm long bend type	"	6418.00	6418.00		
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	सेट	510.00	510.00		
	2) Soap dish	"	510.00	510.00		
	3) Towel rod ½"×18" size	"	510.00	510.00		
	4) Towel rod ¾" ×24" size	"	567.00	567.00		
	5) Glass shelf	"	680.00	680.00		
	6) C.P. bottle trap	"	1246.00	1246.00		
	7) 32 mm×60cm long C.P flush pipe	"	510.00	510.00		
	8) 15 mm flush cock push type	"	1133.00	1133.00		
	9) 15 mm dia. C.P. shower arm	"	976.00	976.00		
	10) 15 mm dia. C.P. spreader	"	940.00	940.00		
	11) 15 mm dia. C.P. wall mixture	"	5435.00	5435.00		
	i) 3" dia. Shower rose , revolving type	"	906.00	906.00		
	ii) 4" dia. Shower rose , revolving type	"	1020.00	1020.00		
	iii) Shower rose ordinary	"	567.00	567.00		
	iv) Shower rod 12" long	"	283.00	283.00		
	C.P. 15 mm dia. Angle Valve	"	1244.00	1244.00		
	C.P. 15 mm dia Concealed Stop Cock	"	1807.00	1807.00		
	C.P 15mm Bib Cock	"	1361.00	1361.00		
	C.P. 15 mm dia swan neck Pillar Cock	"	1331.00	1331.00		
	C.P. 15 mm dia Stop Cock	"	1331.00	1331.00		
	C.P. 15 mm dia Sink Cock	"	1309.00	1309.00		
	C.P. 15 mm dia Sink Mixture	सेट	4472.00	4472.00		
	C.P. 32 mm dia Flush Valve	"	5404.00	5404.00		
	C.P. 32 mm dia Waste Coupling for basin	"	424.00	424.00		
	C.P. 32 mm dia Waste Coupling for Urinal	"	689.00	689.00		
	C.P. Basin Mixture	"	4640.00	4640.00		
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731.00	1731.00		
	C.P. Exclusive Shower Arm with Hinge	"	2014.00	2014.00		
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169.00	4169.00		
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	6849.00	6849.00		
	C.P. flexible pipe	गोटा	181.00	181.00		
	C.P. Grating					


 प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	i) 4" dia.	"	50.00	50.00		
	ii) 5" dia.	"	62.00	62.00		
	i) C.P. Toilet Paper Holder	"	929.00	929.00		
	ii) C.P. Soap Dish(Polyurethane)	"	1042.00	1042.00		
	iii) C.P. Towel Rod 18"	"	1578.00	1578.00		
	iv) C.P. Towel Rod 24"	"	1663.00	1663.00		
	v) C.P. Glass Shelf 22"	"	2260.00	2260.00		
	vi) C.P. Coat Hook Double	"	812.00	812.00		
6	C.P. बाट निर्मित सामग्रीहरू(jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"	1017.00	1017.00		
	ii) C.P. Soap Dish(Polyurethane)	"	885.00	885.00		
	iv) C.P. Towel Rod 24"	"	1725.00	1725.00		
	v) C.P. Glass Shelf 22"	"	2344.00	2344.00		
	vi) C.P. Coat Hook Double	"	796.00	796.00		
	ix) C.P. Angle Cock		0.00	0.00		
	15mm C.P. Angle Cock	"	973.00	973.00		
	15 mm C.P. Angle Cock Long Thread	"	1035.00	1035.00		
	x) C.P. Conceal Stop Cock					
	i) 15 mm Reduced body	"	1193.00	1193.00		
	ii) 15 mm Extra Heavy Body	"	1460.00	1460.00		
	xi) C.P. Bib Cock					
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2743.00	2743.00		
	ii) 15mm C.P. Bib Cock	"	1000.00	1000.00		
	iii) 15mm C.P. Bib Cock with nozzle	"	1107.00	1107.00		
	xii) C.P. Pillar Cock		0.00	0.00		
	i) 15 mm C.P. Pillar Cock With Aerator	"	1326.00	1326.00		
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2653.00	2653.00		
	i) 15mm C.P. Sink Cock	"	1680.00	1680.00		
	ii) C.P. Sink Mixer	"	4164.00	4164.00		
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3629.00	3629.00		
	xv) C.P. Bottle Trap 32mm		1945.00	1945.00		
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	4068.00	4068.00		
	xvii) C.P. Waste Coupling	गोटा				
	32 mm C.P. Waste Coupling H/T	गोटा	468.00	468.00		
	32 mm C.P. Waste Coupling F/T	गोटा	468.00	468.00		
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	2829.00	2829.00		
	xix) 15 mm C.P. Wall Mixer	गोटा				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	4686.00	4686.00		
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	4686.00	4686.00		
	xx) C.P. Basin Mixer	"				

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
मुख्य जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3891.00	3891.00		
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	4086.00	4086.00		
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1326.00	1326.00		
	15mm Bath Tub Spout with button attachment	"	2122.00	2122.00		
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	707.00	707.00		
	15 mm Casted Shower Arm Heavy	"	1149.00	1149.00		
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1881.00	1881.00		
	With 1.5 Flexible Tube	"	2918.00	2918.00		
	xxiv) Other accessories		298.00	298.00		
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834.00	4834.00		
	15 mm Braided Hose for E.W.C.	"	298.00	298.00		
	15 mm Health Faucet (Commode Spray)	"	1146.00	1146.00		
	15 mm pillar cock with 200 mm extended lever handle	"	1515.00	1515.00		
	15 mm Bib cock with 200 mm extended lever handle	"	1598.00	1598.00		
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956.00	5956.00		
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776.00	5776.00		
	Sensor mixer for wash basin (Battery operated)	"	20481.00	20481.00		
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481.00	20481.00		
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221.00	16221.00		
	Sensor valve for Urinal	"	10651.00	10651.00		
	Basin cock Sensor	"	14418.00	14418.00		
	15mm U shaped sink cock	"	1712.00	1712.00		
	Sink Mixture with U shape swinging spout	"	3358.00	3358.00		
	15mm metallic Health Faucet (Commode)	"	2171.00	2171.00		
	7 Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11241.00	11241.00		
	ii) 25 lit cap. " " "	"	17331.00	17331.00		
	iii) 35 lit cap " " "	"	21546.00	21546.00		
	iv) 50 lit cap " " "	"	25762.00	25762.00		
	iv) Gas water heater with cylinder	"	8816.00	8816.00		
	vi) 200 lit cap. 3 panel solar heater with fittings	"				
	vii) 300 lit cap. 3 panel solar heater with fittings	"				
	viii) 400 lit cap. 4 panel solar heater with fittings	"				
	x) 500 lit cap. 4 panel solar heater with fittings	"				

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

(Handwritten signatures and initials)

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट				
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669.00	669.00		
	ii) 12" × 12" (5 Kg.)	"	836.00	836.00		
	iii) 14" × 14" (7 Kg.)	"	1171.00	1171.00		
	v) 16" × 16" (10 Kg.)	"	1673.00	1673.00		
	vi) 18" × 18" (14 Kg.)	"	2509.00	2509.00		
	viii) 20" × 20" (16 Kg.)	"	2677.00	2677.00		
	ix) 22" × 22" (20 Kg.)	"	3346.00	3346.00		
	x) 24" × 24" (24 Kg.)	"	4294.00	4294.00		
	xi) 27" × 27" (31 Kg.)	"	5186.00	5186.00		
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2342.00	2342.00		
	ix) 22" × 22" (22 Kg.)	"	3681.00	3681.00		
	xi) 27" × 27" (45 Kg.)	"	7528.00	7528.00		
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092.00	9092.00		
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123.00	12123.00		
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154.00	15154.00		
	iv) 22" dia. Medium class. (125 Kg.)	"	19397.00	19397.00		
	v) 22" dia. Heavy class. (208Kg.)	"	28974.00	28974.00		
	vi) 24" dia. Medium class. (40 Kg.)	"	6207.00	6207.00		
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759.00	7759.00		
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153.00	11153.00		
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578.00	13578.00		
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942.00	17942.00		
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	सेट	17942.00	17942.00		
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1673.00	1673.00		
	20" (12 Kg.)	"	2454.00	2454.00		
	22" (14 Kg.)	"	2788.00	2788.00		
	24" (16 Kg.)	"	3346.00	3346.00		
	28" (24 Kg.)	"	5019.00	5019.00		

सुर्ज प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Square					
	18" x 18" (13 Kg.)	सेट	2788.00	2788.00		
	24" x 24" (50 Kg.)	"	10038.00	10038.00		
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5577.00	5577.00		
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	100.00	100.00		
	5"	"	134.00	134.00		
	6"	"	178.00	178.00		
	10"	"	613.00	613.00		
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	89.00	89.00		
	5" x 5"	"	112.00	112.00		
	6" x 6"	"	134.00	134.00		
	9" x 9"	"	390.00	390.00		
	10" x 10"	"	502.00	502.00		
	12" x 12"	"	725.00	725.00		
	C.I. Gully Gratings					
	i) 15" x 18" Medium (18 Kg.)	सेट	3681.00	3681.00		
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5019.00	5019.00		
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162.00	162.00		
	Aluminum Grating 4" dia.	गोटा	42.00	42.00		
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8317.00	8317.00		
	ii) 200 gls	"	13066.00	13066.00		
	iii) 300 gls	"	16434.00	16434.00		
	iv) 400 gls	"	19730.00	19730.00		
	v) 500 gls	"	23036.00	23036.00		
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	8773.00	8773.00		
	ii) 200 gls	"	13267.00	13267.00		
	iii) 300 gls	"	17615.00	17615.00		
	iv) 400 gls	"	21106.00	21106.00		
	v) 500 gls	"	24597.00	24597.00		
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	लिटर	11.00	11.00		
	ii) 5000 lit – 10,000 lit cap	"	12.00	12.00		
	iii) Horizontal PVC water tank	"	12.00	12.00		
11	Water Pumps/Hand Pumps					
	Indian Mark-III, Deep Well Hand Pump					
	6 No. hand pump	गोटा	1582.00	1582.00		
	Water Pump :					
	i) 1/2 H.P. Water Pump (Multi stage pump)	सेट	10885.00	10885.00		


प्रसाद सेडाई

 प्रमुख जिल्ला अधिका



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	ii) ½ H.P. Water Pump mono block type	सेट	6258.00	6258.00		
	iii) 1.0 H.P. water pump Multistage	सेट	14258.00	14258.00		
	iv) 1.0 H.P. water pump (mono block type)	सेट	9465.00	9465.00		
	v) 2.0 H.P. water pump	सेट	22587.00	22587.00		
	vi) 2.0 H.P. 3 phase water pump	"	23847.00	23847.00		
	vii) 5.0 HP 3 phase water pump	"	28656.00	28656.00		
	Jet Water Pump					
	i) 1.10 H.P.	सेट	21630.00	21630.00		
	ii) Double Stage jet 1.10 H.P.		25956.00	25956.00		
	ii) 1.5 H.P.	"	29201.00	29201.00		
	Super Sunction					
	i) ½ H.P	सेट	8922.00	8922.00		
	ii) 0.75 H.P.	"	8328.00	8328.00		
	iii) 1.0 H.P.	"	14276.00	14276.00		
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202.00	18202.00		
	ii) 2 H.P. single pump set "	"	29233.00	29233.00		
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	"	26089.00	26089.00		
	ii) 2.0 H.P.	"	48397.00	48397.00		
	Electric Water Pump (Chinese)					
	i) ½ H.P	"	1703.00	1703.00		
	ii) ¾ H.P.	"	2219.00	2219.00		
	iii) 1.0 H.P.	"	3270.00	3270.00		
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	"	16655.00	16655.00		
	ii) 1.1 H.P open well type	"	24388.00	24388.00		
	iii) 1.5 H.P open well type	"	29741.00	29741.00		
	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P	"	27254.00	27254.00		
	iii) 1.5 H.P	"	32932.00	32932.00		
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट				
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	सेट				
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"				



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"				
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ९ क्वाभनगबचम प्लमष्व यच भत्रगष्वबभिलत०					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा				
	ii) 2 kg size ABC ,, ,, ,,	गोटा				
	iii) 3.0kg size ABC ,, ,, ,,	"				
	iii) 5.0kg size ABC ,, ,, ,,	"				
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट				
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"				
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"				
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"				
	viii) 2.5 kg size ABC ,, ,, ,,	"				
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"				
	x) Foam type fire extinguisher 9 lit capacity	गोटा				
14	Insulation for hot water pipe 'Acroflex'					
	15mm Insulation 6 mm wall thickness	र.मी				
	20mm Insulation 6 mm wall thickness	"				
	25mm Insulation 6 mm wall thickness	"				
	32mm Insulation 6 mm wall thickness '	"				
15	ACRYLIC GLASS SHELF					
	i) Acrylic glass shelf best quality	सेट				
	ii) Acrylic glass shelf ordinary	"				
	iii) Shower curtain	"				
16	Water Purification System					
	Euro Guard Water purification system (one litre per minute)	युनिट				
	Euro-guard water purification system (hi-flow 3 lit/min)	"				
	AQUA-ALO water purifier (1.0 lit/min)	"				
	AQUA-power water purifier	"				
	RO feed pump	सेट				
	Fire Sprinkler	"				
	Supply, installation, testing and commisioning of Aeration system (FRP Tray type)	"				
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"				
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"				
	Filter Media for existing filtration system					

आर्थिक वर्ष २०८१/८२ को काठमाडौं जिल्लाको दर रेट अनुसार हुने

सूर्य प्रसाद शर्मा
 प्रमुख जिल्ला अधिकारी

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Pebbles	के.जी.				
	Coarse silex	"				
	Gravel	"				
	Golden sand	"				
	Anthracite	"				
	MNo2	"				
	Activated Carbon	"				
	Motor starter switch	"				
	Pressure sensor switch for water tank(Italian)	"				
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"	6705.00	6705.00	6705.00	
	b) Bath tub – 4'0" Medium	"	7787.00	7787.00	7787.00	
	Bath tub 4'0" Heavy	"	8111.00	8111.00	8111.00	
	c) Bath Tub – 4'6" Medium	"	8137.00	8137.00	8137.00	
	Bath tub – 4'6" Heavy	"	8868.00	8868.00	8868.00	
	d) Bath tub – 5'0" Medium	"	29355.00	29355.00	29355.00	
	Bath tub 5'0" Heavy	"	7957.00	7957.00	7957.00	
	e) Bath Tub – 5'6" Medium	"	9373.00	9373.00	9373.00	
	Bath tub – 5'6" Heavy	"	12875.00	12875.00	12875.00	
	f) Bath Tub – 6'0" Medium	"	36823.00	36823.00	36823.00	
	Bath tub – 6'0" Heavy	"	500.00	500.00	500.00	
18	Shower Tray 3'0"×3'0"	शोटा	500.00	500.00	500.00	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random copolymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	63.00	63.00		
	25mm " 2.3 mm thick 0.164kg/m	"	95.00	95.00		
	32mm 2.9 mm thick 0.26kg/m	"	152.00	152.00		
	40mm 3.7 mm thick 0.412kg/m	"	239.00	239.00		
	50mm 4.6 mm thick 0.638kg/m	"	372.00	372.00		
	63 mm 8.6 mm thick 0.638kg/m	"	588.00	588.00		
	75 mm	"	820.00	820.00		
	90 mm	"	1181.00	1181.00		
	110 mm	"	1751.00	1751.00		
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	84.00	84.00		
	25mm 3.50 mm thick 0.26kg/m	"	131.00	131.00		
	32mm 3.7 mm thick 0.230kg/m	"	209.00	209.00		
	40mm 5.50 mm thick 0.575kg/m	"	335.00	335.00		
	50mm 6.90 mm thick 0.896kg/m	"	521.00	521.00		
	63 mm 4.6 mm thick 0.638kg/m	"	820.00	820.00		
	75 mm	र.मि	1169.00	1169.00		
	90 mm	"	1670.00	1670.00		
	110 mm	"	2501.00	2501.00		
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	100.00	100.00		
	25mm 4.20 mm thick 0.266kg/m	"	155.00	155.00		
	32mm 5.40 mm thick 0.434kg/m	"	252.00	252.00		



सूर्य प्रसाद सेजुई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	काठमाडौं जिल्लाको कोषियत
	40mm 6.70 mm thick 0.671kg/m	"	390.00	390.00		
	50mm 8.30 mm thick 1.04kg/m	"	605.00	605.00		
	63mm 8.6mm thick 1.04kg/m	"	960.00	960.00		
	75 mm	"	1361.00	1361.00		
	90 mm	"	1955.00	1955.00		
	110 mm	"	2915.00	2915.00		
	PP-R Pipe Accessories :					
	Elbow (90⁰)					
	20mm	गोटा	13.00	13.00		
	25mm	"	27.00	27.00		
	32mm	गोटा	45.00	45.00		
	40mm	गोटा	95.00	95.00		
	50mm	"	159.00	159.00		
	63 mm	"	280.00	280.00		
	75 mm	"	526.00	526.00		
	90 mm	"	888.00	888.00		
	110 mm	"	1653.00	1653.00		
	Equal Tee					
	20mm	"	18.00	18.00		
	25mm	"	32.00	32.00		
	32mm	"	56.00	56.00		
	40mm	"	109.00	109.00		
	50mm	"	185.00	185.00		
	63mm	"	337.00	337.00		
	75 mm	"	584.00	584.00		
	90 mm	"	1069.00	1069.00		
	110 mm	"	1858.00	1858.00		
	Coupler					
	20mm	गोटा	11.00	11.00		
	25mm	"	13.00	13.00		
	32mm	"	27.00	27.00		
	40mm	"	52.00	52.00		
	50mm	"	86.00	86.00		
	63 mm	"	151.00	151.00		
	75 mm	"	292.00	292.00		
	90 mm	"	432.00	432.00		
	110 mm	"	788.00	788.00		
	45 Degree Elbow					
	20 mm	"	18.00	18.00		
	25 mm	"	30.00	30.00		
	32 mm	"	46.00	46.00		
	40 mm	"	86.00	86.00		
	50 mm	"	144.00	144.00		
	63 mm	"	238.00	238.00		
	75 mm	"	467.00	467.00		
	90 mm	"	788.00	788.00		
	110 mm	गोटा	1378.00	1378.00		
	Union (Plastic)					
	20mm	गोटा	70.00	70.00		
	25mm	"	119.00	119.00		
	32mm	"	192.00	192.00		
	40mm	"	290.00	290.00		
	50mm	"	456.00	456.00		

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुन

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

सुय प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	63mm	"	544.00	544.00		
	Reducing Coupler					
	25mm*20mm	"	14.00	14.00	14.00	
	32mm*20mm	"	19.00	19.00	19.00	
	32mm*25mm	"	21.00	21.00	21.00	
	40mm*20mm	"	31.00	31.00	31.00	
	40mm*25mm	"	37.00	37.00	37.00	
	40mm*32mm	"	44.00	44.00	44.00	
	50mm*20mm	"	58.00	58.00	58.00	
	50mm*25mm	"	64.00	64.00	64.00	
	50mm*32mm	गोटा	69.00	69.00	69.00	
	50mm*40mm	गोटा	76.00	76.00	76.00	
	63mm*32mm	गोटा	117.00	117.00	117.00	
	63mm*40mm	गोटा	122.00	122.00	122.00	
	63mm*50mm	गोटा	131.00	131.00	131.00	
	75mm*40mm	गोटा	195.00	195.00	195.00	
	75mm*50mm	"	239.00	239.00	239.00	
	75mm*63mm	"	241.00	241.00	241.00	
	90mm*50mm	"	483.00	483.00	483.00	
	90mm*63mm	"	521.00	521.00	521.00	
	90mm*75mm	"	614.00	614.00	614.00	
	110mm*75mm	"	818.00	818.00	818.00	
	110mm*90mm	"	949.00	949.00	949.00	
	Reducing Tee					
	25*20*25 mm	"	26.00	26.00	26.00	
	32*20*32 mm	"	42.00	42.00	42.00	
	32*25*32 mm	"	45.00	45.00	45.00	
	40*20*40 mm	"	66.00	66.00	66.00	
	40*25*40 mm	"	69.00	69.00	69.00	
	40*32*40 mm	"	76.00	76.00	76.00	
	50*20*50 mm	"	88.00	88.00	88.00	
	50*25*50 mm	"	93.00	93.00	93.00	
	50*32*50 mm	"	515.00	515.00	515.00	
	50*40*50 mm	"	161.00	161.00	161.00	
	63*32*63 mm	"	199.00	199.00	199.00	
	63*40*63 mm	"	193.00	193.00	193.00	
	63*50*63 mm	"	214.00	214.00	214.00	
	75*50*75 mm	"	439.00	439.00	439.00	
	75*63*75 mm	"	458.00	458.00	458.00	
	90*63*90 mm	"	926.00	926.00	926.00	
	90*75*90 mm	"	993.00	993.00	993.00	
	110*75*110 mm	"	1622.00	1622.00	1622.00	
	110*90*110 mm	"	1700.00	1700.00	1700.00	
	Reducing Elbow					
	25mm*20mm	"	22.00	22.00	22.00	
	32mm*20mm	"	32.00	32.00	32.00	
	32mm*25mm	"	41.00	41.00	41.00	
	High Footed Pipe Clip					
	20mm	गोटा	14.00	14.00	14.00	
	25mm	"	17.00	17.00	17.00	
	32mm	"	22.00	22.00	22.00	
	40mm	"	25.00	25.00	25.00	
	50mm	"	34.00	34.00	34.00	
	63 mm	"	39.00	39.00	39.00	

सूर्य प्रसाद रेडारी
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कामोपलान्तक केफियत
	Low Footed Pipe Clip					
	20mm	"	7.00	7.00	7.00	
	25mm	"	8.00	8.00	8.00	
	32mm	"	14.00	14.00	14.00	
	40mm	"	19.00	19.00	19.00	
	50mm	"	30.00	30.00	30.00	
	63 mm	"	38.00	38.00	38.00	
	"Y" type Pipe Clip					
	20mm	"	25.00	25.00	25.00	
	25mm	"	25.00	25.00	25.00	
	32mm	"	34.00	34.00	34.00	
	40 mm	"	48.00	48.00	48.00	
	End Plug (short)					
	20mm	गोटा	14.00	14.00	14.00	
	25mm	गोटा	22.00	22.00	22.00	
	32mm	गोटा	34.00	34.00	34.00	
	End Plug with Ring			0.00	0.00	
	20mm	"	25.00	25.00	25.00	
	End Plug (long)					
	20mm	"	10.00	10.00	10.00	
	End Cap					
	20mm	"	14.00	14.00	14.00	
	25mm	"	22.00	22.00	22.00	
	32mm	"	34.00	34.00	34.00	
	40mm	"	53.00	53.00	53.00	
	50mm	"	88.00	88.00	88.00	
	63 mm	"	164.00	164.00	164.00	
	75 mm	"	246.00	246.00	246.00	
	Cross Tee					
	20mm	"	25.00	25.00	25.00	
	25mm	"	36.00	36.00	36.00	
	32mm	"	64.00	64.00	64.00	
	Short Passover					
	20mm	"	70.00	70.00	70.00	
	25mm	"	99.00	99.00	99.00	
	32mm	"	143.00	143.00	143.00	
	Long Bypass					
	20mm	"	93.00	93.00	93.00	
	25mm	"	135.00	135.00	135.00	
	32mm	"	191.00	191.00	191.00	
	Male Tee					
	20mmx1/2"	"	145.00	145.00	145.00	
	25mmx1/2"	"	142.00	142.00	142.00	
	25mmx3/4"	"	176.00	176.00	176.00	
	32mmx1/2"	"	219.00	219.00	219.00	
	32mmx3/4"	"	224.00	224.00	224.00	
	32mmx1"	"	401.00	401.00	401.00	
	Female Tee					
	20mmx1/2"	गोटा	108.00	108.00	108.00	
	25mmx1/2"	"	122.00	122.00	122.00	
	25mmx3/4"	"	160.00	160.00	160.00	
	32mmx1/2"	"	181.00	181.00	181.00	
	32mmx3/4"	"	200.00	200.00	200.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	32mmx1"	"	323.00	323.00	323.00	
	Male elbow					
	20mmx1/2"	"	139.00	139.00	139.00	
	25mmx1/2"	"	143.00	143.00	143.00	
	25mmx3/4"	"	174.00	174.00	174.00	
	32mmx1/2"	"	188.00	188.00	188.00	
	32mmx3/4"	"	205.00	205.00	205.00	
	32mmx1"	"	396.00	396.00	396.00	
	Female elbow					
	20mmx1/2"	"	105.00	105.00	105.00	
	25mmx1/2"	"	148.00	148.00	148.00	
	25mmx3/4"	"	136.00	136.00	136.00	
	32mmx1/2"	"	200.00	200.00	200.00	
	32mmx3/4"	"	229.00	229.00	229.00	
	32mmx1"	"	281.00	281.00	281.00	
	Male Coupling					
	20mmx1/2"	रोटा	136.00	136.00	136.00	
	20mmx3/4"	"	163.00	163.00	163.00	
	25mmx1/2"	"	130.00	130.00	130.00	
	25mmx3/4"	"	164.00	164.00	164.00	
	32mmx1/2"	"	182.00	182.00	182.00	
	32mmx3/4"	"	23.00	23.00	23.00	
	32mmx1"	"	385.00	385.00	385.00	
	40mmx1-1/4"	"	548.00	548.00	548.00	
	50mmx1-1/2"	"	828.00	828.00	828.00	
	63mmx2"	"	1201.00	1201.00	1201.00	
	75mmx2-1/2"	"	329.00	329.00	329.00	
	Female Coupling					
	20mmx1/2"	"	102.00	102.00	102.00	
	20mmx3/4"	"	125.00	125.00	125.00	
	25mmx1/2"	"	114.00	114.00	114.00	
	25mmx3/4"	"	128.00	128.00	128.00	
	32mmx1/2"	"	123.00	123.00	123.00	
	32mmx3/4"	"	131.00	131.00	131.00	
	32mmx1"	"	300.00	300.00	300.00	
	40mmx1-1/4"	"	482.00	482.00	482.00	
	50mmx1-1/2"	"	626.00	626.00	626.00	
	63mmx2"	"	922.00	922.00	922.00	
	75mmx2-1/2"	"	1822.00	1822.00	1822.00	
	Male Union					
	20mmx1/2"	"	245.00	245.00	245.00	
	25mmx3/4"	"	352.00	352.00	352.00	
	32mmx1"	"	506.00	506.00	506.00	
	40mmx1 ^{1/4} "	"	977.00	977.00	977.00	
	50mmx1/2"	"	1342.00	1342.00	1342.00	
	63mmx2"	"	3117.00	3117.00	3117.00	
	Female Union		0.00			
	20mmx1/2"	रोटा	238.00	238.00	238.00	
	25mmx3/4"	"	345.00	345.00	345.00	
	32mmx1"	"	487.00	487.00	487.00	
	40mmx1 ^{1/4} "	"	746.00	746.00	746.00	
	50mmx1/2"	"	1253.00	1253.00	1253.00	

प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	काठमाण्डौको कीफियत
	63mmx2"	"	2372.00	2372.00	2372.00	
	Stop Valve					
	a) 20 mm	"	288.00	288.00	288.00	
	b) 25 mm	"	381.00	381.00	381.00	
	c) 32 mm	"	462.00	462.00	462.00	
	d) 40mm	"	610.00	610.00	610.00	
	e)50 mm	"	1013.00	1013.00	1013.00	
	f) 63 mm	"	1461.00	1461.00	1461.00	
	Male base elbow					
	20mm x 1/2"	"	139.00	139.00	139.00	
	25mm x 3/4"	"	180.00	180.00	180.00	
	Female base elbow					
	20mm x 1/2"	"	147.00	147.00	147.00	
	25mm x 1/2"	"	175.00	175.00	175.00	
	25mm x 3/4"	"	162.00	162.00	162.00	
	Metal Ball valve (double)					
	20mmx1/2"	"	657.00	657.00	657.00	
	25mmx3/4"	गोटा	887.00	887.00	887.00	
	32mmx1"	"	1284.00	1284.00	1284.00	
	40mmx1-1/4"	"	3257.00	3257.00	3257.00	
	50mmx1-1/2"	"	4586.00	4586.00	4586.00	
	Metal Ball valve (Single)					
	20mmx1/2"	"	648.00	648.00	648.00	
	25mmx3/4"	"	872.00	872.00	872.00	
	32mmx1"	"	1274.00	1274.00	1274.00	
	Conceal Valve (Lux)					
	20mm	"	755.00	755.00	755.00	
	Conceal Valve (Nor)					
	20mm	"	0.00	0.00	0.00	
	20mm	"	719.00	719.00	719.00	
	Ball Valve (Plastic)					
	20mm	"	112.00	112.00	112.00	
	25mm	"	151.00	151.00	151.00	
	32mm	"	244.00	244.00	244.00	
	40mm	"	478.00	478.00	478.00	
	50mm	"	614.00	614.00	614.00	
	63 mm	"	1091.00	1091.00	1091.00	
	Ball Valve (Brass)					
	20mm	"	311.00	311.00	311.00	
	25mm	"	441.00	441.00	441.00	
	32mm	"	738.00	738.00	738.00	
	40mm	"	1762.00	1762.00	1762.00	
20	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	115.00	115.00		
	3/4" dia	Rm	160.00	160.00		
	1" dia	"	210.00	210.00		
	1-1/4" dia	"	261.00	261.00		
	1-1/2" dia	"	366.00	366.00		

प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	2" dia	"	559.00	559.00		
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	"	133.00	133.00		
	3/4" dia	"	178.00	178.00		
	1" dia	"	248.00	248.00		
	1-1/4" dia	"	300.00	300.00		
	1-1/2" dia	"	417.61	417.61		
	2" dia	"	677.37	677.37		
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	125.68	125.68		
	3/4" dia	"	168.17	168.17		
	1" dia	"	234.40	234.40		
	1-1/4" dia	"	288.65	288.65		
	1-1/2" dia	"	402.34	402.34		
	2" dia	"	679.01	679.01		
	CPVC Ball Valve (CTS Sockets)					
	1/2"	गोटा	365.42	365.42		
	3/4"	गोटा	485.98	485.98		
	1"	गोटा	587.69	587.69		
	1-1/4"	"	1371.28	1371.28		
	1-1/2"	"	1642.52	1642.52		
	2"	"	2117.20	2117.20		
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"	137.93	137.93		
	1" X 1/2"	"	180.84	180.84		
	CPVC Tee	गोटा				
	1/2"	"	36.01	36.01		
	3/4"	"	76.63	76.63		
	1"	"	117.24	117.24		
	1-1/4"	"	219.92	219.92		
	1-1/2"	"	320.30	320.30		
	2"	"	686.57	686.57		
	CPVC Reducer Tee					
	1/2" x 1/2" x 3/4"	गोटा	70.50	70.50		
	3/4" x 3/4" x 1/2"	"	107.28	107.28		
	3/4" x 1/2" x 3/4"	"	134.10	134.10		
	3/4" x 1/2" x 1/2"	"	153.25	153.25		
	1" x 1" x 3/4"	"	160.91	160.91		
	1-1/2" x 1-1/2" x 1"	"	250.57	250.57		
	2" x 2" x 1"	"	436.00	436.00		
	1-1/4" x 1-1/4" x 1/2"	"	141.76	141.76		
	1-1/4" x 1-1/4" x 1"	"	153.25	153.25		
	2" x 2" x 1/2"	"	428.34	428.34		
	1" x 1" x 1/2"	गोटा	99.61	99.61		
	CPVC Brass FPT Tee					
	1/2" x 1/2" x 1/2"	गोटा	120.30	120.30		
	3/4" x 3/4" x 1/2"	"	124.90	124.90		

प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कोफियत
	1" x 1" x 1/2"	"	138.69	138.69		
	1-1/4" x 1-1/4" x 1-1/4"	"	501.13	501.13		
	1-1/4" x 1-1/4" x 1/2"	"	272.02	272.02		
	CPVC Elbow 90°					
	1/2"	गोटा	25.29	25.29		
	3/4"	"	52.11	52.11		
	1"	"	95.02	95.02		
	1-1/4"	"	179.30	179.30		
	1-1/2"	"	267.42	267.42		
	2"	"	572.40	572.40		
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		52.87	52.87		
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"	83.52	83.52		
	3/4" x 1/2"	"	97.32	97.32		
	3/4" x 3/4"	"	111.11	111.11		
	1" X 1/2"	"	214.55	214.55		
	1" X 1"	"	596.15	596.15		
	1-1/4" x 1-1/4"	"	773.92	773.92		
	CPVC Elbow 45°	गोटा				
	1/2"	गोटा	29.88	29.88		
	3/4"	"	54.40	54.40		
	1"	"	77.39	77.39		
	1-1/4"	"	136.39	136.39		
	1-1/2"	"	196.93	196.93		
	2"	"	426.81	426.81		
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"	22.22	22.22		
	3/4"	"	39.08	39.08		
	1"	"	59.00	59.00		
	1-1/4"	"	105.74	105.74		
	1-1/2"	"	148.65	148.65		
	2"	"	290.41	290.41		
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	"	40.61	40.61		
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	206.12	206.12		
	3/4"	"	266.66	266.66		
	1"	"	421.44	421.44		
	1-1/4"	"	925.64	925.64		
	1-1/2"	"	1080.43	1080.43		
	2"	"	2223.69	2223.69		
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	229.11	229.11		
	CPVC Female Adapter (CPVC Threads)					
	1/2"	गोटा	30.65	30.65		
	3/4"	गोटा	51.34	51.34		
	1"	गोटा	76.63	76.63		


आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	CPVC Female Adapters Brass Threads					
		1/2"	गोटा	197.70	197.70	
		3/4"	"	268.96	268.96	
		1"	"	349.41	349.41	
		1-1/4"	"	917.21	917.21	
		1-1/2"	"	1019.89	1019.89	
		2"	"	1993.81	1993.81	
	CPVC Caps					
		1/2"	"	13.03	13.03	
		3/4"	"	24.52	24.52	
		1"	"	36.78	36.78	
		1-1/4"	"	72.03	72.03	
		1-1/2"	"	105.74	105.74	
		2"	"	225.28	225.28	
	CPVC Union					
		1/2"	"	270.49	270.49	
		3/4"	"	397.69	397.69	
		1"	"	471.25	471.25	
		1-1/4"	"	862.04	862.04	
		1-1/2"	"	942.50	942.50	
		2"	"	1352.45	1352.45	
	CPVC Cross Tee					
		1/2"	गोटा	49.04	49.04	
		3/4"	गोटा	105.74	105.74	
	CPVC Step Over Bend					
		1/2"	"	62.83	62.83	
		3/4"	"	104.21	104.21	
	CPVC Ball Valve (CTS Sockets)					
		1/2"	"	661.28	661.28	
		3/4"	"	805.34	805.34	
		1"	"	921.04	921.04	
		1-1/4"	"	1878.87	1878.87	
		1-1/2"	"	2390.73	2390.73	
		2"	"	3075.00	3075.00	
	CPVC Flow Guard Adhesive Solution					
		50ML	"	199.23	199.23	
		118ML	"	329.49	329.49	
		237ML	"	532.55	532.55	
		473ML	"	838.29	838.29	
		946ML	"	1471.22	1471.22	
	Plastic Strap					
		1/2"	"	4.60	4.60	
		3/4"	"	5.36	5.36	
		1"	"	7.66	7.66	
		1-1/4"	"	11.49	11.49	
		1-1/2"	"	14.56	14.56	
		2"	गोटा	18.39	18.39	
	Metal Strap					



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	1/2"	गोटा	13.03	13.03		
	3/4"	"	16.09	16.09		
	1"	"	20.69	20.69		
	1-1/4"	"	24.52	24.52		
	1-1/2"	"	26.82	26.82		
	2"	"	29.12	29.12		
	Tee Holder				0.00	
	1/2" X 1/2" X 1/2"	"	5.36	5.36		
	3/4" X 3/4" X 1/2"	"	7.66	7.66		
	Elbow Holder				0.00	
	1/2" X 1/2"	"	5.36	5.36		
	1/2" X 3/4"	"	6.90	6.90		
	Snap Fix Repair Coupling					
	1/2"	"	229.11	229.11		
	3/4"	"	248.27	248.27		
	End plug threaded 1/2"	"	11.49	11.49		
21	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106 Gr.'B'/SA-106-1(
	Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 (Part					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	RM.	411.30	411.30	411.30	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	RM.	493.20	493.20	493.20	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	RM.	618.30	618.30	618.30	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	RM.	763.20	763.20	763.20	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	RM.	873.00	873.00	873.00	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	RM.	1121.40	1121.40	1121.40	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1722.60	1722.60	1722.60	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2254.50	2254.50	2254.50	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2914.20	2914.20	2914.20	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3210.30	3210.30	3210.30	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4347.00	4347.00	4347.00	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643.00	5643.00	5643.00	
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410.40	410.40	410.40	
	Single Socket (R/R)	"	762.30	762.30	762.30	
	Single Socket (R/R)	"	820.80	820.80	820.80	
	Single Socket Self Fit	"	1058.40	1058.40	1058.40	
	Single Socket Self Fit	"	1294.20	1294.20	1294.20	
	Single Socket Self Fit	"	1778.40	1778.40	1778.40	
	Single Socket Self Fit	"	2092.50	2092.50	2092.50	
	Single Socket Self Fit	"	2794.50	2794.50	2794.50	
	Single Socket Self Fit	"	3330.90	3330.90	3330.90	
	Long Radius Bend - 45 Degree	Pc	1082.70	1082.70	1082.70	
	Long Radius Bend - 45 Degree	"	1977.30	1977.30	1977.30	
	Long Radius Bend - 45 Degree	"	3569.40	3569.40	3569.40	
	Long Radius Bend - 45 Degree	"	6921.00	6921.00	6921.00	
	Long Radius Bend - 60 Degree	Pcs.	1193.40	1193.40	1193.40	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Long Radius Bend - 60 Degree	"	2186.10	2186.10	2186.10	
	Long Radius Bend - 60 Degree	"	4010.40	4010.40	4010.40	
	Long Radius Bend - 60 Degree	"	7593.30	7593.30	7593.30	
	Long Radius Bend - 90 Degree	"	585.00	585.00	585.00	
	Long Radius Bend - 90 Degree	"	1413.00	1413.00	1413.00	
	Long Radius Bend - 90 Degree	"	2606.40	2606.40	2606.40	
	Long Radius Bend - 90 Degree	"	4873.50	4873.50	4873.50	
	Long Radius Bend - 90 Degree	"	8980.20	8980.20	8980.20	
	Fab. Coupler	"	168.30	168.30	168.30	
	Fab. Coupler	"	404.10	404.10	404.10	
	Fab. Coupler	"	869.40	869.40	869.40	
	Fab. Coupler	"	1700.10	1700.10	1700.10	
	Fab. Coupler	"	3126.60	3126.60	3126.60	
	End Cap	"	360.00	360.00	360.00	
	End Cap	"	592.20	592.20	592.20	
	End Cap	"	945.00	945.00	945.00	
	End Cap	"	1379.70	1379.70	1379.70	
	Equal Tee	"	10303.20	10303.20	10303.20	
	Equal Tee	"	5929.20	5929.20	5929.20	
	Equal Tee	"	3291.30	3291.30	3291.30	
	Gully Trap with grating	"	962.10	962.10	962.10	
	Rodding Point	"	569.70	569.70	569.70	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608.40	608.40	608.40	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834.30	834.30	834.30	
	Inspection Chamber Body	Pcs.	2999.70	2999.70	2999.70	
	Inspection Chamber Riser	Pcs.	1490.40	1490.40	1490.40	
	Inspection Chamber Lid with Cover	Pcs.	2828.70	2828.70	2828.70	
	Inspection Chamber Body	"	8283.60	8283.60	8283.60	
	Inspection Chamber Riser	"	2634.30	2634.30	2634.30	
	Inspection Chamber Lid with Cover	"	4394.70	4394.70	4394.70	
23	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	"	7431.30	7431.30	7431.30	
	Concealled Cisterns Kombo fix 8cm	"	9102.60	9102.60	9102.60	
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Concealled Cisterns 12cm	"	9140.40	9140.40	9140.40	
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Traps for Wash Basins	"	1004.40	1004.40	1004.40	
	Sensor for Urinal 9V DC	"	25764.30	25764.30	25764.30	
	Sensor for Urinal 230V AC	"	25764.30	25764.30	25764.30	
	control box for urinal sensor	"	7077.60	7077.60	7077.60	
	Sensor Faucet Cold / Mixed water 6V DC	"	32158.80	32158.80	32158.80	
	Sensor Faucet Cold / Mixed water 230V AC	"	32158.80	32158.80	32158.80	
24	PVC Lead Free White Pipes SCHEDULE 40					

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	114.00	114.00		
	3/4" dia. (33.75 Kg/cm2)	"	147.00	147.00		
	1" dia. (31.64 Kg/cm2)	"	226.00	226.00		
	1-1/4" dia. (26.01 Kg/cm2)	"	279.00	279.00		
	1-1/2" dia. (23.20 Kg/cm2)	"	342.00	342.00		
	2" dia. (19.69 Kg/cm2)	"	485.00	485.00		
	2-1/2" dia. (21.09 Kg/cm2)	"	678.00	678.00		
	3" dia. (18.28 Kg/cm2)	"	856.00	856.00		
	4" dia. (15.47 Kg/cm2)	"	1256.00	1256.00		
	6" dia. (12.66 Kg/cm2)	"	2616.00	2616.00		
	PVC Tee - Soc	गोटा				
	1/2"	"	32.00	32.00		
	3/4"	"	44.00	44.00		
	1"	"	69.00	69.00		
	1-1/4"	"	109.00	109.00		
	1-1/2"	"	143.00	143.00		
	2"	"	221.00	221.00		
	2-1/2"	"	633.00	633.00		
	3"	"	831.00	831.00		
	4"	"	1503.00	1503.00		
	6"	"	8336.00	8336.00		
	PVC Reducer Tee - Soc	गोटा	5565.00	5565.00		
	3/4 x 1/2	गोटा	63.00	63.00		
	1 x 1/2	गोटा	97.00	97.00		
	1 x 3/4	गोटा	97.00	97.00		
	1-1/2 X 1/2	गोटा	329.00	329.00		
	1-1/2 X 3/4	गोटा	329.00	329.00		
	1-1/2 X 1	"	329.00	329.00		
	1-1/2 X 1-1/4	"	329.00	329.00		
	2 X 1/2	"	406.00	406.00		
	2 X 3/4	"	406.00	406.00		
	2 X 1	"	406.00	406.00		
	2 X 1-1/4	"	406.00	406.00		
	2 X 1-1/2	"	406.00	406.00		
	2-1/2 X 1/2	"	1043.00	1043.00		
	2-1/2 X 3/4	"	1043.00	1043.00		
	2-1/2 X 1	"	1043.00	1043.00		
	2-1/2 X 1-1/4	"	1043.00	1043.00		
	2-1/2 X 1-1/2	"	1043.00	1043.00		
	2-1/2 X 2	"	1043.00	1043.00		
	3 X 1/2	"	1523.00	1523.00		
	3 X 3/4	"	1523.00	1523.00		
	3 X 1	"	1523.00	1523.00		




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	3 X 1-1/4	गोटा	1523.00	1523.00		
	3 X 1-1/2	"	1523.00	1523.00		
	3 X 2	"	1523.00	1523.00		
	3 X 2-1/2	"	1523.00	1523.00		
	6 X 1-1/4	"	8007.00	8007.00		
	6 X 1-1/2	"	8007.00	8007.00		
	6 X 2	"	8007.00	8007.00		
	6 X 2-1/2	"	8007.00	8007.00		
	6 X 3	"	8007.00	8007.00		
	6 X 4	"	8007.00	8007.00		
	PVC Brass Tee - Soc x Fipt SCH 80					
	1/2"	गोटा	161.00	161.00		
	3/4"	"	292.00	292.00		
	3/4" X 1/2"	"	237.00	237.00		
	1" X 1/2"	"	420.00	420.00		
	PVC 90° Elbow - Soc					
	1/2"	गोटा	26.00	26.00		
	3/4"	"	30.00	30.00		
	1"	"	53.00	53.00		
	1-1/4"	"	93.00	93.00		
	1-1/2"	"	109.00	109.00		
	2"	"	167.00	167.00		
	2-1/2"	"	496.00	496.00		
	3"	"	594.00	594.00		
	4"	"	1216.00	1216.00		
	6"	"	5121.00	5121.00		
	PVC Brass 90° Elbow Soc x Fipt SCH 80					
	1/2"	गोटा	173.00	173.00		
	3/4"	"	243.00	243.00		
	3/4" X 1/2"	"	250.00	250.00		
	PVC 45° Elbow - Soc	गोटा				
	1/2"	"	55.00	55.00		
	3/4"	"	86.00	86.00		
	1"	"	102.00	102.00		
	1-1/4"	"	143.00	143.00		
	1-1/2"	"	180.00	180.00		
	2"	"	234.00	234.00		
	2-1/2"	"	669.00	669.00		
	3"	"	1040.00	1040.00		
	4"	"	1866.00	1866.00		
	6"	"	5135.00	5135.00		
	PVC Coupling - Soc					
	1/2"	गोटा	17.00	17.00		
	3/4"	"	26.00	26.00		
	1"	"	41.00	41.00		
	1-1/4"	"	56.00	56.00		
	1-1/2"	"	76.00	76.00		

प्रसाद सेढा

 प्रमुख जिल्ला अ



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत	
	2"	"	117.00	117.00			
	2-1/2"	"	247.00	247.00			
	3"	"	386.00	386.00			
	4"	"	604.00	604.00			
	6"	"	2420.00	2420.00			
	PVC Reducer Coupling - Soc						
	3/4 X 1/2	गोटा	42.00	42.00		आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	1 X 3/4	"	73.00	73.00			
	1-1/2 X 1-1/4	"	131.00	131.00			
	2 X 1-1/2	"	208.00	208.00			
	4 X 2	"	1392.00	1392.00			
	4 X 3	"	1392.00	1392.00			
	6 X 4	"	2895.00	2895.00			
	PVC Reducer Bushing - (Flush Style)						
	3/4 X 1/2	गोटा	35.00	35.00			
	1 X 1/2	"	50.00	50.00			
	1 X 3/4	"	50.00	50.00			
	1-1/4 X 1/2	"	86.00	86.00			
	1-1/4 X 3/4	"	86.00	86.00			
	1-1/4 X 1	"	86.00	86.00			
	1-1/2 X 1/2	"	90.00	90.00			
	1-1/2 X 3/4	"	90.00	90.00			
	1-1/2 X 1	"	90.00	90.00			
	1-1/2 X 1-1/4	"	90.00	90.00			
	2 X 1/2	"	165.00	165.00			
	2 X 3/4	"	165.00	165.00			
	2 X 1	"	165.00	165.00			
	2 X 1-1/4	"	165.00	165.00			
	2 X 1-1/2	"	165.00	165.00			
	2-1/2 X 1-1/4	"	232.00	232.00			
	2-1/2 X 1-1/2	गोटा	232.00	232.00			
	2-1/2 X 2	गोटा	232.00	232.00			
	3 X 1-1/2	गोटा	344.00	344.00			
	3 X 2	गोटा	344.00	344.00			
	3 X 2-1/2	गोटा	344.00	344.00			
	4 X 2	"	676.00	676.00			
	4 X 3	"	676.00	676.00			
	6 X 2	"	2271.00	2271.00			
	6 X 3	"	2271.00	2271.00			
	6 X 4	"	2271.00	2271.00			
	PVC Cap - Soc						
	1/2"	गोटा	24.00	24.00			
	3/4"	"	30.00	30.00			
	1"	"	42.00	42.00			
	1-1/4"	"	60.00	60.00			
	1-1/2"	"	66.00	66.00			
	2"	"	79.00	79.00			
	2-1/2"	"	254.00	254.00			

प्रसाद सेडाई


 प्रमुख जिल्ला अधि



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
		3"		278.00	278.00	
		4"	गोटा	633.00	633.00	
		6"	"	2498.00	2498.00	
	PVC Union - Soc With EPDM O-Ring Seal					
		1/2"	गोटा	254.00	254.00	
		3/4"	"	291.00	291.00	
		1"	"	298.00	298.00	
		1-1/4"	"	960.00	960.00	
		1-1/2"	"	1001.00	1001.00	
		2"	"	1350.00	1350.00	
		2-1/2"	"	1889.00	1889.00	
		3"	"	3018.00	3018.00	
		4"	"	4178.00	4178.00	
	PVC Male Adaptor - Soc x MBSP					
		1/2"	गोटा	46.00	46.00	
		3/4"	"	54.00	54.00	
		1"	"	71.00	71.00	
		1-1/4"	"	87.00	87.00	
		1-1/2"	"	121.00	121.00	
		2"	"	156.00	156.00	
		2-1/2"	"	545.00	545.00	
		3"	"	648.00	648.00	
		4"	"	1025.00	1025.00	
		6"	"	2359.00	2359.00	
	PVC Brass Male Adapter - Soc x Mipt SCH 80					
		1/2"	गोटा	262.00	262.00	
		3/4"	"	350.00	350.00	
		1"	"	527.00	527.00	
	PVC Female Adaptor - Soc x FBSP	गोटा				
		1/2"	"	59.00	59.00	
		3/4"	"	61.00	61.00	
		1"	"	64.00	64.00	
		1-1/4"	"	167.00	167.00	
		1-1/2"	"	245.00	245.00	
		2"	"	238.00	238.00	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
		1/2"	"	220.00	220.00	
		3/4"	"	311.00	311.00	
		1"	"	399.00	399.00	
	PVC Ball Valve - Soc	गोटा				
		1/2"	"	881.00	881.00	
		3/4"	"	1048.00	1048.00	
		1"	"	1466.00	1466.00	
		1-1/4"	"	1985.00	1985.00	
		1-1/2"	"	3027.00	3027.00	
		2"	"	3828.00	3828.00	
		2-1/2"	"	6323.00	6323.00	
		3"	"	10018.00	10018.00	


प्रमुख (पारल) अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	4"	"	16556.00	16556.00		
	6"	गोटा	35961.00	35961.00		
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"	306.00	306.00		
	237ML	"	439.00	439.00		
	473ML	"	795.00	795.00		
	946ML	"	1308.00	1308.00		
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"	492.00	492.00		
	237ML	"	649.00	649.00		
	473ML	"	1138.00	1138.00		
	946ML	"	1969.00	1969.00		
25	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159.00	159.00	159.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257.00	257.00	257.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352.00	352.00	352.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432.00	432.00	432.00	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432.00	432.00	432.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95.00	95.00	95.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305.00	305.00	305.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77.00	77.00	77.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50.00	50.00	50.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32.00	32.00	32.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77.00	77.00	77.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	30.00	30.00	30.00	
	75 mm dia.			0.00	0.00	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63.00	63.00	63.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38.00	38.00	38.00	

मुख प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126.00	126.00	126.00	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302.00	302.00	302.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358.00	358.00	358.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518.00	518.00	518.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592.00	592.00	592.00	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592.00	592.00	592.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140.00	140.00	140.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424.00	424.00	424.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108.00	108.00	108.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91.00	91.00	91.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51.00	51.00	51.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110.00	110.00	110.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	41.00	41.00	41.00	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68.00	68.00	68.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44.00	44.00	44.00	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243.00	243.00	243.00	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585.00	585.00	585.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614.00	614.00	614.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965.00	965.00	965.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387.00	1387.00	1387.00	


सुब्र प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387.00	1387.00	1387.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302.00	302.00	302.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802.00	802.00	802.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300.00	300.00	300.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164.00	164.00	164.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122.00	122.00	122.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318.00	318.00	318.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	166.00	166.00	166.00	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82.00	82.00	82.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191.00	191.00	191.00	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437.00	437.00	437.00	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247.00	247.00	247.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438.00	438.00	438.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262.00	262.00	262.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470.00	470.00	470.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447.00	447.00	447.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673.00	673.00	673.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473.00	473.00	473.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696.00	696.00	696.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959.00	959.00	959.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196.00	1196.00	1196.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022.00	1022.00	1022.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350.00	1350.00	1350.00	

सय प्रमुख सेडाई
 प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140.00	140.00	140.00	
	DWV Bend 87.5 Degree	pcs	177.00	177.00	177.00	
	DWV Bend 87.5 Degree with Door	pcs	81.00	81.00	81.00	
	DWV Socket Plug	pcs	189.00	189.00	189.00	
	DWV Cleansing Pipe	pcs	114.00	114.00	114.00	
	DWV Coupler	pcs	202.00	202.00	202.00	
	DWV Single Tee	pcs	222.00	222.00	222.00	
	DWV Single Tee with Door	pcs	349.00	349.00	349.00	
	DWV Cross Tee	pcs	491.00	491.00	491.00	
	DWV Cross Tee with Door	pcs	361.00	361.00	361.00	
	DWV Double 'Y'	pcs	481.00	481.00	481.00	
	DWV Double 'Y' with Door	pcs	226.00	226.00	226.00	
	DWV Single 'Y'	pcs	288.00	288.00	288.00	
	DWV Single 'Y' with Door	"	12.00	12.00	12.00	
	DWV Pipe Clip	"	25.00	25.00	25.00	
	DWV Vent Cowel	"	230.00	230.00	230.00	
	DWV Bend 45 Degree 110mm size	"	282.00	282.00	282.00	
	DWV Bend 87.5 Degree	"	323.00	323.00	323.00	
	DWV Bend 87.5 Degree with Door	"	103.00	103.00	103.00	
	DWV Socket Plug	"	370.00	370.00	370.00	
	DWV Cleansing Pipe	"	206.00	206.00	206.00	
	DWV Coupler	"	684.00	684.00	684.00	
	DWV Double 'Y'	"	808.00	808.00	808.00	
	DWV Double 'Y' with Door	"	566.00	566.00	566.00	
	DWV Cross Tee	"	642.00	642.00	642.00	
	DWV Cross Tee with Door	"	370.00	370.00	370.00	
	DWV Single Tee	"	437.00	437.00	437.00	
	DWV Single Tee with Door	"	453.00	453.00	453.00	
	DWV Single 'Y'	pcs	475.00	475.00	475.00	
	DWV Single 'Y' with Door	"	47.00	47.00	47.00	
	DWV Vent Cowel	"	161.00	161.00	161.00	
	DWV Reducer 110*75 mm	"	36.00	36.00	36.00	
	DWV Pipe Clip 110mm size	"	436.00	436.00	436.00	
	DWV W.C. Connectore (Straight type)	"	348.00	348.00	348.00	
	DWV W.C. Connectore (Bend type)	"	174.00	174.00	174.00	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24.00	24.00	24.00	
	DWV Nahani Trap Jali	"	539.00	539.00	539.00	
	DWV P-Trap with Leap Ring 10*110 mm	"	773.00	773.00	773.00	
	DWV P-Trap with Leap Ring 25*110 mm	"	232.00	232.00	232.00	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470.00	470.00	470.00	
	DWV Reducer 60*110 mm	"	449.00	449.00	449.00	
	DWV Coupler 160mm size	"	1077.00	1077.00	1077.00	
	DWV Single Tee	"	1157.00	1157.00	1157.00	
	DWV Single Tee with Door	"	2016.00	2016.00	2016.00	
	DWV Single 'Y'	"	2118.00	2118.00	2118.00	
	DWV Single 'Y' with Door	"	742.00	742.00	742.00	
	DWV Bend 87.5 Degree	"	988.00	988.00	988.00	
	DWV Bend 87.5 Degree with Door	"	864.00	864.00	864.00	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584.00	584.00	584.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606.00	606.00	606.00	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630.00	630.00	630.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593.00	593.00	593.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604.00	604.00	604.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078.00	1078.00	1078.00	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120.00	1120.00	1120.00	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163.00	1163.00	1163.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	per mtr.	1096.00	1096.00	1096.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	per mtr.	1116.00	1116.00	1116.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	per mtr.	1688.00	1688.00	1688.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718.00	1718.00	1718.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746.00	1746.00	1746.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801.00	2801.00	2801.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849.00	2849.00	2849.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899.00	2899.00	2899.00	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709.00	3709.00	3709.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773.00	3773.00	3773.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838.00	3838.00	3838.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4	per mtr.	4583.00	4583.00	4583.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	per mtr.	4663.00	4663.00	4663.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743.00	4743.00	4743.00	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583.00	583.00	583.00	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598.00	598.00	598.00	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613.00	613.00	613.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594.00	594.00	594.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605.00	605.00	605.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077.00	1077.00	1077.00	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109.00	1109.00	1109.00	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139.00	1139.00	1139.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097.00	1097.00	1097.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116.00	1116.00	1116.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688.00	1688.00	1688.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718.00	1718.00	1718.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747.00	1747.00	1747.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801.00	2801.00	2801.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849.00	2849.00	2849.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898.00	2898.00	2898.00	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709.00	3709.00	3709.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773.00	3773.00	3773.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838.00	3838.00	3838.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583.00	4583.00	4583.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663.00	4663.00	4663.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743.00	4743.00	4743.00	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294.00	294.00	294.00	
	DWV Coupler SN-4 160 mm	per pc	708.00	708.00	708.00	
	DWV Coupler SN-4 200 mm	per pc	1447.00	1447.00	1447.00	
	DWV Coupler SN-4 250 mm	"	2697.00	2697.00	2697.00	
	DWV Coupler SN-2 315mm	"	4338.00	4338.00	4338.00	
	DWV Coupler SN-4 315 mm	"	4736.00	4736.00	4736.00	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001.00	1001.00	1001.00	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787.00	2787.00	2787.00	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205.00	5205.00	5205.00	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	per pc	11668.00	11668.00	11668.00	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705.00	27705.00	27705.00	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101.00	101.00	101.00	
	14-18 mm ½"	"	111.00	111.00	111.00	
	16-20 mm ½"	"	119.00	119.00	119.00	
	20-25 mm ¾"	"	180.00	180.00	180.00	
	26-32 mm 1"	"	281.00	281.00	281.00	
	32-40 mm 1¼"	"	446.00	446.00	446.00	
	41-50 mm 1½"	"	653.00	653.00	653.00	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111.00	111.00	111.00	
	14-18 mm ½"	"	123.00	123.00	123.00	
	16-20 mm ½"	"	141.00	141.00	141.00	
	20-25 mm ¾"	"	208.00	208.00	208.00	
	26-32 mm 1"	"	302.00	302.00	302.00	
	32-40 mm 1¼"	"	465.00	465.00	465.00	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87.00	87.00	87.00	
	14-18 mm ½"	"	87.00	87.00	87.00	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	½"Ø (16mm Ø)	गोटा	133.00	133.00	133.00	
	½"Ø (18mm Ø)	"	140.00	140.00	140.00	
	½"Ø (20mm Ø)	"	154.00	154.00	154.00	
	¾" Ø (25 mm Ø)	"	225.00	225.00	225.00	
	1" Ø (32 mm Ø)	"	351.00	351.00	351.00	
	1¼" Ø (40 mm Ø)	"	1296.00	1296.00	1296.00	
	1½" Ø (50 mm Ø)	"	1958.00	1958.00	1958.00	
	b. Unequal Straight Union					
	25 - 16 mm Ø	"	252.00	252.00	252.00	
	25 - 18 mm Ø	"	261.00	261.00	261.00	
	25 - 20 mm Ø	"	275.00	275.00	275.00	
	32 - 16 mm Ø	"	388.00	388.00	388.00	
	32 - 18 mm Ø	"	356.00	356.00	356.00	
	32 - 20 mm Ø	"	383.00	383.00	383.00	
	32 - 25 mm Ø	"	410.00	410.00	410.00	
	40 - 32 mm Ø	"	1121.00	1121.00	1121.00	
	50 - 20 mm Ø	"	1634.00	1634.00	1634.00	
	50 - 32 mm Ø	"	1958.00	1958.00	1958.00	
	50 - 40 mm Ø	"	1845.00	1845.00	1845.00	
	c. Male Union					
	16mm x ½"M	गोटा	95.00	95.00	95.00	
	18mm x ½"M	"	110.00	110.00	110.00	
	20mm x ½"M	"	126.00	126.00	126.00	
	25mm x ½"M	"	153.00	153.00	153.00	
	25mm x ¾"M	"	194.00	194.00	194.00	
	25mm x 1"M	गोटा	248.00	248.00	248.00	
	32mm x ¾"M	"	284.00	284.00	284.00	
	32mm x 1"M	"	311.00	311.00	311.00	
	32mm x 1½"M	"	315.00	315.00	315.00	
	40mm x 1"M	"	995.00	995.00	995.00	
	40mm x 1½"M	"	1030.00	1030.00	1030.00	
	50mm x 1"M	"	1563.00	1563.00	1563.00	
	50mm x 1¼"M	"	1590.00	1590.00	1590.00	
	50mm x 1½"M	"	2160.00	2160.00	2160.00	
	50mm x 2"M	"	1623.00	1623.00	1623.00	
	d. Female Straight Union					
	16mm x ½"F	गोटा	104.00	104.00	104.00	
	18mm x ½"F	"	113.00	113.00	113.00	
	20mm x ½"F	"	122.00	122.00	122.00	
	25mm x ½"F	"	162.00	162.00	162.00	
	25mm x ¾"F	"	194.00	194.00	194.00	
	25mm x 1"F	"	198.00	198.00	198.00	
	32mm x ½"F	"	203.00	203.00	203.00	
	32mm x ¾"F	"	207.00	207.00	207.00	
	32mm x 1"F	"	293.00	293.00	293.00	
	40mm x 1½"F	"	1168.00	1168.00	1168.00	
	50mm x 1¼"F	"	1575.00	1575.00	1575.00	
	50mm x 1½"F	"	2160.00	2160.00	2160.00	
	50mm x 2"F	"	1638.00	1638.00	1638.00	
	e. Equal Elbow					
	½"Ø (16mm Ø)	गोटा	126.00	126.00	126.00	
	½"Ø (18mm Ø)	"	153.00	153.00	153.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	½"Ø (20mm Ø)	"	207.00	207.00	207.00	
	¾"Ø (25 mm Ø)	"	315.00	315.00	315.00	
	1"Ø (32 mm Ø)	"	509.00	509.00	509.00	
	1¼"Ø (40 mm Ø)	"	1656.00	1656.00	1656.00	
	1½"Ø (50 mm Ø)	"	2565.00	2565.00	2565.00	
f. Unequal Elbow						
	40 - 32 mm Ø	"	1836.00	1836.00	1836.00	
	50 - 20 mm Ø	"	2115.00	2115.00	2115.00	
	50 - 40 mm Ø	"	2156.00	2156.00	2156.00	
g. Female Elbow						
	16mm x ½"F	गोटा	167.00	167.00	167.00	
	18mm x ½"F	गोटा	185.00	185.00	185.00	
	20mm x ½"F	गोटा	203.00	203.00	203.00	
	25mm x ½"F	गोटा	225.00	225.00	225.00	
	25mm x ¾"F	गोटा	279.00	279.00	279.00	
	25mm x 1"F	गोटा	306.00	306.00	306.00	
	32mm x ¾"F	गोटा	329.00	329.00	329.00	
	32mm x 1"F	गोटा	410.00	410.00	410.00	
	50mm x 1¼"F	गोटा	2115.00	2115.00	2115.00	
h. Male Elbow						
	25mm x ¾"M	गोटा	225.00	225.00	225.00	
	25mm x 1"M	गोटा	293.00	293.00	293.00	
	32mm x ¾"M	गोटा	221.00	221.00	221.00	
	32mm x 1"M	गोटा	374.00	374.00	374.00	
	40mm x 1"M	गोटा	1215.00	1215.00	1215.00	
	50mm x 1"M	गोटा	1732.00	1732.00	1732.00	
i. Equal Tee						
	½"Ø (16mm Ø)	गोटा	225.00	225.00	225.00	
	½"Ø (18mm Ø)	गोटा	252.00	252.00	252.00	
	½"Ø (20mm Ø)	गोटा	315.00	315.00	315.00	
	¾"Ø (25 mm Ø)	गोटा	455.00	455.00	455.00	
	1"Ø (32 mm Ø)	गोटा	711.00	711.00	711.00	
	1¼"Ø (40 mm Ø)	गोटा	2658.00	2658.00	2658.00	
	1½"Ø (50 mm Ø)	गोटा	3884.00	3884.00	3884.00	
j. Unequal Tee						
	20 mm x 16 mm x 20 mm	गोटा	203.00	203.00	203.00	
	20 mm x 18 mm x 20 mm	गोटा	225.00	225.00	225.00	
	25 mm x 16 mm x 25 mm	गोटा	338.00	338.00	338.00	
	25 mm x 18 mm x 25 mm	गोटा	383.00	383.00	383.00	
	25 mm x 20 mm x 25 mm	गोटा	396.00	396.00	396.00	
	32 mm x 16 mm x 32 mm	गोटा	653.00	653.00	653.00	
	32 mm x 18 mm x 32 mm	गोटा	675.00	675.00	675.00	
	32 mm x 20 mm x 32 mm	गोटा	702.00	702.00	702.00	
	32 mm x 25 mm x 32 mm	गोटा	720.00	720.00	720.00	
	40 mm x 32 mm x 32 mm	गोटा	1967.00	1967.00	1967.00	
	40 mm x 32 mm x 40 mm	गोटा	2278.00	2278.00	2278.00	
	50 mm x 20 mm x 50 mm	गोटा	3105.00	3105.00	3105.00	
	50 mm x 32 mm x 32 mm	गोटा	2047.00	2047.00	2047.00	
	50 mm x 32 mm x 50 mm	गोटा	3137.00	3137.00	3137.00	
	50 mm x 40 mm x 40 mm	गोटा	3147.00	3147.00	3147.00	
	50 mm x 40 mm x 50 mm	गोटा	3595.00	3595.00	3595.00	
k. Female Tee						

SANITARY WORK



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	16mm x 1/2"F x 16mm	गोटा	225.00	225.00	225.00
	18mm x 1/2"F x 18mm	गोटा	234.00	234.00	234.00
	20mm x 1/2"F x 20mm	गोटा	252.00	252.00	252.00
	25mm x 1/2"F x 25mm	गोटा	237.00	237.00	237.00
	25mm x 3/4"F x 25mm	गोटा	261.00	261.00	261.00
	25mm x 1"F x 25mm	गोटा	338.00	338.00	338.00
	32mm x 1/2"F x 32mm	गोटा	365.00	365.00	365.00
	32mm x 3/4"F x 32mm	गोटा	374.00	374.00	374.00
	32mm x 1"F x 32mm	गोटा	507.00	507.00	507.00
	40mm x 3/4"F x 32mm	गोटा	1496.00	1496.00	1496.00
	50mm x 3/4"F x 40mm	गोटा	2219.00	2219.00	2219.00
	i. Equal Ball Valve Union				
	1/2"Ø (16mm Ø)	गोटा	262.00	262.00	262.00
	1/2"Ø (18mm Ø)	गोटा	291.00	291.00	291.00
	1/2"Ø (20mm Ø)	गोटा	383.00	383.00	383.00
	3/4"Ø (25 mm Ø)	गोटा	635.00	635.00	635.00
	1"Ø (32 mm Ø)	गोटा	882.00	882.00	882.00
	1 1/4"Ø (40 mm Ø)	गोटा	2882.00	2882.00	2882.00
	1 1/2"Ø (50 mm Ø)	गोटा	4159.00	4159.00	4159.00
	m. Female Ball Valve Union				
	16mm x 1/2"F	गोटा	244.00	244.00	244.00
	18mm x 1/2"F	गोटा	280.00	280.00	280.00
	20mm x 1/2"F	गोटा	313.00	313.00	313.00
	20mm x 3/4"F	गोटा	351.00	351.00	351.00
	25mm x 3/4"F	गोटा	653.00	653.00	653.00
	25mm x 1"F	गोटा	666.00	666.00	666.00
	32mm x 1"F	गोटा	702.00	702.00	702.00
	n. Plug				
	1 1/4"Ø (40 mm Ø)	गोटा	1440.00	1440.00	1440.00
	1 1/2"Ø (50 mm Ø)	गोटा	1980.00	1980.00	1980.00
	p. Wall Plated Female Elbow				
	16mm x 1/2"F	गोटा	189.00	189.00	189.00
	18mm x 1/2"F	गोटा	207.00	207.00	207.00
	20mm x 1/2"F	गोटा	225.00	225.00	225.00
	q. Nipple				
	N 1/2F*1/2F	गोटा	49.00	49.00	49.00
	N 1/2M*1/2M	गोटा	49.00	49.00	49.00
	N 3/4F*1/2F	गोटा	68.00	68.00	68.00
	N 1F*1/2F	गोटा	77.00	77.00	77.00
	N 1F*3/4F	गोटा	87.00	87.00	87.00
	N 3/4M*1/2M	गोटा	68.00	68.00	68.00
	N 1M*1/2M	गोटा	77.00	77.00	77.00
	N 1M*3/4M	गोटा	87.00	87.00	87.00
	N 1/2F*1/2M	गोटा	59.00	59.00	59.00
	N 1/2F*3/4M	गोटा	68.00	68.00	68.00
	N 1/2F*1M	गोटा	107.00	107.00	107.00
	N 1/2M*3/4F	गोटा	68.00	68.00	68.00
	N 1/2M*1F	गोटा	112.00	112.00	112.00
	N 3/4F*3/4M	गोटा	87.00	87.00	87.00
	N 3/4F*1M	गोटा	96.00	96.00	96.00
	N 3/4M*1F	गोटा	127.00	127.00	127.00

सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी

SANITARY WORK



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually				
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486.00	486.00	486.00
	a.2) Failure chagre per well	संख्या	1350.00	1350.00	1350.00
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693.00	693.00	693.00
	b.2) Failure chagre per well	संख्या	3600.00	3600.00	3600.00
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323.00	1323.00	1323.00
	c.2) Failure chagre per well	संख्या	4680.00	4680.00	4680.00
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1873.00	1873.00	1873.00
	d.2) Failure chagre per well	संख्या	5400.00	5400.00	5400.00
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575.00	1575.00	1575.00
28	R.C.C. Hume Pipe & Hume Pipe Collar				
	PIPES				
	a) NP-2				
	150 mm dia.	र.मि	510.00	535.00	535.00
	200 mm dia.	र.मि	670.00	703.00	703.00
	250 mm dia.	र.मि	830.00	871.00	871.00
	300 mm dia.	र.मि	1130.00	1186.00	1186.00
	350 mm dia.	र.मि	1250.00	1312.00	1312.00
	375 mm dia.	र.मि	1370.00	1438.00	1438.00
	400 mm dia.	र.मि	1570.00	1648.00	1648.00
	450 mm dia.	र.मि	1670.00	1753.00	1753.00
	500 mm dia.	र.मि	1870.00	1963.00	1963.00
	600 mm dia.	र.मि	2470.00	2593.00	2593.00
	700 mm dia.	र.मि	3220.00	3381.00	3381.00
	750 mm dia.	र.मि	3480.00	3654.00	3654.00
	800 mm dia.	र.मि	3880.00	4074.00	4074.00
	900 mm dia.	र.मि	5250.00	5512.00	5512.00
	1000 mm dia.	र.मि	6120.00	6426.00	6426.00
	1200 mm dia.	र.मि	7460.00	7833.00	7833.00
	1500 mm dia.	र.मि	15690.00	16474.00	16474.00
	b) NP-3				0.00
	150 mm dia.	र.मि	1140.00	1197.00	1197.00
	200 mm dia.	र.मि	1520.00	1596.00	1596.00
	250 mm dia.	र.मि	1910.00	2005.00	2005.00
	300 mm dia.	र.मि	2740.00	2877.00	2877.00
	350 mm dia.	र.मि	3070.00	3223.00	3223.00
	375 mm dia.	र.मि	3290.00	3454.00	3454.00
	400 mm dia.	र.मि	3500.00	3675.00	3675.00
	450 mm dia.	र.मि	3930.00	4126.00	4126.00
	500 mm dia.	र.मि	4380.00	4599.00	4599.00
	600 mm dia.	र.मि	5410.00	5680.00	5680.00
	700 mm dia.	र.मि	6540.00	6867.00	6867.00
	750 mm dia.	र.मि	7510.00	7885.00	7885.00
	800 mm dia.	र.मि	8190.00	8599.00	8599.00
	900 mm dia.	र.मि	10630.00	11161.00	11161.00




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	1000 mm dia.	र.मि	11810.00	12400.00	12400.00
	1200 mm dia.	र.मि	14050.00	14752.00	14752.00
	1500 mm dia.	र.मि	22080.00	23184.00	23184.00
	R.C.C. Hume Pipe Collar				0.00
	a) NP-2				
	150 mm dia.	गोटा	130.00	136.00	136.00
	200 mm dia.	र.मि	170.00	178.00	178.00
	250 mm dia.	र.मि	210.00	220.00	220.00
	300 mm dia.	र.मि	280.00	294.00	294.00
	350 mm dia.	र.मि	310.00	325.00	325.00
	375 mm dia.	र.मि	340.00	357.00	357.00
	400 mm dia.	र.मि	390.00	409.00	409.00
	450 mm dia.	र.मि	420.00	441.00	441.00
	500 mm dia.	र.मि	470.00	493.00	493.00
	600 mm dia.	र.मि	620.00	651.00	651.00
	700 mm dia.	र.मि	800.00	840.00	840.00
	750 mm dia.	र.मि	870.00	913.00	913.00
	800 mm dia.	र.मि	970.00	1018.00	1018.00
	900 mm dia.	र.मि	1310.00	1375.00	1375.00
	1000 mm dia.	र.मि	1530.00	1606.00	1606.00
	1200 mm dia.	र.मि	1870.00	1963.00	1963.00
	1500 mm dia.	र.मि	3920.00	4116.00	4116.00
	b) NP-3				
	150 mm dia.	र.मि	290.00	304.00	304.00
	200 mm dia.	र.मि	380.00	399.00	399.00
	250 mm dia.	र.मि	480.00	504.00	504.00
	300 mm dia.	र.मि	680.00	714.00	714.00
	350 mm dia.	र.मि	770.00	808.00	808.00
	375 mm dia.	र.मि	820.00	861.00	861.00
	400 mm dia.	गोटा	870.00	913.00	913.00
	450 mm dia.	र.मि	980.00	1029.00	1029.00
	500 mm dia.	र.मि	1100.00	1155.00	1155.00
	600 mm dia.	र.मि	1350.00	1417.00	1417.00
	700 mm dia.	र.मि	1630.00	1711.00	1711.00
	750 mm dia.	र.मि	1880.00	1974.00	1974.00
	800 mm dia.	र.मि	2050.00	2152.00	2152.00
	900 mm dia.	र.मि	2660.00	2793.00	2793.00
	1000 mm dia.	र.मि	2950.00	3097.00	3097.00
	1200 mm dia.	र.मि	3510.00	3685.00	3685.00
	1500 mm dia.	र.मि	5520.00	5796.00	5796.00
	R.C.C. Spigot Hume Pipe (Socket system)				
	a) NP-2				
	150 mm dia.	र.मि			
	200 mm dia.	र.मि			
	250 mm dia.	र.मि			
	300 mm dia.	र.मि			
	350 mm dia.	र.मि			
	400 mm dia.	र.मि			
	450 mm dia.	र.मि			
	500 mm dia.	र.मि			
	600 mm dia.	र.मि			
	700 mm dia.	र.मि			

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

सुप्र प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	750 mm dia.	र.मि				
	800 mm dia.	र.मि				
	900 mm dia.	र.मि				
	1000 mm dia.	र.मि				
	1200 mm dia.	र.मि				
	b) NP-3					
	150 mm dia.	र.मि	1290.00	1354.00	1421.00	
	200 mm dia.	"	1750.00	1837.00	1928.00	
	250 mm dia.	"	2190.00	2299.00	2413.00	
	300 mm dia.	"	3150.00	3307.00	3472.00	
	350 mm dia.	"				
	400 mm dia.	"	4030.00	4231.00	4442.00	
	450 mm dia.	"	4520.00	4746.00	4983.00	
	500 mm dia.	"	5040.00	5292.00	5556.00	
	600 mm dia.	"	6230.00	6541.00	6868.00	
	700 mm dia.	"	7520.00	7896.00	8290.00	
	800 mm dia.	"	9420.00	9891.00	10385.00	
	900 mm dia.	"	12220.00	12831.00	13472.00	
	1000 mm dia.	"	13580.00	14259.00	14971.00	
	1200 mm dia.	"	16160.00	16968.00	17816.00	
	1400 mm dia.	"	25980.00	27279.00	28642.00	
	1600 mm dia.	"	29970.00	31468.00	33041.00	
	1800 mm dia.	"	39920.00	41916.00	44011.00	
	29 High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure					
	HDP Pipe 16 mm to 315 mm	kg				
	HDP Pipe above 315 mm dia	kg				
	29.1 2.5Kg/cm² Series II					
	63 mm (0.403 Avg.wt. Kg/m)	Rm				
	75 mm (0.557 Avg.wt Kg/m)	"				
	90 mm (0.799 Avg.wt Kg/m)	"				
	110 mm (1.185 Avg.wt Kg/m)	"				
	125 mm (1.530 Avg.wt Kg/m)	"				
	140 mm (1.897 Avg.wt Kg/m)	"				
	160 mm (2.453 Avg.wt Kg/m)	"				
	180 mm (3.148 Avg.wt Kg/m)	"				
	200 mm (3.875 Avg.wt Kg/m)	"				
	225 mm (4.822 Avg.wt Kg/m)	"				
	250 mm (6.012 Avg.wt Kg/m)	"				
	280 mm (7.471 Avg.wt Kg/m)	"				
	315 mm (9.417 Avg.wt Kg/m)	"				
	355 mm (11.957 Avg.wt Kg/m)	"				
	400 mm (15.221 Avg.wt Kg/m)	"				
	450 mm (19.163 Avg.wt Kg/m)	"				
	29.2 4 Kg/cm² Series III					
	40 mm (0.251 Avg.wt Kg/m)	Rm				
	50 mm (0.378 Avg.wt Kg/m)	"				
	63 mm (0.585 Avg.wt Kg/m)	"				

आर्थिक वर्ष
२०७९/८० को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८०/८१ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

सूर्य प्रसाद सेडाई
मुख्य जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	75 mm (0.846 Avg.wt Kg/m)	”				
	90 mm (1.220 Avg.wt Kg/m)	”				
	110 mm (1.703 Avg.wt Kg/m)	”				
	125 mm (2.289 Avg.wt Kg/m)	”				
	140 mm (2.901 Avg.wt Kg/m)	”				
	160 mm (3.773 Avg.wt Kg/m)	”				
	180 mm (4.762 Avg.wt Kg/m)	”				
	200 mm (5.890 Avg.wt Kg/m)	”				
	225 mm (7.445 Avg.wt Kg/m)	”				
	250 mm (9.187 Avg.wt Kg/m)	”				
	280 mm (11.455 Avg.wt Kg/m)	”				
	315 mm (14.508 Avg.wt Kg/m)	”				
	355 mm (18.382 Avg.wt Kg/m)	”				
	400 mm (23.343 Avg.wt Kg/m)	”				
	450mm (29.351Avg.wt Kg/m)	”				
29.3	6 Kg/cm² Series IV					
	32 mm (0.226 Avg.wt Kg/m)	Rm				
	40 mm (0.350 Avg.wt Kg/m)	”				
	50 mm (0.542 Avg.wt Kg/m)	”				
	63 mm (0.850 Avg.wt Kg/m)	”				
	75 mm (1.191 Avg.wt Kg/m)	”				
	90 mm (1.717 Avg.wt Kg/m)	”				
	110 mm (2.545 Avg.wt Kg/m)	”				
	125 mm (3.293 Avg.wt Kg/m)	”				
	140 mm (4.150 Avg.wt Kg/m)	”				
	160 mm (5.355 Avg.wt Kg/m)	”				
	180 mm (6.800 Avg.wt Kg/m)	”				
	200 mm (8.391 Avg.wt Kg/m)	”				
	225 mm (10.544 Avg.wt Kg/m)	Rm				
	250 mm (13.041 Avg.wt Kg/m)	Rm				
	280 mm (16.327 Avg.wt Kg/m)	Rm				
	315 mm (20.694 Avg.wt Kg/m)	Rm				
	355 mm (26.243 Avg.wt Kg/m)	Rm				
	400 mm (33.309 Avg.wt Kg/m)					
	450 mm (42.065 Avg.wt Kg/m)					
29.4	10 Kg/cm² Series VI					
	16 mm (0.092 Avg.wt Kg/m)	Rm				
	20 mm (0.134 Avg.wt Kg/m)	”				
	25 mm (0.202 Avg.wt Kg/m)	”				
	32 mm (0.334 Avg.wt Kg/m)	”				
	40 mm (0.514 Avg.wt Kg/m)	”				
	50 mm (0.796 Avg.wt Kg/m)	”				
	63 mm (1.269 Avg.wt Kg/m)	”				
	75 mm (1.782 Avg.wt Kg/m)	”				
	90 mm (2.568 Avg.wt Kg/m)	”				
	110 mm (3.801 Avg.wt Kg/m)	”				
	125 mm (4.962 Avg.wt Kg/m)	”				
	140 mm (6.209 Avg.wt Kg/m)	”				

आर्थिक वर्ष
२०७९/८० को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने


आर्थिक वर्ष
२०८०/८१ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

(Handwritten signatures and initials)

(Handwritten signature)

(Handwritten signature: सुबोध प्रसाद सेडा, प्रमुख जिल्ला अ)



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	160 mm (8.079 Avg.wt Kg/m)	”				
	180 mm (10.256 Avg.wt Kg/m)	”				
	200 mm (12.620 Avg.wt Kg/m)	”				
	225 mm (16.014 Avg.wt Kg/m)	”				
	250 mm (19.757 Avg.wt Kg/m)	”				
	280 mm (24.708 Avg.wt Kg/m)	”				
	315 mm (31.16 Avg.wt Kg/m)	”				
	355 mm (39.635 Avg.wt Kg/m)	”				
	400 mm (50.344 Avg.wt Kg/m)	”				
	450 mm (63.598 Avg.wt Kg/m)	”				
29.5	HDPE Double-Wall Corrugated Pipes (Hilltake or equivalent)					
	100mm	Rm	525.00	551.00	579.00	
	150mm	”	1050.00	1103.00	1158.00	
	200mm	”	1600.00	1680.00	1764.00	
	250mm	”	2025.00	2126.00	2232.00	
	300mm	”	3350.00	3518.00	3694.00	
	400mm	”	4325.00	4541.00	4768.00	
	500mm	”	5150.00	5408.00	5678.00	
	600mm	”	8875.00	9319.00	9785.00	
	800mm	”	14700.00	15435.00	16207.00	
	1000mm	”	22150.00	23258.00	24421.00	
29.6	HDPE Sockets (3.5mm thick) of different sizes					
	i. 4 "	गोटा	190.00	199.00	208.00	
	ii. 5 "	”	325.00	341.00	358.00	
	iii. 6 "	”	480.00	504.00	529.00	
	iv. 7 "	”	740.00	777.00	815.00	
	v. 8 "	”	940.00	987.00	1036.00	
	vi. 9 "	”	1100.00	1155.00	1212.00	
	vii. 10 "	”	1450.00	1522.00	1598.00	
	viii. 11 "	”	2400.00	2520.00	2646.00	
	ix. 12 "	”	2650.00	2782.00	2921.00	
30	UPVC (Pipe NS 206/046)					
30.1	A) pipe 2.5 kg /cm² pressure					
	a) 90 mm	र.मी	141.00	141.00	141.00	
	b) 110 mm	”	209.00	209.00	209.00	
	c) 125 mm	”	266.00	266.00	266.00	
	d) 140 mm	”	328.00	328.00	328.00	
	e) 160 mm	”	429.00	429.00	429.00	
	f) 180 mm	”	549.00	549.00	549.00	
	g) 200 mm	”	671.00	671.00	671.00	
30.2	B) PVC Pipe 4 kg / cm²					
	a) 63mm	र.मी	112.00	112.00	112.00	
	b) 75 mm	”	154.00	154.00	154.00	
	c) 90 mm	”	219.00	219.00	219.00	
	d) 110 mm	”	301.00	301.00	301.00	
	e) 125 mm	”	415.00	415.00	415.00	
	f) 140 mm	”	527.00	527.00	527.00	
	g) 160 mm	र.मी	683.00	683.00	683.00	


सुब्रह्मण्य प्रसाद सेठ
प्रमुख जिल्ला उप



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	h) 180 mm	"	877.00	877.00	877.00	
	i) 200 mm	"	1064.00	1064.00	1064.00	
30.3	C) PVC Pipe 6 Kg/ cm² pressure					
	a) 40 mm	र.मी	66.00	66.00	66.00	
	b) 50 mm	"	99.00	99.00	99.00	
	c) 63 mm	"	159.00	159.00	159.00	
	d) 75 mm	"	222.00	222.00	222.00	
	e) 90 mm	र.मी	320.00	320.00	320.00	
	f) 110 mm	र.मी	462.00	462.00	462.00	
	g) 125 mm	र.मी	616.00	616.00	616.00	
	h) 140 mm	"	766.00	766.00	766.00	
	i) 160 mm	"	982.00	982.00	982.00	
	j) 180 mm	"	1252.00	1252.00	1252.00	
	k) 200 mm	"	1534.00	1534.00	1534.00	
30.4	C) PVC Pipe 10 Kg/ cm² pressure					
	a) 20 mm	र.मी	25.00	25.00	25.00	
	b) 25 mm	"	40.00	40.00	40.00	
	c) 32mm	"	65.00	65.00	65.00	
	a) 40 mm	"	98.00	98.00	98.00	
	b) 50 mm	"	155.00	155.00	155.00	
	c) 63 mm	"	246.00	246.00	246.00	
	d) 75 mm	"	351.00	351.00	351.00	
	e) 90 mm	"	501.00	501.00	501.00	
	f) 110 mm	"	742.00	742.00	742.00	
	g) 125 mm	"	950.00	950.00	950.00	
	h) 140 mm	"	1199.00	1199.00	1199.00	
	i) 160 mm	"	1542.00	1542.00	1542.00	
	j) 180 mm	"	1966.00	1966.00	1966.00	
	k) 200 mm	"	2431.00	2431.00	2431.00	
30.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	31.00	31.00	31.00	
	75 mm	"	75.00	75.00	75.00	
	110 mm	"	128.00	128.00	128.00	
	Bend 87.5 degree					
	50 mm	गोटा	46.00	46.00	46.00	
	75 mm	"	108.00	108.00	108.00	
	110 mm	"	200.00	200.00	200.00	
	Bend 45 degree					
	50 mm	गोटा	45.00	45.00	45.00	
	75 mm	"	88.00	88.00	88.00	
	110 mm	"	158.00	158.00	158.00	
	Single Tee					
	50 mm	गोटा	68.00	68.00	68.00	
	75 mm	"	147.00	147.00	147.00	
	110 mm	"	279.00	279.00	279.00	
	Pipe clip					
	50 mm	गोटा	14.00	14.00	14.00	

सुध प्रसाद रेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	75 mm	"	28.00	28.00	28.00	
	110 mm	"	37.00	37.00	37.00	
	Bend 87.5 degree with door					
	75 mm	गोटा	139.00	139.00	139.00	
	110 mm	"	242.00	242.00	242.00	
	Single Tee with door					
	75 mm	गोटा	198.00	198.00	198.00	
	110 mm	"	369.00	369.00	369.00	
	Double Tee					
	75 mm	गोटा	322.00	322.00	322.00	
	110 mm	गोटा	510.00	510.00	510.00	
	Double Tee with door					
	75 mm	गोटा	427.00	427.00	427.00	
	110 mm	"	662.00	662.00	662.00	
	Vent cowl					
	75 mm	गोटा	53.00	53.00	53.00	
	110 mm	"	87.00	87.00	87.00	
	Socket plug					
	75 mm	गोटा	66.00	66.00	66.00	
	110 mm	"	108.00	108.00	108.00	
	Single "Y"					
	75 mm	गोटा	168.00	168.00	168.00	
	110 mm	"	363.00	363.00	363.00	
	Single "Y" with door					
	75 mm	गोटा	230.00	230.00	230.00	
	110 mm	"	438.00	438.00	438.00	
	Double "Y"					
	75 mm	गोटा	253.00	253.00	253.00	
	110 mm	"	499.00	499.00	499.00	
	Double "Y" with door					
	75 mm	गोटा	325.00	325.00	325.00	
	110 mm	"	523.00	523.00	523.00	
	Cleaning pipe					
	75 mm	"	147.00	147.00	147.00	
	110 mm	"	284.00	284.00	284.00	
	Reducer					
	110x 75 mm	"	131.00	131.00	131.00	
	75X50 mm	"	69.00	69.00	69.00	
	P -Trap					
	125mmx110mm	"	539.00	539.00	539.00	
	110mmx110mm	"	505.00	505.00	505.00	
	75mmx75mm	"	193.00	193.00	193.00	
	Multi-Floor -Trap					
	110mmx75mm	"	280.00	280.00	280.00	
	Nahani-Trap					
	110mmx75mm	"	255.00	255.00	255.00	

सुप्रसन्न सेडाई

 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	परिवर्तन कोफियत
	W.C. Connector (bent type)	„	261.00	261.00	261.00	
	Square tile with jali	„	84.00	84.00	84.00	
	Round jali	„	38.00	38.00	38.00	
	End cap 50mm	„	25.00	25.00	25.00	
31.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी				
	ii. ¾" (20 mm)	„				
	iii. 1" (25 mm)	„				
	iv. 1 ¼" (32 mm)	„				
	v. 1 ½ " (40 mm)	„				
	vi. 2" (50 mm)	र.मी				
	vii. 2 ½ " (65 mm)	र.मी				
	viii. 3" (80 mm)	„				
	ix. 4" (100 mm)	„				
	x. 5" (125 mm)	„				
	xi. 6" (150 mm)	„	आर्थिक वर्ष २०७९/८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	xii. 8" (200 mm)	„				
	b) Medium class					
	i. ½ " (15 mm)	र.मी				
	ii. ¾" (20 mm)	„				
	iii. 1" (25 mm)	„				
	iv. 1 ¼" (32 mm)	„				
	v. 1 ½ " (40 mm)	र.मि				
	vi. 2" (50 mm)	„				
	vii. 2 ½ " (65 mm)	„				
	viii. 3" (80 mm)	„				
	ix. 4" (100 mm)	„				
	x. 5" (125 mm)	„				
	xi. 6" (150 mm)	„				
	xii. 8" (200 mm)	„				
	c) Heavy duty					
	i. ½ " (15 mm)	र.मि				
	ii. ¾" (20 mm)	„				
	iii. 1" (25 mm)	„				
	iv. 1 ¼" (32 mm)	„	आर्थिक वर्ष २०७९/८० को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	v. 1 ½ " (40 mm)	„				
	vi. 2" (50 mm)	„				
	vii. 2 ½ " (65 mm)	„				
	viii. 3" (80 mm)	„				
	ix. 4" (100 mm)	„				
	x. 5" (125 mm)	„				
	xi. 6" (150 mm)	„				
	xii. 8" (200 mm)	„				


प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
32.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	½ "	गोटा	882.20			
ii.	¾ "	"	1097.80			
iii.	1 "	"	1768.80			
iv.	1 ¼ "	"	2523.40			
v.	1 ½ "	"	3177.90			
vi.	2 "	"	5058.90			
vii.	2 ½ "	"	10459.90			
viii.	3 "	"	13005.30			
ix.	4 "	"	21301.50			
	b) G.M Check valve					
i.	½ "	गोटा	818.40			
ii.	¾ "	गोटा	1100.00			
iii.	1 "	गोटा	1626.90			
iv.	1 ¼ "	"	2404.60			
v.	1 ½ "	"	2781.90			
vi.	2 "	"	4613.40	आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
vii.	2 ½ "	"	9373.10			
viii.	3 "	"	12519.10			
ix.	4 "	"	17692.40			
	c) G.I. Ebow					
i.	½ "	गोटा	47.30			
ii.	¾ "	"	85.80			
iii.	1 "	"	133.10			
iv.	1 ¼ "	"	201.30			
v.	1 ½ "	"	282.70			
vi.	2 "	"	425.70			
vii.	2 ½ "	"	738.10			
viii.	3 "	"	1148.40			
ix.	4 "	"	1978.90			
x.	5 "	"	4897.20			
xi.	6 "	"	5893.80			
	d) G.I. Tee					
i.	½ "	गोटा	73.70			
ii.	¾ "	"	116.60			
iii.	1 "	"	169.40			
iv.	1 ¼ "	"	271.70			
v.	1 ½ "	"	376.20			
vi.	2 "	"	614.90			
vii.	2 ½ "	"	965.80			
viii.	3 "	"	1305.70			
ix.	4 "	"	2371.60			
x.	5 "	"	6563.70			
xi.	6 "	"	7606.50			
	e) G.I Union					

प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
i.	½ "	गोटा	155.10			
ii.	¾"	"	217.80			
iii.	1"	"	320.10			
iv.	1 ¼"	"	440.00			
v.	1 ½ "	"	544.50			
vi.	2"	"	810.70			
vii.	2 ½ "	"	1657.70			
viii.	3"	"	2233.00			
ix.	4"	गोटा	2942.50			
x.	5"	"	6563.70			
xi.	6"	"	7940.90			
f) G.I. Socket						
i.	½ "	गोटा	42.90			
ii.	¾"	गोटा	67.10			
iii.	1"	गोटा	91.30			
iv.	1 ¼"	गोटा	140.80			
v.	1 ½ "	गोटा	190.30			
vi.	2"	गोटा	280.50			
vii.	2 ½ "	"	508.20			
viii.	3"	"	749.10			
ix.	4"	"	1296.90			
x.	5"	"	3239.50			
xi.	6"	"	4356.00			
g) C.I. Plug						
i.	½ "	गोटा	27.50			
ii.	¾"	"	36.30			
iii.	1"	"	45.10			
iv.	1 ¼"	"	90.20			
v.	1 ½ "	"	113.30			
vi.	2"	"	136.40			
vii.	2 ½ "	"	195.80			
viii.	3"	"	400.40			
ix.	4"	"	767.80			
h) Hex Nipple						
i.	½ "	गोटा	51.70			
ii.	¾"	"	79.20			
iii.	1"	"	127.60			
iv.	1 ¼"	"	199.10			
v.	1 ½ "	"	251.90			
vi.	2"	"	375.10			
vii.	2 ½ "	"	687.50			
viii.	3"	"	887.70			
ix.	4"	"	1360.70			
i) Reducing Tee						
i.	¾"	गोटा	127.60			
ii.	1"	"	187.00			
iii.	1 ¼"	"	298.10			

आर्थिक वर्ष २०८०/८१
को काठमाण्डौं जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८१/८२
को काठमाण्डौं जिल्लाको
दर रेट अनुसार हुने

सूर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	आ.व. ०८२/०८३
iv.	1 1/2 "	"	413.60			
v.	2"	"	675.40			
vi.	2 1/2 "	"	1063.70			
vii.	3"	"	1437.70			
viii.	4"	"	2626.80			
x.	5"	"	7227.00			
xi.	6"	"	8365.50			
i) Reducing Elbow						
i.	3/4"	गोटा	94.60			
ii.	1"	"	146.30			
iii.	1 1/4"	"	223.30			
iv.	1 1/2 "	"	313.50			
v.	2"	"	468.60			
vi.	2 1/2 "	"	809.60	आर्थिक वर्ष २०८०/८१ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
vii.	3"	"	1247.40			
viii.	4"	"	2208.80			
x.	5"	"	5387.80			
xi.	6"	"	6483.40			
j) Reducing socket						
i.	3/4"	गोटा	73.70			
ii.	1"	"	99.00			
iii.	1 1/4"	"	154.00			
iv.	1 1/2 "	"	206.80			
v.	2"	"	309.10			
vi.	2 1/2 "	"	552.20			
vii.	3"	"	788.70			
viii.	4"	"	1422.30			
x.	5"	"	4066.70			
xi.	6"	"	4781.70			
K) Short bend						
i.	1/2 "	गोटा	127.60			
ii.	3/4"	"	195.80			
iii.	1"	"	300.30			
iv.	1 1/4"	"	577.50			
v.	1 1/2 "	"	872.30			
vi.	2"	"	1277.10			
vii.	2 1/2 "	"	3278.00			
viii.	3"	"	5082.00			
ix.	4"	"	7200.60			
L) Cross Tee						
i.	1/2 "	गोटा	119.90			
ii.	3/4"	"	170.50			
iii.	1"	"	268.40			
iv.	1 1/4"	"	466.40			
v.	1 1/2 "	"	559.90			
vi.	2"	"	907.50			
vii.	2 1/2 "	"	1531.20			

सुरेश प्रसाद सेडाई

प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
viii.	3"	"	2218.70			
ix.	4"	"	2995.30			
M) Tanki nipple						
i.	½ "	गोटा	140.80			
ii.	¾"	"	195.80			
iii.	1"	"	292.60			
iv.	1 ¼"	"	440.00			
v.	1 ½ "	"	559.90			
vi.	2"	गोटा	907.50			
vii.	2 ½ "	"	1746.80			
viii.	3"	"	2326.50			
ix.	4"	"	3086.60			
G.I. Nipple Medium Class ISI or NS						
2" Long			0.00			
i.	½ "	गोटा	23.10			
ii.	¾"	"	34.10			
iii.	1"	"	46.20	आर्थिक वर्ष २०८०/८१ को काठमाण्डौं जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौं जिल्लाको दर रेट अनुसार हुने	
iv.	1 ¼"	"	62.70			
v.	1 ½ "	"	75.90			
vi.	2"	"	116.60			
3" Long						
i.	½ "	गोटा	34.10			
ii.	¾"	"	51.70			
iii.	1"	"	69.30			
iv.	1 ¼"	"	93.50			
v.	1 ½ "	"	115.50			
vi.	2"	"	172.70			
vii.	2 ½ "	"	237.60			
viii.	3"	"	346.50			
4" Long						
i.	½ "	गोटा	46.20			
ii.	¾"	"	68.20			
iii.	1"	"	92.40			
iv.	1 ¼"	"	124.30			
v.	1 ½ "	"	151.80			
vi.	2"	"	232.10			
vii.	2 ½ "	"	317.90			
viii.	3"	"	463.10			
ix.	4"	"	595.10			
6" Long						
i.	½ "	गोटा	69.30			
ii.	¾"	"	103.40			
iii.	1"	"	138.60			
iv.	1 ¼"	"	188.10			
v.	1 ½ "	"	232.10			
vi.	2"	"	347.60			
vii.	2 ½ "	"	475.20			

प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
viii.	3"	"	679.80			
ix.	4"	"	840.40			
	9" Long					
i.	½ "	गोटा	103.40			
ii.	¾"	"	152.90			
iii.	1"	"	184.80			
iv.	1 ¼"	"	281.60			
v.	1 ½ "	"	378.40			
vi.	2"	"	521.40			
vii.	2 ½ "	गोटा	704.00			
viii.	3"	"	1041.70			
ix.	4"	"	4464.90			
	12" Long					
i.	½ "	गोटा	138.60			
ii.	¾"	"	202.40			
iii.	1"	"	229.90			
iv.	1 ¼"	"	376.20			
v.	1 ½ "	"	463.10			
vi.	2"	"	694.10			
vii.	2 ½ "	"	937.20			
viii.	3"	"	1388.20			
ix.	4"	"	1657.70			
	18" Long					
i.	½ "	गोटा	207.90			
ii.	¾"	"	256.30			
iii.	1"	"	346.50			
iv.	1 ¼"	"	563.20			
v.	1 ½ "	"	691.90			
vi.	2"	"	1041.70			
vii.	2 ½ "	"	1408.00			
viii.	3"	"	2061.40			
ix.	4"	"	2514.60			
	G.I./G.I. Flange					
i.	1 ¼"	गोटा	883.30			
ii.	1 ½ "	"	1086.80			
iii.	2"	"	1332.10			
iv.	2 ½ "	"	1557.60			
v.	3"	"	1734.70			
vi.	4"	"	2152.70			
vii.	5"	"	3077.80			
viii.	6"	"	3197.70			
ix.	8"	"	6369.00			
	MS Flange set of different sizes					
i.	4 "	गोटा	2550.00			
ii.	5 "	"	3540.00			
iii.	6 "	"	3750.00			
iv.	7 "	"	6325.00			

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

प्रमुख जिल्ला अधिकारी




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
v.	8"	"	8500.00			
vi.	10 "	"	10500.00			
vii.	12"	"	15050.00			
G.I./HDP Flange						
i.	1 ¼"	गोटा	951.50			
ii.	1 ½ "	"	1212.20			
iii.	2"	"	1432.20			
iv.	2 ½ "	"	1672.00			
v.	3"	"	1787.50			
vi.	4"	"	2205.50			
vii.	5"	"	3077.80			
viii.	6"	"	3213.10			
ix.	8"	"	6991.60			
HDP/HDP Flange set with adaptor						
i.	1 ¼"	गोटा	951.50			
ii.	1 ½ "	"	1212.20			
iii.	2"	"	1432.20			
iv.	2 ½ "	"	1672.00			
v.	3"	गोटा	1787.50			
vi.	4"	"	2205.50			
vii.	5"	"	3495.80			
viii.	6"	"	3213.10			
ix.	8"	"	6991.60			
Brass tap ½"						
i.	½ " (Wt. 400 gm)	गोटा	830.50			
ii.	½ " ordinary	गोटा	188.10			
Globe Valve (GM)						
i.	½ "	गोटा	847.00			
ii.	¾"	"	1379.40			
iii.	1"	"	1703.90			
iv.	1 ¼"	"	2707.10			
v.	1 ½ "	गोटा	3406.70			
vi.	2"	गोटा	4253.70			
vii.	2 ½ "	गोटा	8354.50			
viii.	3"	"	13805.00			
ix.	4"	"	22321.20			
Float Valve						
i.	½ "	गोटा	1039.50			
ii.	¾"	"	1175.90			
iii.	1"	"	1426.70			
iv.	1 ¼"	"	2466.20			
v.	1 ½ "	"	3704.80			
vi.	2"	"	4932.40			
C.I. Air valve (Heavy)						
i.	½ "	गोटा	3443.00			
ii.	¾"	"	4749.80			
iii.	1"	"	5266.80			

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

प्रमुख जिल्ला जायकार




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Brass Union with Adopter					
i.	½ "	गोटा	224.40			
ii.	¾ "	"	345.40			
iii.	1 "	"	522.50			
iv.	1 ¼ "	"	679.80			
v.	1 ½ "	"	1212.20			
vi.	2 "	"	1797.40			
	Saddle Ferrule					
i.	1 ½ "	गोटा	324.50			
ii.	2 "	"	429.00			
iii.	2 ½ "	"	1196.80			
iv.	3 "	"	1582.90			
v.	4 "	"	2257.20			
	Flow Regulating Valve (G.M.)					
i.	½ "	गोटा	1212.20			
	C.I Sluice Valve					
i.	1 ½ "	गोटा	6275.50			
ii.	2 "	"	8371.00			
iii.	2 ½ "	"	10455.50			
iv.	3 "	गोटा	12549.90			
v.	4 "	"	16728.80			
v.	5 "	"	25425.40			
v.	6 "	"	30514.00			
v.	8 "	"	42719.60			
	Cast Steel Gat Valve class 300					
i.	1 ½ "	गोटा	45000.00			
ii.	2 "	गोटा	50000.00			
iii.	2 ½ "	गोटा	70000.00			
iv.	3 "	गोटा	90000.00			
v.	4 "	गोटा	130000.00			
v.	5 "	गोटा	175000.00			
	Cast Steel Non Return Valve class 300					
i.	1 ½ "	गोटा	45000.00			
ii.	2 "	गोटा	50000.00			
iii.	2 ½ "	गोटा	70000.00			
iv.	3 "	गोटा	90000.00			
v.	4 "	गोटा	130000.00			
v.	5 "	गोटा	175000.00			
	Brass Ferrule Cock					
i.	½ "	गोटा	1379.40			
ii.	¾ "	"	1797.40			
iii.	1 "	"	2638.90			
	Ball valve					
a)	15mm	गोटा	470.80			
b)	20 mm	"	596.20			
c)	25 mm	"	799.70			
d)	32 mm	"	963.60			

आर्थिक वर्ष २०८०/८१
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

सर्व प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	e) 40 mm	"	1865.60			
	f) 50 mm	"	3062.40			
33.0	Supplying of Rcc ring for construction of well					
33.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	638.00	657.00	676.00	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	789.80	813.00	837.00	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	918.50	946.00	974.00	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1216.60	1253.00	1290.00	
33.2	Supplying & fixing of metal frame and Rcc cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1926.10	1983.00	2042.00	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2549.80	2626.00	2704.00	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2798.40	2882.00	2968.00	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3342.90	3443.00	3546.00	
32.0	ईनार खन्नको लागी R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.सी	4409.90	4542.00	4678.00	
	ii) 36" dia. R.C.C. Ring	"	5596.80	5764.00	5936.00	
	iii) 42" dia. R.C.C. Ring	"	6514.20	6709.00	6910.00	
	iv) 48" dia. R.C.C. Ring	"	8035.50	8276.00	8524.00	
33.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्नको लागी R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.सी	5918.00	6095.00	6277.00	
	ii) 36" dia. R.C.C. Ring	"	10006.70	10306.00	10615.00	
	iii) 42" dia. R.C.C. Ring	"	12112.10	12475.00	12849.00	
	iv) 48" dia. R.C.C. Ring	"	14550.80	14987.00	15436.00	
33.0	Accessories for Deep boring works by machine .					
	i) MS Slotted pipe	Kg				
	ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel	Set	272.80	272.80	272.80	
	iii) Submersible pump with motor 12.5 hp per set, head 80 m.discharge 8 lps.with control pannel	"				
	iv) Submersible pump with motor 10 hp per set, head 70 m.discharge 7 lps. with control pannel	"				

सुरेश प्रसाद सेडा
प्रमुख जिल्ला अा




SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	v) Submersible pump with motor 7.5 hp per set, head 70 m. discharge 5 lps. with control pannel	"				
	vi) 10 mm sq. submersible Cable three phase per meter	र.मि				
	vii) 6 mm sq. submersible Cable three phase per meter	"				
	viii) 4 mm sq. submersible Cable three phase per meter	"				
	ix) 2.5 mm sq. submersible Cable three phase per meter	"				
	x) Pannel Board Suitable for above pumps 20 H P	set				
	xi) Pannel Board Suitable for above pumps 15 H P	"				
	xii) Pannel Board Suitable for above pumps 12.50 H P	"				
	xiii) Pannel Board Suitable for above pumps 10 H P	"				
	xiv) Pannel Board Suitable for above pumps 7.5 H P	"				
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	"				
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	"				
	xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm	"				
	xviii) 10" MS collar (socket) suitable for above pipe thickness 7 mm	"				
	xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm	"				
	xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm	"				
	xxi) 4" MS collar (socket) suitable for above pipe thickness 6 mm	"				
	vi) 200 mm dia ms pipe of 7 mm thick	र.मि				
	vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe	"				
	vi) 150 mm dia ms pipe of 5.4 mm thick	"				
	vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe	"				
	Construction material for deep boring					
	Bentonite	Ton				
	Barite	Ton				
	Drill bit	nos				
	Oxyzen gs	cy,				
	Acetelyne gas	cy,				
	Bucket	nos				
	Liner	nos				
	Piston rod	nos				
	Gland packing	set				
	swivel packing	Set				

आर्थिक वर्ष २०८१/८२
को काठमाण्डौं जिल्लाको
दर रेट अनुसार हुने

प्रमुख जिल्ला अधिकारी
 प्रसाद सेडाई



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	V-packing	Set				
	Valve / Steel ball	nos				
	Valve sheat	nos				
	Valve Packing	nos				
	Machinery for Deep boring					
	Rig machine	Hrs				
	Elec. Generetor	"				
	Water truck	"				
	Cargo truck	"				
	Picup truck	"				
	Water pump	"				
	Electric logger	"				
34.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	255.00	255.00	255.00	
	12"	Pc	482.00	482.00	482.00	
	15"	Pc	1388.00	1388.00	1388.00	
	18"	Pc	1643.00	1643.00	1643.00	
b	Blow Torch					
	1/2 pint	Pc	1434.00	1434.00	1434.00	
	1 pint	Pc	1767.00	1767.00	1767.00	
c	Building Trowel	Pc	79.00	79.00	79.00	
d	Chain Pipe wrench					
	50mm	Pc	1595.00	1595.00	1595.00	
	75mm	Pc	1898.00	1898.00	1898.00	
	100mm	Pc	2228.00	2228.00	2228.00	
	150mm	Pc	3135.00	3135.00	3135.00	
	200mm	Pc	5335.00	5335.00	5335.00	
e	Chain Pulley in Ton					
	3 ton	Pc	17562.00	17562.00	17562.00	
	5 ton	Pc	29005.00	29005.00	29005.00	
f	Stone Chisel 1"x12"	Pc	369.00	369.00	369.00	
g	Die teeth oil with cane (250 ml size)	Pc	283.00	283.00	283.00	
h	Smooth steel file half round					
	8"	Pc	539.00	539.00	539.00	
	10"	Pc	1031.00	1031.00	1031.00	
i	Flat file 10"	Pc	539.00	539.00	539.00	
10.0	Hacksaw Blade					
	Single	Pc	4.00	4.00	4.00	
	double	Pc	9.00	9.00	9.00	
j	Hacksaw Frame 6mm	Pc	193.00	193.00	193.00	
k	Handle die set					
	25 mm	Pc	3201.00	3201.00	3201.00	
	50 mm	Pc	3626.00	3626.00	3626.00	
	60 mm	Pc	9631.00	9631.00	9631.00	
l	Heating Plate					
	80 mm	Pc	963.00	963.00	963.00	
	100 mm	Pc	1105.00	1105.00	1105.00	
	125 mm	Pc	1416.00	1416.00	1416.00	
	150 mm	Pc	1688.00	1688.00	1688.00	
	200 mm	Pc	2731.00	2731.00	2731.00	

सुब्रह्मण्य रेडाई
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	250 mm	Pc	3308.00	3308.00	3308.00	
	300 mm	Pc	3864.00	3864.00	3864.00	
m	Iron Brush 12"	Pc	74.00	74.00	74.00	
n	Iron Pan (madium)	Pc	261.00	261.00	261.00	
o	Pick Axe 1.7 Kg.	Pc	431.00	431.00	431.00	
p	Pipe Cutter					
	15-50 mm	Pc	2039.00	2039.00	2039.00	
	65-80 mm	Pc	3172.00	3172.00	3172.00	
	100 mm	Pc	5099.00	5099.00	5099.00	
	125 mm	Pc	5665.00	5665.00	5665.00	
	150 mm	Pc	10084.00	10084.00	10084.00	
q	Pipe Jack Machine (Heavy)	Pc	32291.00	32291.00	32291.00	
r	Pipe Vice					
	2"	Pc	2493.00	2493.00	2493.00	
	3"	Pc	3626.00	3626.00	3626.00	
	4"	Pc	5467.00	5467.00	5467.00	
	5"	Pc	10140.00	10140.00	10140.00	
s	Pipe Wrench					
	10"	Pc	317.00	317.00	317.00	
	12"	Pc	589.00	589.00	589.00	
	14"	Pc	702.00	702.00	702.00	
	18"	Pc	1117.00	1117.00	1117.00	
	24"	Pc	1541.00	1541.00	1541.00	
	36"	Pc	5438.00	5438.00	5438.00	
	48"	Pc	9631.00	9631.00	9631.00	
t	Plumb Bob Line	Pc	91.00	91.00	91.00	
u	Rachet Die Set					
	1/2"-1"	Pc	4305.00	4305.00	4305.00	
	1 1/4" -2"	Pc	8044.00	8044.00	8044.00	
	2 1/2"-3"	Pc	17562.00	17562.00	17562.00	
v	Round File 10"	Pc	369.00	369.00	369.00	
w	Screw Driver 12"	Pc	204.00	204.00	204.00	
x	Shovel 1.5 Kg	Pc	369.00	369.00	369.00	
y	Slide wrench					
	10"	Pc	363.00	363.00	363.00	
	12"	Pc	487.00	487.00	487.00	
	15"	Pc	1422.00	1422.00	1422.00	
z	Spade	Pc	442.00	442.00	442.00	
A	Spare Die Teeth					
	15 mm	Pc	589.00	589.00	589.00	
	20 mm	Pc	589.00	589.00	589.00	
	25 mm	Pc	589.00	589.00	589.00	
	32 mm	Pc	935.00	935.00	935.00	
	40 mm	Pc	1598.00	1598.00	1598.00	
	50 mm	Pc	1615.00	1615.00	1615.00	
	65 mm	Pc	1869.00	1869.00	1869.00	
	80 mm	Pc	2096.00	2096.00	2096.00	
B	Telflon Cover					
	5'x5'	Pc	312.00	312.00	312.00	
	7'x7'	Pc	425.00	425.00	425.00	
C	Telflon Cloth	m	3428.00	3428.00	3428.00	
D	Telflon Tape 10 mm roll	Roll	18.00	18.00	18.00	
E	Thermochrome Crayon					

प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Indian	Pc	765.00	765.00	765.00	
	Germany	Pc	1485.00	1485.00	1485.00	
F	Tool Box (14"x8"x22")	Pc	2102.00	2102.00	2102.00	
35	Installation of waste water tretment Plant all complete work (sintex or equivalent company) (Watste water from toilet , Sink, Shower and other drain flows through Sewage Treatment Plant where scum float to the top and sludge substance heavier than water and effluent left between the scum and sludge layers flows through tank outlet to the soak pit or drain field ,MADE OF LLDPE material used in reducing BOD ad COD level Anerobic treatment)					
	800 lts for 4 persons	nos	71250.00	71250.00	71250.00	
	1200 lts for 6 people	nos	88350.00	88350.00	88350.00	
	1600 lts for 10 persons	nos	106400.00	106400.00	106400.00	
	1800 lts for 12 persons	nos	125400.00	125400.00	125400.00	
36	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660.00	660.00	660.00	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200.00	1200.00	1200.00	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200.00	1200.00	1200.00	
	gear rotors 5004	No.	3100.00	3100.00	3100.00	
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	No.	390.00	390.00	390.00	
				0.00	0.00	

सुर्य प्रसाद सेडाई
 प्रमुख जिल्ला अधिकारी



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	कैफियत
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic.SA	No.	480.00	480.00	480.00	
	Providing and fixing of HDPE service saddle of varying size		850.00	850.00	850.00	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve, security pivot to maintain lever in space, double water tight joint, direct injection stem non mechanical, with a base which permits maximum penetration into the valve of size 63mm.	No.	1800.00	1800.00	1800.00	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100.00	2100.00	2100.00	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500.00	7500.00	7500.00	
	6" Round box.	No.	1250.00	1250.00	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500.00	13500.00	13500.00	
	Key threads into top of QCV to provide water access 33DK	No.	9750.00	9750.00	9750.00	
5	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	गोटा				आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने
	b) 45 cm long bend type	गोटा				
	c) 60 cm long bend type	गोटा				
37	ईनार तथा ट्यूबवेल सम्बन्धी					
A	Deep Tube Well					
	1 Pea Gravel	Cum		3345.00	3345.00	
	2 Gasket	no		55.00	55.00	
	3 Bentonite	Kg		35.00	35.00	
	4 Barite	Kg		35.00	35.00	
	5 MS Casing pipe 10 inch	Kg		128.00	128.00	
	6 MS Casing pipe 8 inch	Kg		118.00	118.00	
	7 MS Casing pipe 6 inch	Kg		118.00	118.00	
	8 Reducer 8/6 inch	No		2710.00	2710.00	
	9 Flange 8 inch	No		4745.00	4745.00	
	10 LCG Screen-6 inch	Mtr		8476.00	8476.00	
	11 Stainless steel Screen 6 inch	Mtr		15244.00	15244.00	
B	Shallow Tube well					
	1 4" Dia MS pipe Threaded	Kg		149.00	149.00	
	2 4" Dia Bottle T (well leadT)	No		3491.00	3491.00	
	3 4" Dia nipple 4" length	No		329.00	329.00	
	4 4" Dia heavy socket	No		1323.00	1323.00	
	5 1.5" Dia Nipple 9" long	No		309.00	309.00	
	6 4" Dia Non- return valve	No		5871.00	5871.00	
	7 4" CI Cap	No		391.00	391.00	
	8 1.5" CI Cap	No		123.00	123.00	
	9 PVC screen making charge	Rm		825.00	825.00	

सुब्रह्मण्य सेडाई
 प्रमुख जिल्ला अधिव



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२	गृह मन्त्रालय पत्रकारिता, शान्ति, स्वास्थ्य, कृषि, पर्यावरण
10	MS screen making charge	Rm		2980.00	2980.00	
11	Noke making charge	No		4050.00	4050.00	
12	Nylon Net	Mtr		150.00	150.00	
13	Shallow Tubewell Drilling Charge (Manual)					
a	Sludge Method	Rm		1965.00	1965.00	
b	Hammering Method	Rm		2915.00	2915.00	
C	Cost of Summercible Pumps					
i	5HP Motor pump (4"Boring, Economic Head upto 50m)	No		93215.00	90500.00	
ii	6HP Motor pump (4"Boring, Economic Head upto 75m)	No		105575.00	102500.00	
iii	7.5HP Motor pump (6"Boring, Economic Head upto 100m)	No		129265.00	125500.00	
iv	10HP Motor pump (6"Boring, Economic Head upto 150m)	No		192610.00	187000.00	
v	15HP Motor pump (8"Boring, Economic Head upto 150m)	No		285825.00	277500.00	
vi	20HP Motor pump (10"Boring, Economic Head upto 150m)	No		304107.00	295250.00	
vii	25-30HP Motor pump (>10"Boring, Economic Head upto 200m)	No		329085.00	319500.00	
D	5HP Diesel pumpset	No		54693.00	53100.00	
E	Flexible Submersible Copper Flat Cable					
	4Sq.mm	Mtr		793.00	770.00	
	6Sq.mm	Mtr		906.00	880.00	
	10Sq.mm	Mtr		1545.00	1500.00	
F	Making of Dug well for 40" RCC Ring with sinking for labour wadges only					
	upto depth 6m	Mtr		4055.00	4055.00	
	depth 6m-9m	Mtr		4680.00	4680.00	
	depth 9m-12m	Mtr		5320.00	5320.00	
	depth 12m-15m	Mtr		5950.00	5950.00	
	Above 15m	Mtr		6580.00	6580.00	
G	CI Heavy Hand Pump (23kg)	set		5050.00	5050.00	
H	Mechanical Equipments					
	12mm dia. Touching Wire	Mtr		440.00	440.00	
	5 Ton Capacity Chain Pully (ISO/ISI Standard)	set		50600.00	50600.00	
	Mechanical jack	set		56500.00	56500.00	
	सिचाईका आइरन गेटहरू					155
	फ्रेम, पल्ला, सादा नटबोलट सहित	प्रति केजि				260
	फ्रेम, पल्ला, स्पेनडल, बुस्ट नट, गिज बक्स नटबोलट सेट बेरि	प्रति केजि				290
	फ्रेम, पल्ला, स्पेनडल, बुस्ट नट, गिज बक्स नटबोलट सेट बेरि सहित	प्रति केजि				



सूर्य प्रसाद सेडाई
प्रमुख जिल्ला अधिकारी



घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा
निर्धारण सम्बन्धमा

काभ्रेपलाञ्चोक

आ.ब. ०८१ / ०८२

निर्णय नं. ५ : घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा निर्धारण सम्बन्धमा:

घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो। (पाना नं १)

सि न	घरको बनावट	इकाई	आ.व २०७९/०८० को दर (रु)	आ.व २०८०/०८१ को दर (रु)	आ.व २०८१/०८२ को दर (रु)	कैफियत
१	भवनको निर्माण भित्र काचो, बाहिर पाको ईटामामाटोको जोडाइ भई छाना जस्ता, झिगटी, टायल, एसवेसटस सिट।	ब.फु.	१३९०१४०	१३५०१००	१३५०१००	
२	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई छाना जस्ता, झिगटी, टायल, एसवेसटस सिट।	ब.फु.	१५७९१३६	१६९८१००	१६९८१००	
३	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना जस्ता, झिगटी, टायल।	ब.फु.	१८७३१२०	१९३०१००	१९३०१००	
४	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	१९६९१२०	२०३०१००	२०३०१००	
५	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना, झिगटी, टायल एसवेसटस सिट।	ब.फु.	१९२२१४०	१९८०१००	१९८०१००	
६	भवनको निर्माण भित्र बाहिर पाको ईटामा बज्रको जोडाइ र भित्र बाहिर सिमेन्ट प्लास्टर भई छाना जस्ता, झिगटी, टायल, एसवेसटस सिट।	ब.फु.	२०९०१४०	२१५३१००	२१५३१००	
७	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	२१७५१६०	२२४०१००	२२४०१००	
८	भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्टको जोडाइ भई छाना, झिगटी, टायल एसवेसटस सिट।	ब.फु.	२१०७१२०	२१७०१००	२१७०१००	
९	भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्ट जोडाइ भई भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	२१८९१६०	२२४७१००	२२४७१००	
१०	आर.सि.सि.फ्रेम स्टककर भवन।	ब.फु.	२३०४१००	२३७३१००	२३७३१००	
११	काठेकाठको भवन भई छाना जस्ता, झिगटी, टायल, एसवेसटस सिट।	ब.फु.	२०९६१००	२०७६१००	२०७६१००	
१२	सि.जि.आई सिट प्रयोग गरी निर्माण भएको टहरा	ब.फु.	८००१००	८२०१००	८२०१००	

नोट : भवनको बनावट र फिनिसिग तथा सामान / उपकरण जडान बारे बर्गिकरण

क) भवनको भित्र wall putty गरि इमलसन पेन्टिङ्ग गरेको।

ख) भवनको बाहिर weather coat painting भएको।

ग) Lift जडान भएको।

घ) विधुतिकरण लागि उच्च स्तरीय सामग्रीको प्रयोग भएको

ङ. प्यासेज, भरेङ्ग, मा मार्बल, पार्केटिङ्ग भएको

च शौचालयमा टायल फिक्सर र सी पी फिटिङ्ग उच्च स्तरीय प्रयोग भएको

छ (अग्नि नियन्त्रण प्रबिधि) Fire House Reel / Extinguisher) जडान भएको।

ज बेसमेन्टमा पाकिङ्ग सुबिधा भएको।

झ Raft foundation भएको।

उल्लेखित माथिका सबै सुबिधा भएको भए क बर्ग र कम्तीमा ७ गाटा सुबिधा भएको ख बर्ग अन्यथा ग बर्ग मानीने छ। उल्ल यसअनुसार

वर्गीकृत गरिएको भवन को हकमा निम्नानुसारको दर कायम हुने छ :

अ'ग' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर कायम हुने छ।

आ'ख' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ।

इ 'क' (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ।

घरभाडा मुल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायो र बायां निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) ८

प्रतिशत र जग्गाको हकमा IRR ४ प्रतिशत कायम गर्ने र मुख्य सडक संग जोडिएका सहायक सडक र सो सहायक सडक बाट हाँगा फाटेका

सडकको दायो र बायां निर्माण भएका घरहरूको हकमा IRR क्रमश घटाउदै : ४ प्रतिशत सम्म कायम गर्ने तथा जग्गा को हकमा IRR क्रमश

घटाउदै : २ प्रतिशत कायम गर्ने निर्णय गरियो।

मुख्य सडकहरू:

१) अरनिको राजमार्ग, वि.पि. राजमार्ग अन्तर्गत पर्ने धुलिखेल र बनेपा भित्रका सडकहरू

२) बनेपा पनौती सडक

सुब प्रसाद सोडाई
प्रमुख जिल्ला अधिकारी

